

The Cyclotomic Numbers of Order Fifteen

By Nicholas Buck, Lones Smith, Blair K. Spearman,
and Kenneth S. Williams*

Dedicated to Daniel Shanks on the occasion of his 70th birthday

Abstract. Explicit formulae are obtained for the cyclotomic numbers of order 15.

1. Introduction and Notation. Let $p = 15f + 1$ be a prime, so that f is even. Let g be a fixed primitive root of p . The index of $k \not\equiv 0 \pmod{p}$, written $\text{ind } k$, is the unique integer m such that $k \equiv g^m \pmod{p}$, $0 \leq m \leq p - 2$. For integers i and j ($0 \leq i, j \leq 14$) the cyclotomic number $(i, j)_{15}$ of order 15 is defined to be the number of integers k ($2 \leq k \leq p - 1$) which satisfy

$$(1.1) \quad \text{ind}(k - 1) \equiv i \pmod{15}, \quad \text{ind } k \equiv j \pmod{15}.$$

The purpose of this paper is to give explicit formulae for the cyclotomic numbers of order 15. Formulae for the cyclotomic numbers of orders 2, 3, 4, 5, 6 [4]; 7 [11]; 8 [10]; 9 [2]; 10 [18]; 11 [12]; 12 [19]; 14 [13]; 16 [17], [6]; 18 [2]; 20 [15]; 24 [7], are already known.

Closely related to the cyclotomic numbers $(h, k)_{15}$ are the Jacobi sums $J_{15}(\beta^m, \beta^n)$ of order 15, defined for integers m and n by

$$(1.2) \quad J_{15}(\beta^m, \beta^n) = \sum_{k=2}^{p-1} \beta^{m \text{ind } k + n \text{ind}(1-k)},$$

where $\beta = \exp(2\pi i/15)$. The basic properties of these sums are given in Section 2. The study of the Jacobi sums of order 15 was begun by L. E. Dickson [5] in 1935 and completed by J. B. Muskat [14] in 1968.

In this paper we use Dickson's and Muskat's evaluations of the Jacobi sums of order 15 (see Sections 3 and 4) to obtain the values of the Dickson-Hurwitz $B_{15}(i, v)$ of order 15 defined by

$$(1.3) \quad B_{15}(i, v) = \sum_{h=0}^{14} (h, i - vh)_{15};$$

see Section 5. In Section 6, a special case of a theorem of Friesen, Muskat, Spearman, and Williams [8, Theorem 7] is used to express each cyclotomic number in terms of the Dickson-Hurwitz sums, and then, using the values for the Dickson-Hurwitz sum obtained in Section 5, explicit formulae for the cyclotomic numbers

Received January 7, 1986; revised May 5, 1986.

1980 *Mathematics Subject Classification*. Primary 12C20.

* Research supported by Natural Sciences and Engineering Research Council Canada Grant A-7233.

$(i, j)_{15}$ are derived (see Tables 1–70). It turns out that each number $225(i, j)_{15}$ can be expressed as an integral linear combination of the integers $p, 1, a, b, c, d, x, u, v, w, b_0, b_1, b_2, b_3, b_4, b_5, b_6, b_7$, where the quantities a, b, \dots, b_7 are given by

$$(1.4) \quad \beta^{10 \operatorname{ind} 2} J_{15}(\beta^5, \beta^5) = a + b\sqrt{-3},$$

$$(1.5) \quad \beta^{10 \operatorname{ind} 5} J_{15}(\beta, \beta^4) = c + d\sqrt{-15},$$

$$(1.6) \quad \beta^{6 \operatorname{ind} 2} J_{15}(\beta^3, \beta^3) = x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}} + w\sqrt{5},$$

$$(1.7) \quad J_{15}(\beta, \beta) = \sum_{j=0}^7 b_j \beta^j.$$

There are 450 sets of tables for the $(i, j)_{15}$, depending upon the values of $\operatorname{ind} 2 \pmod{15}$, $\operatorname{ind} 3 \pmod{5}$, $\operatorname{ind} 5 \pmod{3}$, $c \pmod{5}$. However, as explained in Section 6, it is only necessary to list 70 of these tables, as the remaining 380 tables can be deduced from them.

The integers a, b, c, d, x, u, v, w have the following properties:

$$(1.8) \quad p = a^2 + 3b^2, \quad a \equiv -1 \pmod{3};$$

$$(1.9) \quad p = c^2 + 15d^2, \quad c \equiv -1 \pmod{3};$$

$$(1.10) \quad \begin{cases} p = x^2 + 5u^2 + 5v^2 + 5w^2, \\ xw = v^2 - uv - u^2, \quad x \equiv -1 \pmod{5}. \end{cases}$$

We remark that a is determined uniquely by (1.8); c is determined uniquely by (1.9); and x is determined uniquely by (1.10) (see [16, p. 17]).

For example, when $p = 61$, $g = 2$, we have

$$a = -7, \quad b = 2, \quad c = -1, \quad d = -2,$$

$$x = 4, \quad u = 2, \quad v = 2, \quad w = -1,$$

$$b_0 = -3, \quad b_1 = 1, \quad b_2 = 4, \quad b_3 = -6, \quad b_4 = 5, \quad b_5 = -3, \quad b_6 = -4, \quad b_7 = 11.$$

We conclude this section by remarking that all the computations for this paper were carried out on a Digital Professional 350 microcomputer. The authors would like to thank David Conibear for his help in running the programs.

2. Basic Properties of Jacobi and Gauss Sums. The Jacobi sums $J_{15}(\beta^m, \beta^n)$ have the following well-known properties (see, for example, [14, pp. 483–484]):

$$(2.1) \quad J_{15}(\beta^m, \beta^n) = J_{15}(\beta^n, \beta^m) = J_{15}(\beta^{-m-n}, \beta^n);$$

$$(2.2) \quad J_{15}(\beta^m, \beta^n) J_{15}(\beta^{-m}, \beta^{-n}) = p \quad \text{if } 15 \nmid m, 15 \nmid n, 15 \nmid m+n;$$

$$(2.3) \quad J_{15}(\beta^m, \beta^n) = -1 \quad \text{if } 15 \nmid m, 15 \mid n; \text{ or } 15 \mid m, 15 \nmid n; \\ \text{or } 15 \nmid m, 15 \nmid n, 15 \mid m+n;$$

$$(2.4) \quad J_{15}(\beta^m, \beta^n) = p - 2 \quad \text{if } 15 \mid m, 15 \mid n.$$

Closely related to the Jacobi sum $J_{15}(\beta^m, \beta^n)$ is the Gauss sum $G_{15}(\beta^m)$ defined for any integer m by

$$(2.5) \quad G_{15}(\beta^m) = \sum_{r=1}^{p-1} \beta^{m \operatorname{ind} r} \zeta^r,$$

where $\zeta = \exp(2\pi i/p)$. The Gauss sums $G_{15}(\beta^m)$ have the following properties (see, for example, [14, p. 484]):

$$(2.6) \quad G_{15}(\beta^m) = -1 \quad \text{if } 15 \mid m,$$

$$(2.7) \quad G_{15}(\beta^m)G_{15}(\beta^{-m}) = p \quad \text{if } 15 \nmid m.$$

The basic relationship between these Gauss and Jacobi sums is (see, for example, [14, Eq. (3)])

$$(2.8) \quad J_{15}(\beta^m, \beta^n) = \frac{G_{15}(\beta^m)G_{15}(\beta^n)}{G_{15}(\beta^{m+n})} \quad \text{if } 15 \nmid m, 15 \nmid n, 15 \nmid m+n.$$

3. Consideration of Gauss Sums $G_{15}(\beta^j)$. In this section we use the Davenport-Hasse identity [3, Eq. (0.9)₁] to determine relationships among the Gauss sums $G_{15}(\beta^j)$ ($j = 1, 2, \dots, 14$).

THEOREM 1. *Let $p \equiv 1 \pmod{15}$ be a prime. Let g be a primitive root (mod p) and let $\beta = \exp(2\pi i/15)$. Then the Gauss sums $G_{15}(\beta^j)$ ($j = 1, 2, \dots, 14$) are related as follows:*

$$(3.1) \quad G_{15}(\beta) = A,$$

$$(3.2) \quad G_{15}(\beta^2) = B,$$

$$(3.3) \quad G_{15}(\beta^3) = C,$$

$$(3.4) \quad G_{15}(\beta^4) = \theta\beta^{-3\text{ind}3+5\text{ind}5}BD/C,$$

$$(3.5) \quad G_{15}(\beta^5) = D,$$

$$(3.6) \quad G_{15}(\beta^6) = \theta\beta^{-6\text{ind}3+5\text{ind}5}BD/A,$$

$$(3.7) \quad G_{15}(\beta^7) = \theta\beta^{3\text{ind}3+5\text{ind}5}CD/A,$$

$$(3.8) \quad G_{15}(\beta^8) = \theta\beta^{-3\text{ind}3-5\text{ind}5}pA/CD,$$

$$(3.9) \quad G_{15}(\beta^9) = \theta\beta^{6\text{ind}3-5\text{ind}5}pA/BD,$$

$$(3.10) \quad G_{15}(\beta^{10}) = p/D,$$

$$(3.11) \quad G_{15}(\beta^{11}) = \theta\beta^{3\text{ind}3-5\text{ind}5}pC/BD,$$

$$(3.12) \quad G_{15}(\beta^{12}) = p/C,$$

$$(3.13) \quad G_{15}(\beta^{13}) = p/B,$$

$$(3.14) \quad G_{15}(\beta^{14}) = p/A,$$

where $\theta = \pm 1$. [The determination of θ is given in Theorem 3.]

Proof. Clearly (3.10), (3.12), (3.13), (3.14) follow from (2.7) and (3.5), (3.3), (3.2), (3.1), respectively.

Next, from the Davenport-Hasse identity, we have

$$(3.15) \quad pG_{15}(\beta^3) = \beta^{3\text{ind}3}G_{15}(\beta)G_{15}(\beta^6)G_{15}(\beta^{11}),$$

$$(3.16) \quad pG_{15}(\beta^6) = \beta^{6\text{ind}3}G_{15}(\beta^2)G_{15}(\beta^7)G_{15}(\beta^{12}),$$

and

$$(3.17) \quad p^2G_{15}(\beta^5) = \beta^{5\text{ind}5}G_{15}(\beta)G_{15}(\beta^4)G_{15}(\beta^7)G_{15}(\beta^{10})G_{15}(\beta^{13}).$$

Using (3.15), (3.1), (3.3) we get

$$(3.18) \quad G_{15}(\beta^6)G_{15}(\beta^{11}) = \beta^{-3\text{ind}3}pC/A;$$

using (3.16), (3.2), (3.12) we get

$$(3.19) \quad G_{15}(\beta^6)/G_{15}(\beta^7) = \beta^{6\text{ind}3}B/C;$$

and using (3.17), (3.1), (3.5), (3.10), (3.13) we get

$$(3.20) \quad G_{15}(\beta^4)G_{15}(\beta^7) = \beta^{-5\text{ind}5}BD^2/A.$$

Multiplying (3.18) and (3.20) together, and using $G_{15}(\beta^4)G_{15}(\beta^{11}) = p$, we obtain

$$(3.21) \quad G_{15}(\beta^6)G_{15}(\beta^7) = \beta^{-3\text{ind}3-5\text{ind}5}BCD^2/A^2.$$

Then, multiplying (3.19) and (3.21) together, we have

$$(3.22) \quad \{G_{15}(\beta^6)\}^2 = \beta^{3\text{ind}3-5\text{ind}5}B^2D^2/A^2,$$

so that (3.6) follows.

From (3.6) and (3.18), (3.6) and (3.19), (3.7) and (3.20), we obtain (3.11), (3.7), (3.4), respectively. Then, from (3.6) and (2.7), we obtain (3.9) and, from (3.7) and (2.7), we obtain (3.8).

This completes the proof of Theorem 1. \square

4. Evaluation of Jacobi Sums $J_{15}(\beta^m, \beta^n)$. For $(k, 15) = 1$ the automorphism σ_k of $Q(\beta)$ is defined by $\sigma_k: \beta \rightarrow \beta^k$. The conjugates of the Jacobi sum $J_{15}(\beta^m, \beta^n)$ are given by $\sigma_k(J_{15}(\beta^m, \beta^n)) = J_{15}(\beta^{km}, \beta^{kn})$, where $k = 1, 2, 4, 7, 8, 11, 13, 14$.

Using the basic properties (2.1), (2.3), (2.4), the nontrivial Jacobi sums $J_{15}(\beta^m, \beta^n)$ (where 15 does not divide any of m , n or $m + n$) are easily seen to be conjugate to

$$(4.1) \quad J(\beta, \beta^n) \quad (n = 1, 2, 3, 4, 5), \quad J(\beta^3, \beta^3), \quad J(\beta^5, \beta^5).$$

THEOREM 2. *Let $p \equiv 1 \pmod{15}$ be a prime. Let g be a primitive root mod p and let $\beta = \exp(2\pi i/15)$. Then the values of the seven Jacobi sums listed in (4.1) are given by*

$$(4.2) \quad J_{15}(\beta, \beta) = \sum_{j=0}^7 b_j \beta^j,$$

$$(4.3) \quad J_{15}(\beta, \beta^2) = \theta \beta^{3\text{ind}3}(c + d\sqrt{-15}),$$

$$(4.4) \quad J_{15}(\beta, \beta^3) = \beta^{-6\text{ind}2-3\text{ind}3}(x + u\sqrt{-5-2\sqrt{5}} + v\sqrt{-5+2\sqrt{5}} + w\sqrt{5}),$$

$$(4.5) \quad J_{15}(\beta, \beta^4) = \beta^{5\text{ind}5}(c + d\sqrt{-15}),$$

$$(4.6) \quad J_{15}(\beta, \beta^5) = \theta \beta^{6\text{ind}3-5\text{ind}5} \sum_{j=0}^7 b_j \beta^j,$$

$$(4.7) \quad J_{15}(\beta^3, \beta^3) = \beta^{-6\text{ind}2}(x + u\sqrt{-5-2\sqrt{5}} + v\sqrt{-5+2\sqrt{5}} + w\sqrt{5}),$$

$$(4.8) \quad J_{15}(\beta^5, \beta^5) = \beta^{5\text{ind}2}(a + b\sqrt{-3}),$$

where a, b, c, d, x, u, v, w are integers satisfying (1.8), (1.9) and (1.10), and $\theta = \pm 1$ is defined in Theorem 1.

Proof. We begin by examining $\beta^{10\text{ind}2}J_{15}(\beta^5, \beta^5)$. Clearly, this quantity is of the form $B_0 + B_1\beta^5$, where B_0 and B_1 are integers. We show that B_1 is always even. We set $\omega = \beta^5 = \frac{1}{2}(-1 + \sqrt{-3})$ and consider three cases according to the value of $\text{ind} 2$ modulo 3.

If $\text{ind } 2 \equiv 0 \pmod{3}$, then it is known that $(0, 0)_3 \equiv 1 \pmod{2}$ [1, Lemma 2]. Now as

$$9(0, 0)_3 = \sum_{m, n=0}^2 J_3(\omega^m, \omega^n)$$

and

$$J_3(\omega^m, \omega^n) = J_{15}(\beta^{5m}, \beta^{5n}) = \begin{cases} p-2 & \text{if } m = n = 0, \\ B_0 + B_1\omega & \text{if } m = n = 1, \\ B_0 + B_1\omega^2 & \text{if } m = n = 2, \\ -1 & \text{otherwise,} \end{cases}$$

we have

$$9(0, 0)_3 = p - 8 + 2B_0 + B_1(\omega + \omega^2) = p - 8 + 2B_0 - B_1,$$

giving

$$1 \equiv 1 - B_1 \pmod{2}, \quad B_1 \equiv 0 \pmod{2}.$$

If $\text{ind } 2 \equiv 1 \pmod{3}$, then in this case we have $(0, 1)_3 \equiv 1 \pmod{2}$ [1, Lemma 2]. As

$$9(0, 1)_3 = \sum_{m, n=0}^2 J_3(\omega^m, \omega^n) \omega^{-n},$$

and

$$J_3(\omega^m, \omega^n) = J_{15}(\beta^{5m}, \beta^{5n}) = \begin{cases} p-2 & \text{if } m = n = 0, \\ \omega(B_0 + B_1\omega) & \text{if } m = n = 1, \\ \omega^2(B_0 + B_1\omega^2) & \text{if } m = n = 2, \\ -1 & \text{otherwise,} \end{cases}$$

we have

$$9(0, 1)_3 = p - 2 + 2B_0 - B_1,$$

giving $1 \equiv 1 - B_1 \pmod{2}$, $B_1 \equiv 0 \pmod{2}$.

If $\text{ind } 2 \equiv 2 \pmod{3}$, then in this case we have $(0, 2)_3 \equiv 1 \pmod{2}$ [1, Lemma 2]. As

$$9(0, 2)_3 = \sum_{m, n=0}^2 J_3(\omega^m, \omega^n) \omega^n$$

and

$$J_3(\omega^m, \omega^n) = J_{15}(\beta^{5m}, \beta^{5n}) = \begin{cases} p-2 & \text{if } m = n = 0, \\ \omega^2(B_0 + B_1\omega) & \text{if } m = n = 1, \\ \omega(B_0 + B_1\omega^2) & \text{if } m = n = 2, \\ -1 & \text{otherwise,} \end{cases}$$

we have

$$9(0, 2)_3 = p - 2 + 2B_0 - B_1,$$

giving

$$1 \equiv 1 - B_1 \pmod{2}, \quad B_1 \equiv 0 \pmod{2}.$$

As $B_1 \equiv 0 \pmod{2}$ in all three cases, we may define an integer b by $B_1 = 2b$. Then we have

$$\beta^{10\text{ind}2} J_{15}(\beta^5, \beta^5) = B_0 + 2b \left(\frac{-1 + \sqrt{-3}}{2} \right) = a + b\sqrt{-3},$$

where $a = B_0 - b$. This completes the proof of (4.8). From (2.2) we have

$$p = J_{15}(\beta^5, \beta^5) J_{15}(\beta^{10}, \beta^{10}) = \beta^{5\text{ind}2} (a + b\sqrt{-3}) \beta^{10\text{ind}2} (a - b\sqrt{-3})$$

so that $p = a^2 + 3b^2$. Cubing (4.8), and using (2.4), we obtain

$$a \equiv a^3 \equiv (a + b\sqrt{-3})^3 \equiv J_{15}(\beta^5, \beta^5)^3 \equiv J_{15}(1, 1) \equiv -1 \pmod{3}.$$

This completes the proof of (1.8).

We next determine $J_{15}(\beta^3, \beta^3)$. Appealing to [9, p. 345] we have

$$(4.9) \quad J_{15}(\beta^3, \beta^3) = \beta^{-6\text{ind}2} \sum_{j=0}^4 t_j \beta^{3j},$$

where t_0, t_1, t_2, t_3, t_4 are integers such that

$$(4.10) \quad t_0 + t_1 + t_2 + t_3 + t_4 = -1,$$

$$(4.11) \quad 5t_0 + 1 = 4x,$$

$$(4.12) \quad t_1 + t_2 - t_3 - t_4 = 4u,$$

$$(4.13) \quad t_1 - t_2 + t_3 - t_4 = 4v,$$

$$(4.14) \quad t_1 - t_2 - t_3 + t_4 = 4w,$$

where x, u, v, w are integers satisfying (1.10). Then, as

$$\beta^3 = \frac{1}{4}(\sqrt{5} - 1 + \sqrt{-10 - 2\sqrt{5}}), \quad \beta^6 = \frac{1}{4}(-\sqrt{5} - 1 + \sqrt{-10 + 2\sqrt{5}}),$$

$$\beta^9 = \frac{1}{4}(-\sqrt{5} - 1 - \sqrt{-10 + 2\sqrt{5}}), \quad \beta^{12} = \frac{1}{4}(\sqrt{5} - 1 - \sqrt{-10 - 2\sqrt{5}}),$$

we obtain from (4.9)

$$\begin{aligned} \beta^{6\text{ind}2} J_{15}(\beta^3, \beta^3) &= t_0 - \frac{1}{4}(t_1 + t_2 + t_3 + t_4) + \frac{\sqrt{5}}{4}(t_1 - t_2 - t_3 + t_4) \\ &\quad + \frac{\sqrt{-10 - 2\sqrt{5}}}{4}(t_1 - t_4) + \frac{\sqrt{-10 + 2\sqrt{5}}}{4}(t_2 - t_3). \end{aligned}$$

Now as

$$\sqrt{-10 - 2\sqrt{5}} = \sqrt{-5 - 2\sqrt{5}} + \sqrt{-5 + 2\sqrt{5}}$$

and

$$\sqrt{-10 + 2\sqrt{5}} = \sqrt{-5 - 2\sqrt{5}} - \sqrt{-5 + 2\sqrt{5}},$$

we obtain, using (4.10)–(4.14),

$$\begin{aligned} &\beta^{6\text{ind}2} J_{15}(\beta^3, \beta^3) \\ &= \frac{1}{4}(5t_0 + 1) + \frac{\sqrt{5}}{4}(t_1 - t_2 - t_3 + t_4) \\ &\quad + \frac{1}{4}\sqrt{-5 - 2\sqrt{5}}(t_1 + t_2 - t_3 - t_4) + \frac{1}{4}\sqrt{-5 + 2\sqrt{5}}(t_1 - t_2 + t_3 - t_4) \\ &= x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}} + w\sqrt{5}, \end{aligned}$$

which is (1.6).

Next we evaluate $J_{15}(\beta, \beta^3)$. We have

$$\begin{aligned}
 J_{15}(\beta, \beta^3) &= \frac{G_{15}(\beta)G_{15}(\beta^3)}{G_{15}(\beta^4)} && \text{(by (2.8))} \\
 &= \theta\beta^{3\text{ind}3-5\text{ind}5}AC^2/BD && \text{(by Theorem 1)} \\
 &= \beta^{-3\text{ind}3}\frac{G_{15}(\beta^3)^2}{G_{15}(\beta^6)} && \text{(by Theorem 1)} \\
 &= \beta^{-3\text{ind}3}J_{15}(\beta^3, \beta^3) && \text{(by (2.8))} \\
 &= \beta^{-6\text{ind}2-3\text{ind}3}\left(x + u\sqrt{-5-2\sqrt{5}} + v\sqrt{-5+2\sqrt{5}} + w\sqrt{5}\right) \\
 &&& \text{(by Theorem 1).}
 \end{aligned}$$

This completes the proof of (4.4). The relationship between $J_{15}(\beta, \beta^3)$ and $J_{15}(\beta^3, \beta^3)$ was obtained by Dickson [5, p. 198].

Next we show that $\beta^{10\text{ind}5}J_{15}(\beta, \beta^4)$ is an element of $Q(\sqrt{-15})$. To do this we must show that it is invariant under σ_2 . We have

$$\begin{aligned}
 \sigma_2(\beta^{10\text{ind}5}J_{15}(\beta, \beta^4)) &= \beta^{5\text{ind}5}J_{15}(\beta^2, \beta^8) \\
 &= \beta^{5\text{ind}5}\frac{G_{15}(\beta^2)G_{15}(\beta^8)}{G_{15}(\beta^{10})} && \text{(by (2.8))} \\
 &= \theta\beta^{-3\text{ind}3}AB/C && \text{(by Theorem 1)} \\
 &= \beta^{10\text{ind}5}\frac{G_{15}(\beta)G_{15}(\beta^4)}{G_{15}(\beta^5)} && \text{(by Theorem 1)} \\
 &= \beta^{10\text{ind}5}J_{15}(\beta, \beta^4).
 \end{aligned}$$

As observed by Muskat [14, p. 497], this invariance property follows from the work of Dickson [5, Section 14]. Hence $\beta^{10\text{ind}5}J_{15}(\beta, \beta^4)$ is an integer of $Q(\sqrt{-15})$ and so there are rational integers r and s of the same parity such that $\beta^{10\text{ind}5}J_{15}(\beta, \beta^4) = \frac{1}{2}(r + s\sqrt{-15})$. From (2.2) we obtain $p = \frac{1}{4}(r^2 + 15s^2)$. Clearly r and s cannot both be odd, so there are integers c and d such that $r = 2c$, $s = 2d$, $p = c^2 + 15d^2$, and $\beta^{10\text{ind}5}J_{15}(\beta, \beta^4) = c + d\sqrt{-15}$. This completes the proof of (4.5). The equation (4.5) was given by Muskat in [14, p. 498]. Cubing (4.5), we obtain

$$c \equiv c^3 \equiv (c + d\sqrt{-15})^3 \equiv J_{15}(\beta, \beta^4)^3 \equiv J_{15}(\beta^3, \beta^{12}) \equiv -1 \pmod{3}.$$

This completes the proof of (1.9).

Next we show that

$$(4.15) \quad J_{15}(\beta, \beta^2) = \theta\beta^{3\text{ind}3-5\text{ind}5}J_{15}(\beta, \beta^4).$$

By (2.8) we have

$$(4.16) \quad \frac{J_{15}(\beta, \beta^2)}{J_{15}(\beta, \beta^4)} = \frac{G_{15}(\beta^2)G_{15}(\beta^5)}{G_{15}(\beta^3)G_{15}(\beta^4)}.$$

Appealing to Theorem 1, the right-hand side of (4.16) reduces to $\theta\beta^{3\text{ind}3-5\text{ind}5}$, which proves (4.15). The equation (4.3) then follows from (4.5) and (4.15).

Finally, we show that

$$(4.17) \quad J_{15}(\beta, \beta^5) = \theta\beta^{6\text{ind}3-5\text{ind}5}J_{15}(\beta, \beta).$$

By (2.8) and Theorem 1 we have

$$\frac{J_{15}(\beta, \beta^5)}{J_{15}(\beta, \beta)} = \frac{G_{15}(\beta^2)G_{15}(\beta^5)}{G_{15}(\beta)G_{15}(\beta^6)} = \theta\beta^{6\text{ind}3 - 5\text{ind}5}.$$

This relationship is given in Dickson [5, p. 199].

This completes the proof of Theorem 2, as $J_{15}(\beta, \beta)$ can obviously be expressed in the form (4.2), $1, \beta, \dots, \beta^7$ being an integral basis for $Q(\beta)$. \square

In the next theorem we give Muskat's determination of θ .

THEOREM 3 (MUSKAT [14, Eq. (102)]). *For $\theta (= \pm 1)$ as defined in Theorem 1, we have*

$$\theta \equiv -c \pmod{5}.$$

Proof. Raising (4.3) to the fifth power, we obtain

$$-1 \equiv J_{15}(\beta^5, \beta^{10}) \equiv (J_{15}(\beta, \beta^2))^5 \equiv \theta^5(c + d\sqrt{-15})^5 \equiv \theta c \pmod{5}$$

as required. \square

Theorem 3 shows that the value of θ is given by

$$(4.18) \quad \theta = \begin{cases} +1 & \text{if } c \equiv -1 \pmod{5}, \\ -1 & \text{if } c \equiv 1 \pmod{5}. \end{cases}$$

The same technique enables us to determine $\text{ind } 10 \pmod{3}$ as well as an alternative determination of θ .

THEOREM 4. *With the notation of Theorem 2, we have*

$$(4.19) \quad \text{ind } 10 \equiv \begin{cases} 0 \pmod{3} & \text{if } b \equiv 0 \pmod{5}, \\ 1 \pmod{3} & \text{if } a \equiv b \pmod{5}, \\ 2 \pmod{3} & \text{if } a \equiv -b \pmod{5}, \end{cases}$$

and

$$(4.20) \quad \theta \equiv \begin{cases} -a \pmod{5} & \text{if } b \equiv 0 \pmod{5}, \\ 2a \pmod{5} & \text{if } b \not\equiv 0 \pmod{5}. \end{cases}$$

Proof. Raising (4.17) to the fifth power, we obtain

$$\begin{aligned} -1 &\equiv J_{15}(\beta^5, \beta^{10}) \equiv J_{15}(\beta^5, \beta^{25}) \equiv \{J_{15}(\beta, \beta^5)\}^5 \\ &\equiv \theta^5 \beta^{5\text{ind}5} \{J_{15}(\beta, \beta)\}^5 \equiv \theta \beta^{5\text{ind}5} J_{15}(\beta^5, \beta^5) \\ &\equiv \theta \beta^{5\text{ind}2 + 5\text{ind}5} (a + b\sqrt{-3}) \pmod{5}, \end{aligned}$$

that is,

$$(4.21) \quad a + b\sqrt{-3} \equiv -\theta \omega^{-\text{ind}10} \pmod{5}.$$

If $\text{ind } 10 \equiv 0 \pmod{3}$, (4.21) gives

$$a \equiv -\theta \pmod{5}, \quad b \equiv 0 \pmod{5}.$$

If $\text{ind } 10 \equiv 1 \pmod{3}$, (4.21) gives

$$a \equiv b \equiv \theta/2 \pmod{5}.$$

If $\text{ind } 10 \equiv 2 \pmod{3}$, (4.21) gives

$$a \equiv -b \equiv \theta/2 \pmod{5}.$$

This completes the proof of Theorem 4. \square

We note that Theorem 4 gives the following evaluation of θ ,

$$(4.22) \quad \theta = \begin{cases} +1 & \text{if } a \equiv -1 \pmod{5}, b \equiv 0 \pmod{5} \text{ or} \\ & a \equiv -2 \pmod{5}, b \not\equiv 0 \pmod{5}, \\ -1 & \text{if } a \equiv 1 \pmod{5}, b \equiv 0 \pmod{5} \text{ or} \\ & a \equiv 2 \pmod{5}, b \not\equiv 0 \pmod{5}. \end{cases}$$

Putting Theorems 3 and 4 together, we get

COROLLARY 1. *With the notation of Theorem 2,*

$$(4.23) \quad \begin{cases} a \equiv c \pmod{5} & \text{if } b \equiv 0 \pmod{5}, \\ a \equiv 2c \pmod{5} & \text{if } b \not\equiv 0 \pmod{5}. \end{cases}$$

Finally we apply the method once more to obtain $\text{ind } 18 \pmod{5}$.

THEOREM 5. *With the notation of Theorem 2, we have*

$$(4.24) \quad \text{ind } 18 \equiv \begin{cases} 0 \pmod{5} & \text{if } u \equiv v \equiv w \equiv 0 \pmod{3}, \\ 1 \pmod{5} & \text{if } x \equiv -u \equiv v \equiv w \pmod{3}, \\ 2 \pmod{5} & \text{if } x \equiv u \equiv v \equiv -w \pmod{3}, \\ 3 \pmod{5} & \text{if } -x \equiv u \equiv v \equiv w \pmod{3}, \\ 4 \pmod{5} & \text{if } x \equiv u \equiv -v \equiv w \pmod{3}. \end{cases}$$

Proof. Working modulo 3 we have

$$\begin{aligned} & \beta^{-6\text{ind}2} (x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}} + w\sqrt{5}) \\ & \equiv J_{15}(\beta^3, \beta^3) && \text{(by Theorem 2)} \\ & \equiv J_{15}(\beta^3, \beta^9) && \text{(by (2.1))} \\ & \equiv \{J_{15}(\beta, \beta^3)\}^3 \\ & \equiv \beta^{-3\text{ind}2 - 9\text{ind}3} \left((x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}}) + w\sqrt{5} \right)^3 \\ & && \text{(by Theorem 2)} \\ & \equiv \beta^{-3\text{ind}2 - 9\text{ind}3} \left(x + u(-5 - 2\sqrt{5})\sqrt{-5 - 2\sqrt{5}} + v(-5 + 2\sqrt{5}) \right. \\ & && \left. \times \sqrt{-5 + 2\sqrt{5}} + 5w\sqrt{5} \right), \end{aligned}$$

which, using

$$\sqrt{5}\sqrt{-5 - 2\sqrt{5}} = 2\sqrt{-5 - 2\sqrt{5}} + \sqrt{-5 + 2\sqrt{5}}$$

and

$$\sqrt{5}\sqrt{-5 + 2\sqrt{5}} = \sqrt{-5 - 2\sqrt{5}} - 2\sqrt{-5 + 2\sqrt{5}},$$

gives

$$\begin{aligned} x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}} + w\sqrt{5} \\ \equiv \beta^{3\text{ind}18} \left(x - v\sqrt{-5 - 2\sqrt{5}} + u\sqrt{-5 + 2\sqrt{5}} - w\sqrt{5} \right) \pmod{3}. \end{aligned}$$

Equating coefficients (mod 3) for each residue class of ind 18 (mod 5), we obtain the theorem. We just give the details in the case $\text{ind } 18 \equiv 2 \pmod{5}$. Replacing β^6 by its expression in terms of radicals, we obtain modulo 3,

$$\begin{aligned} x + u\sqrt{-5 - 2\sqrt{5}} + v\sqrt{-5 + 2\sqrt{5}} + w\sqrt{5} \\ \equiv \left(-\sqrt{5} - 1 + \sqrt{-5 - 2\sqrt{5}} - \sqrt{-5 + 2\sqrt{5}} \right) \\ \times \left(x - v\sqrt{-5 - 2\sqrt{5}} + u\sqrt{-5 + 2\sqrt{5}} - w\sqrt{5} \right) \\ \equiv (-x - u - v - w) + (x - u - w)\sqrt{-5 - 2\sqrt{5}} \\ + (-x + u + v)\sqrt{-5 + 2\sqrt{5}} + (-x + v + w)\sqrt{5}, \end{aligned}$$

that is,

$$x \equiv u \equiv v \equiv -w \pmod{3}. \quad \square$$

5. Determination of Dickson-Hurwitz Sums $B_{15}(i, v)$. For any integers i and v , the Dickson-Hurwitz sum $B_{15}(i, v)$ is defined by

$$(5.1) \quad B_{15}(i, v) = \sum_{h=0}^{14} (h, i - vh)_{15},$$

where the cyclotomic number $(h, k)_{15}$ was defined in (1.1). The Jacobi sums $J_{15}(\beta^n, \beta^{nv})$ and the Dickson-Hurwitz sums $B_{15}(i, v)$ are related by the formula (see, for example, [14, p. 489])

$$(5.2) \quad J_{15}(\beta^n, \beta^{nv}) = \sum_{i=0}^{14} B_{15}(i, v)\beta^{ni}.$$

The Dickson-Hurwitz sums have the well-known properties (see, for example, [14, p. 490])

$$(5.3) \quad B_{15}(i, v) = B_{15}(i, 14 - v)$$

and

$$(5.4) \quad B_{15}(i, 0) = B_{15}(i, 14) = \begin{cases} f - 1 & \text{if } 15 \mid i, \\ f & \text{if } 15 \nmid i. \end{cases}$$

Taking $n = 0$ in (5.2), we obtain

$$(5.5) \quad \sum_{i=0}^{14} B_{15}(i, v) = p - 2.$$

From (5.3) and (5.4) we see that the values of all the $15^2 = 225$ Dickson-Hurwitz sums $B_{15}(i, v)$ ($i, v = 0, 1, \dots, 14$) are known, once the values of the $14 \times 7 = 98$ sums $B_{15}(i, v)$ ($i = 0, 1, \dots, 14$; $v = 1, 2, \dots, 7$) have been determined.

In addition, Whiteman [18, Lemma 1] has shown that if $(v, 15) = 1$,

$$(5.6) \quad B_{15}(i, v) = B_{15}(iv^{-1}, v^{-1}),$$

where $vv^{-1} \equiv 1 \pmod{15}$. Taking $v = 13, 2, 11$ and 4 in (5.6), and appealing to (5.3) as necessary, we obtain successively

$$(5.7) \quad \begin{cases} B_{15}(i, 1) = B_{15}(7i, 7), \\ B_{15}(i, 2) = B_{15}(8i, 6), \\ B_{15}(i, 3) = B_{15}(11i, 3), \\ B_{15}(i, 4) = B_{15}(4i, 4). \end{cases}$$

We now indicate how to form the system of linear equations, which has the 15 Dickson-Hurwitz sums $B_{15}(i, v)$, ($i = 0, 1, 2, \dots, 14$) as solutions. The first equation is given by (5.5). The second and third equations are derived by equating the coefficients of 1 and $\sqrt{-3}$ in (5.2) (with $n = 5$) and appealing to (2.3) and Theorem 2 for the values of $J_{15}(\beta^5, \beta^{5v})$ ($v = 1, \dots, 7$). The fourth, fifth, sixth and seventh equations are obtained by equating the coefficients of $1, \beta^2 + \beta^7, \beta^3$ and β^6 in (5.2) (with $n = 3$) and using (2.3) and Theorem 2 for the values of $J_{15}(\beta^3, \beta^{3v})$ ($v = 1, \dots, 7$). The eighth to fifteenth equations are obtained by equating the coefficients of $1, \beta, \beta^2, \dots, \beta^7$ in (5.2) (with $n = 1$) and using (2.3) and Theorem 2 for the values of $J_{15}(\beta, \beta^v)$ ($v = 1, \dots, 7$). The resulting 15 linear equations in the 15 unknowns $B_{15}(0, v), \dots, B_{15}(14, v)$ can be expressed in the form

$$(5.8) \quad MB(v) = C(v),$$

where the 15×15 coefficient matrix M is independent of v and given by

$$(5.9) \quad M = \begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 \\ 2 & -1 & -1 & 2 & -1 & -1 & 2 & -1 & -1 & 2 & -1 & -1 & 2 & -1 & -1 \\ 0 & 1 & -1 & 0 & 1 & -1 & 0 & 1 & -1 & 0 & 1 & -1 & 0 & 1 & -1 \\ 1 & 0 & 0 & -1 & 0 & 1 & 0 & 0 & -1 & 0 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 & -1 & 0 & 0 & 0 & 1 & -1 & 0 & 0 & 0 & 1 & -1 \\ 0 & 1 & 0 & -1 & 0 & 0 & 1 & 0 & -1 & 0 & 0 & 1 & 0 & -1 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & 0 & 1 & -1 & 0 & 0 & 0 & 1 & -1 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & -1 & -1 & -1 & 0 & 0 & 1 & 1 \\ 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & -1 & -1 & 0 & 0 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & -1 & -1 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 & 0 & -1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 & 0 & -1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 1 & 0 & 0 & -1 & -1 & -1 \end{bmatrix}$$

and

$$(5.10) \quad B(v) = \begin{bmatrix} B_{15}(0, v) \\ B_{15}(1, v) \\ \vdots \\ B_{15}(14, v) \end{bmatrix}, \quad C(v) = \begin{bmatrix} C_1(v) \\ C_2(v) \\ \vdots \\ C_{15}(v) \end{bmatrix},$$

where the vector $C(v)$ ($v = 1, \dots, 7$) depends upon $p, a, b, c, d, x, u, v, w, b_0, \dots, b_7$. The list below gives the number of values taken by each vector $C(v)$ ($v = 1, \dots, 7$). The numbers of these values depend upon which of the quantities $\text{ind } 2 \pmod{3}$, $\text{ind } 2 \pmod{5}$, $\text{ind } 3 \pmod{5}$, $\text{ind } 5 \pmod{3}$, and $c \pmod{5}$ are involved.

v	number of values of $C(v)$	parameters involved
1	15	ind 2 (mod 3), ind 2 (mod 5)
2	50	ind 2 (mod 5), ind 3 (mod 5), c (mod 5)
3	25	ind 2 (mod 5), ind 3 (mod 5)
4	9	ind 2 (mod 3), ind 5 (mod 3)
5	30	ind 3 (mod 5), ind 5 (mod 3), c (mod 5)
6	50	ind 2 (mod 5), ind 3 (mod 5), c (mod 5)
7	15	ind 2 (mod 3), ind 2 (mod 5)

Thus there are 194 cases to be considered. However, to save space, we will not give the values of the vectors $C(v)$ here.

Inverting the matrix M in (5.9), the matrix equation (5.8) becomes

$$(5.11) \quad 30B(v) = NC(v), \quad v = 1, 2, \dots, 7,$$

where

$$(5.12) \quad N = \begin{bmatrix} 2 & 2 & 0 & 8 & 2 & -2 & -2 & 16 & 2 & 2 & -4 & 2 & -8 & -4 & 2 \\ 2 & -1 & 3 & -2 & 2 & 8 & -2 & 2 & 16 & 2 & 2 & -4 & 2 & -8 & -4 \\ 2 & -1 & -3 & -2 & 2 & -2 & 8 & 2 & 2 & 16 & 2 & 2 & -4 & 2 & -8 \\ 2 & 2 & 0 & -2 & 2 & -2 & -2 & -4 & 2 & 2 & 16 & 2 & 2 & -4 & 2 \\ 2 & -1 & 3 & -2 & -8 & -2 & -2 & 2 & -4 & 2 & 2 & 16 & 2 & 2 & -4 \\ 2 & -1 & -3 & 8 & 2 & -2 & -2 & -8 & 2 & -4 & 2 & 2 & 16 & 2 & 2 \\ 2 & 2 & 0 & -2 & 2 & 8 & -2 & -4 & -8 & 2 & -4 & 2 & 2 & 16 & 2 \\ 2 & -1 & 3 & -2 & 2 & -2 & 8 & 2 & -4 & -8 & 2 & -4 & 2 & 2 & 16 \\ 2 & -1 & -3 & -2 & 2 & -2 & -2 & 2 & 2 & -4 & -8 & 2 & -4 & 2 & 2 \\ 2 & 2 & 0 & -2 & -8 & -2 & -2 & -4 & 2 & 2 & -4 & -8 & 2 & -4 & 2 \\ 2 & -1 & 3 & 8 & 2 & -2 & -2 & -8 & -4 & 2 & 2 & -4 & -8 & 2 & -4 \\ 2 & -1 & -3 & -2 & 2 & 8 & -2 & 2 & -8 & -4 & 2 & 2 & -4 & -8 & 2 \\ 2 & 2 & 0 & -2 & 2 & -2 & 8 & -4 & 2 & -8 & -4 & 2 & 2 & -4 & -8 \\ 2 & -1 & 3 & -2 & 2 & -2 & -2 & 2 & -4 & 2 & -8 & -4 & 2 & 2 & -4 \\ 2 & -1 & -3 & -2 & -8 & -2 & -2 & 2 & 2 & -4 & 2 & -8 & -4 & 2 & 2 \end{bmatrix}.$$

The calculation of the 15×1 vector $NC(v)$ in each of the 194 cases indicated above was then carried out on a Digital Professional 350 microcomputer to obtain the values of the Dickson-Hurwitz sums $B_{15}(i, v)$ ($i = 0, 1, \dots, 14; v = 1, 2, \dots, 7$). In view of (5.7) it is only necessary to have the values of

$$(5.13) \quad \begin{cases} B_{15}(i, v) & (i = 0, 1, \dots, 14; v = 1, 2, 5), \\ B_{15}(i, 3) & (i = 0, 1, 2, 3, 4, 5, 6, 8, 9, 12), \\ B_{15}(i, 4) & (i = 0, 1, 2, 3, 5, 6, 7, 10, 11), \end{cases}$$

to be able to deduce the values of all of them. In order to save space we do not list the values of these sums here.

6. Calculation of the Cyclotomic Numbers $(h, k)_{15}$. The cyclotomic numbers $(h, k)_{15}$ have the properties (see, for example, [18, p. 96])

$$(6.1) \quad (h, k)_{15} = (k, h)_{15} = (15 - h, k - h)_{15}.$$

Appealing to (6.1), we see that each of the $15^2 = 225$ cyclotomic numbers $(h, k)_{15}$ is equal to one of the 46 cyclotomic numbers

$$(6.2) \quad \left\{ \begin{array}{ll} (0, k)_{15}, & k = 0, 1, \dots, 14, \\ (1, k)_{15}, & k = 2, \dots, 13, \\ (2, k)_{15}, & k = 4, \dots, 12, \\ (3, k)_{15}, & k = 6, \dots, 11, \\ (4, k)_{15}, & k = 8, 9, 10, \\ (5, 10)_{15}. \end{array} \right.$$

The relationships between the cyclotomic numbers are exhibited in the matrix near the end of this section, in which $(h, k)_{15}$ is in row h ($0 \leq h \leq 14$) and column k ($0 \leq k \leq 14$).

In order to determine explicit formulae for the cyclotomic numbers in (6.2), we express each cyclotomic number in terms of the Dickson-Hurwitz sums $B_{15}(i, v)$ and then appeal to the formulae for these sums derived in Section 5. These calculations were performed on a Digital Professional 350 microcomputer.

The formula used to express the cyclotomic numbers in terms of the Dickson-Hurwitz sums is given in Theorem 6 below. This formula is the special case $e = 15$, $x = 3$, $y = 5$, $q = p$ of Theorem 7 in [8], simplified using (5.7).

THEOREM 6. *Let $p = 15f + 1$ be prime and set $\delta_r = 1$, if $r \equiv 0 \pmod{15}$, and $\delta_r = 0$, if $r \not\equiv 0 \pmod{15}$. Then we have*

$$\begin{aligned} 3375(r, s)_{15} = & 226p - 451 - 225(\delta_r + \delta_s + \delta_{r-s}) \\ & + 30(\delta_{5r} + \delta_{5s}) + 60(\delta_{3r} + \delta_{3s}) \\ & + S_1 + S_2 + S_3 + S_4 + S_5, \end{aligned}$$

where

$$\begin{aligned} S_1 = & 15 \cdot 15B_{15}(r + s, 1) \\ & + 7(15B_{15}(r + 13s, 1) + 15B_{15}(13r + s, 1)) \\ & - 3 \sum_{t=1}^4 (15B_{15}(r + 13s + 3t, 1) + 15B_{15}(13r + s + 3t, 1)) \\ & - 5 \sum_{t=1}^2 (15B_{15}(r + 13s + 5t, 1) + 15B_{15}(13r + s + 5t, 1)), \\ S_2 = & 7(15B_{15}(r + 2s, 2) + 15B_{15}(r + 12s, 2) + 15B_{15}(12r + 2s, 2) \\ & + 15B_{15}(2r + s, 2) + 15B_{15}(12r + s, 2) + 15B_{15}(2r + 12s, 2)) \\ & - 3 \sum_{t=1}^4 (15B_{15}(r + 2s + 3t, 2) + 15B_{15}(r + 12s + 3t, 2) \\ & + 15B_{15}(12r + 2s + 3t, 2) + 15B_{15}(2r + s + 3t, 2) \\ & + 15B_{15}(12r + s + 3t, 2) + 15B_{15}(2r + 12s + 3t, 2)) \end{aligned}$$

$$\begin{aligned}
& -5 \sum_{t=1}^2 (15B_{15}(r+2s+5t, 2) + 15B_{15}(r+12s+5t, 2) \\
& \quad + 15B_{15}(12r+2s+5t, 2) + 15B_{15}(2r+s+5t, 2) \\
& \quad + 15B_{15}(12r+s+5t, 2) + 15B_{15}(2r+12s+5t, 2)) \\
& -5 \sum_{t=0}^2 (15B_{15}(2r+s+5t, 2) + 15B_{15}(r+2s+5t, 2)), \\
S_3 = & 7(15B_{15}(r+3s, 3) + 15B_{15}(r+11s, 3) + 15B_{15}(3r+s, 3)) \\
& -3 \sum_{t=1}^4 (15B_{15}(r+3s+3t, 3) + 15B_{15}(r+11s+3t, 3) \\
& \quad + 15B_{15}(3r+s+3t, 3)) \\
& -5 \sum_{t=1}^2 (15B_{15}(r+3s+5t, 3) + 15B_{15}(r+11s+5t, 3) \\
& \quad + 15B_{15}(3r+s+5t, 3)), \\
S_4 = & 7(15B_{15}(r+4s, 4) + 15B_{15}(r+10s, 4) + 15B_{15}(10r+s, 4)) \\
& -3 \sum_{t=1}^4 (15B_{15}(r+4s+3t, 4) + 15B_{15}(r+10s+3t, 4) \\
& \quad + 15B_{15}(10r+s+3t, 4)) \\
& -5 \sum_{t=1}^2 (15B_{15}(r+4s+5t, 4) + 15B_{15}(r+10s+5t, 4) \\
& \quad + 15B_{15}(10r+s+5t, 4)), \\
S_5 = & 7(15B_{15}(r+5s, 5) + 15B_{15}(r+9s, 5) + 15B_{15}(5r+s, 5) \\
& \quad + 15B_{15}(9r+s, 5)) \\
& +13(15B_{15}(5r+9s, 5) + 15B_{15}(9r+5s, 5)) \\
& -3 \sum_{t=1}^4 (15B_{15}(r+5s+3t, 5) + 15B_{15}(r+9s+3t, 5) \\
& \quad + 15B_{15}(5r+s+3t, 5) + 15B_{15}(9r+s+3t, 5)) \\
& -5 \sum_{t=1}^2 (15B_{15}(r+5s+5t, 5) + 15B_{15}(r+9s+5t, 5) \\
& \quad + 15B_{15}(5r+s+5t, 5) + 15B_{15}(9r+s+5t, 5)) \\
& - \sum_{t=1}^4 (15B_{15}(5r+9s+3t, 5) + 15B_{15}(9r+5s+3t, 5)) \\
& - \sum_{t=1}^2 (15B_{15}(5r+9s+5t, 5) + 15B_{15}(9r+5s+5t, 5)).
\end{aligned}$$

The resulting expressions for the cyclotomic numbers (6.2) are given in Tables 1–70. These tables are given on microfiche cards inserted inside the back cover of this issue. Each number $225(h, k)_{15}$ is given as an integral linear combination of p ,

1, $a, b, c, d, x, u, v, w, b_0, b_1, b_2, b_3, b_4, b_5, b_6, b_7$. Not all 450 cases are given, as they can be deduced from the given tables by replacing the primitive root g by the primitive root g^m , where $(m, p - 1) = 1$, for a suitable value of m .

It is easy to check that the effect of this replacement is as follows:

$$\begin{aligned} \text{ind } k &\rightarrow m \text{ ind } k, & k &= 2, 3, 5, \\ (r, s)_{15} &\rightarrow (mr, ms)_{15}, \\ (a, b) &\rightarrow \begin{cases} (a, b) & \text{if } m \equiv 1 \pmod{3}, \\ (a, -b) & \text{if } m \equiv 2 \pmod{3}, \end{cases} \\ (c, d) &\rightarrow \begin{cases} (c, d) & \text{if } m \equiv 1, 2, 4, 8 \pmod{15}, \\ (c, -d) & \text{if } m \equiv 7, 11, 13, 14 \pmod{15}, \end{cases} \\ (x, u, v, w) &\rightarrow \begin{cases} (x, u, v, w) & \text{if } m \equiv 1 \pmod{5}, \\ (x, -v, u, -w) & \text{if } m \equiv 2 \pmod{5}, \\ (x, v, -u, -w) & \text{if } m \equiv 3 \pmod{5}, \\ (x, -u, -v, w) & \text{if } m \equiv 4 \pmod{5}, \end{cases} \end{aligned}$$

and that

$$\begin{bmatrix} b_0 \\ b_1 \\ \vdots \\ b_7 \end{bmatrix}$$

is transformed as follows:

<u>$m \equiv 1 \pmod{15}$</u>	<u>$m \equiv 2 \pmod{15}$</u>	<u>$m \equiv 4 \pmod{15}$</u>	<u>$m \equiv 7 \pmod{15}$</u>
b_0	$b_0 - b_1 - b_3 - b_5$	$b_0 - b_2 - b_6 + b_7$	$b_0 + b_1 - b_3$
b_1	$b_1 + b_2 - b_7$	$b_2 + b_4 - b_7$	$-b_1 - b_2 + b_7$
b_2	$b_3 + b_4$	$-b_3 + b_6$	b_3
b_3	$-b_1 - b_3 + b_6$	$-b_2 - b_6$	$-b_3 + b_6$
b_4	b_1	$b_1 + b_2 - b_7$	$-b_1$
b_5	$-b_1 - b_5$	$-b_2 + b_5 + b_7$	$b_1 + b_5$
b_6	$-b_3 - b_7$	$-b_6$	$-b_2 - b_3$
b_7	$b_1 + b_3$	$b_2 - b_3 + b_6 - b_7$	$-b_1 + b_3 + b_4$

<u>$m \equiv 8 \pmod{15}$</u>	<u>$m \equiv 11 \pmod{15}$</u>	<u>$m \equiv 13 \pmod{15}$</u>	<u>$m \equiv 14 \pmod{15}$</u>
$b_0 - b_4 - b_5 + b_7$	$b_0 + b_4 - b_5$	$b_0 + b_2 + b_4$	$b_0 + b_1 + b_2 - b_5 - b_6 - b_7$
b_4	$-b_1$	$-b_4$	$-b_2 - b_4 + b_7$
$b_1 - b_6 - b_7$	$-b_4 + b_7$	$-b_2 - b_6$	$-b_1 - b_3 + b_6$
$-b_4 + b_7$	$b_3 + b_4$	$+b_2$	$b_1 - b_6 - b_7$
$b_2 + b_4 - b_7$	$-b_4$	$-b_2 - b_4 + b_7$	$-b_1 - b_2 + b_7$
$-b_4 - b_5$	$-b_5$	$b_4 + b_5$	$b_2 - b_5 - b_7$
$b_3 + b_7$	$-b_1 + b_4 + b_6$	$b_2 + b_3$	$b_1 - b_4 - b_6$
$b_4 - b_6 - b_7$	$b_2 - b_4$	$b_1 - b_2 - b_4 - b_6$	$-b_1 - b_2 - b_3 + b_6 + b_7$

Finally, we show how to find $(2, 4)_{15}$ when

$$(6.3) \quad \begin{aligned} \text{ind } 2 &\equiv 0 \pmod{3}, & \text{ind } 2 &\equiv 1 \pmod{5}, & \text{ind } 3 &\equiv 0 \pmod{5}, \\ \text{ind } 5 &\equiv 2 \pmod{3}, & c &\equiv -1 \pmod{5}. \end{aligned}$$

We use the formula for $(1, 8)_{15}$ given in Table 12, as replacing g by g^m , where $(m, p - 1) = 1$ and $m \equiv 11 \pmod{15}$, in the parameters specifying Table 12 gives (6.3) , and $(1, 8)_{15} \rightarrow (11, 88)_{15} = (11, 13)_{15} = (2, 4)_{15}$. Replacing

$$(a, b, c, d, x, u, v, w, b_0, b_1, b_2, b_3, b_4, b_5, b_6, b_7)$$

by

$$(a, -b, c, -d, x, u, v, w, b_0 + b_4 - b_5, -b_1, -b_4 + b_7, b_3 + b_4, -b_4, -b_5, -b_1 + b_4 + b_6, b_2 - b_4)$$

in

$$225(1, 8)_{15} = p + 1 + 2a - c - 15d - 5x + 5u + 15v - 5w + b_0 + 5b_1 - b_2 + 11b_3 - 10b_4 - 4b_5 - 4b_6 + 20b_7,$$

we obtain

$$225(2, 4)_{15} = p + 1 + 2a - c + 15d - 5x + 5u + 15v - 5w + b_0 - b_1 + 20b_2 + 11b_3 - b_4 - 5b_5 - 4b_6 - b_7.$$

As a check on the correctness of the tables, the values of $a, b, c, d, x, u, v, w, b_0, b_1, \dots, b_7$ were calculated for 150 pairs (p, g) , where p is a prime congruent to 1 modulo 15 in the range $31 \leq p \leq 5581$ and g is a primitive root modulo p . For each pair (p, g) a cyclotomic number was chosen at random and its value calculated from the appropriate table. The resulting value was then compared with the value of the cyclotomic number computed directly. In every case the two values agreed.

For example, using the values of $a, b, c, d, x, u, v, w, b_0, b_1, \dots, b_7$ given in Section 1 for $p = 61, g = 2$ in Table 50, we find that of the 46 cyclotomic numbers listed in (6.2) only the following are nonzero:

$$(0, 1)_{15} = (1, 6)_{15} = (1, 10)_{15} = (1, 12)_{15} = (2, 4)_{15} = (2, 6)_{15} = (2, 7)_{15} = (3, 6)_{15} = (3, 11)_{15} = (5, 10)_{15} = 1, \\ (0, 8)_{15} = 2.$$

These values are easily checked by direct calculation.

Relationships among cyclotomic numbers $(h, k)_{15}$

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0	0,0	0,1	0,2	0,3	0,4	0,5	0,6	0,7	0,8	0,9	0,10	0,11	0,12	0,13	0,14
1	0,1	0,14	1,2	1,3	1,4	1,5	1,6	1,7	1,8	1,9	1,10	1,11	1,12	1,13	1,2
2	0,2	1,2	0,13	1,13	2,4	2,5	2,6	2,7	2,8	2,9	2,10	2,11	2,12	2,4	1,3
3	0,3	1,3	1,13	0,12	1,12	2,12	3,6	3,7	3,8	3,9	3,10	3,11	3,6	2,5	1,4
4	0,4	1,4	2,4	1,12	0,11	1,11	2,11	3,11	4,8	4,9	4,10	4,8	3,7	2,6	1,5
5	0,5	1,5	2,5	2,12	1,11	0,10	1,10	2,10	3,10	4,10	5,10	4,9	3,8	2,7	1,6
6	0,6	1,6	2,6	3,6	2,11	1,10	0,9	1,9	2,9	3,9	4,9	4,10	3,9	2,8	1,7
7	0,7	1,7	2,7	3,7	3,11	2,10	1,9	0,8	1,8	2,8	3,8	4,8	3,10	2,9	1,8
8	0,8	1,8	2,8	3,8	4,8	3,10	2,9	1,8	0,7	1,7	2,7	3,7	3,11	2,10	1,9
9	0,9	1,9	2,9	3,9	4,9	4,10	3,9	2,8	1,7	0,6	1,6	2,6	3,6	2,11	1,10
10	0,10	1,10	2,10	3,10	4,10	5,10	4,9	3,8	2,7	1,6	0,5	1,5	2,5	2,12	1,11
11	0,11	1,11	2,11	3,11	4,8	4,9	4,10	4,8	3,7	2,6	1,5	0,4	1,4	2,4	1,12
12	0,12	1,12	2,12	3,6	3,7	3,8	3,9	3,10	3,11	3,6	2,5	1,4	0,3	1,3	1,13
13	0,13	1,13	2,4	2,5	2,6	2,7	2,8	2,9	2,10	2,11	2,12	2,4	1,3	0,2	1,2
14	0,14	1,2	1,3	1,4	1,5	1,6	1,7	1,8	1,9	1,10	1,11	1,12	1,13	1,2	0,1

Department of Mathematics
College of New Caledonia
Prince George, B. C., Canada V2N 1P8

Department of Mathematics and Statistics
Carleton University
Ottawa, Ontario, Canada K1S 5B6

Department of Mathematics
Okanagan College
Vernon, B. C., Canada V1B 2N5

Department of Mathematics and Statistics
Carleton University
Ottawa, Ontario, Canada K1S 5B6

1. H. P. ALDERSON, "On the septic character of 2 and 3," *Proc. Cambridge Philos. Soc.*, v. 74, 1973, pp. 421–433.
2. L. D. BAUMERT & H. FREDRICKSEN, "The cyclotomic numbers of order eighteen with applications to difference sets," *Math. Comp.*, v. 21, 1967, pp. 204–219.
3. H. DAVENPORT & H. HASSE, "Die Nullstellen der Kongruenzzetafunktionen in gewissen zyklischen Fällen," *J. Reine Angew. Math.*, v. 172, 1934, pp. 151–182.
4. L. E. DICKSON, "Cyclotomy, higher congruences, and Waring's problem," *Amer. J. Math.*, v. 57, 1935, pp. 391–424.
5. L. E. DICKSON, "Cyclotomy when e is composite," *Trans. Amer. Math. Soc.*, v. 38, 1935, pp. 187–200.
6. R. J. EVANS & J. R. HILL, "The cyclotomic numbers of order sixteen," *Math. Comp.*, v. 33, 1979, pp. 827–835.
7. R. J. EVANS, "Table of cyclotomic numbers of order twenty-four," *Math. Comp.*, v. 35, 1980, Review 12, pp. 1036–1038.
8. C. FRIESEN, J. B. MUSKAT, B. K. SPEARMAN & K. S. WILLIAMS, "Cyclotomy of order 15 over $GF(p^2)$, $p \equiv 4, 11 \pmod{15}$," *Internat. J. Math. Math. Sci.* (To appear.)
9. R. E. GUIDICI, J. B. MUSKAT & S. F. ROBINSON, "On the evaluation of Brewer's character sums," *Trans. Amer. Math. Soc.*, v. 171, 1972, pp. 317–347.
10. E. LEHMER, "On the number of solutions of $u^k + D \equiv w^2 \pmod{p}$," *Pacific J. Math.*, v. 5, 1955, pp. 103–118.
11. P. A. LEONARD & K. S. WILLIAMS, "The cyclotomic numbers of order seven," *Proc. Amer. Math. Soc.*, v. 51, 1975, pp. 295–300.
12. P. A. LEONARD & K. S. WILLIAMS, "The cyclotomic numbers of order eleven," *Acta Arith.*, v. 26, 1975, pp. 367–383.
13. J. B. MUSKAT, "The cyclotomic numbers of order fourteen," *Acta Arith.*, v. 11, 1966, pp. 263–279.
14. J. B. MUSKAT, "On Jacobi sums of certain composite orders," *Trans. Amer. Math. Soc.*, v. 134, 1968, pp. 483–502.
15. J. B. MUSKAT & A. L. WHITEMAN, "The cyclotomic numbers of order twenty," *Acta Arith.*, v. 17, 1970, pp. 185–216.
16. J. B. MUSKAT & Y.-C. ZEE, "On the uniqueness of solutions of certain diophantine equations," *Proc. Amer. Math. Soc.*, v. 49, 1975, pp. 13–19.
17. A. L. WHITEMAN, "The cyclotomic numbers of order sixteen," *Trans. Amer. Math. Soc.*, v. 86, 1957, pp. 401–413.
18. A. L. WHITEMAN, *The Cyclotomic Numbers of Order Ten*, Proc. Sympos. Appl. Math., vol. 10, Amer. Math. Soc., Providence, R. I., 1960, pp. 95–111.
19. A. L. WHITEMAN, "The cyclotomic numbers of order twelve," *Acta Arith.*, v. 6, 1960, pp. 53–76.

TABLE 1: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 5 = 0 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	2	0	-24	0	36	0	0	-24	-3	-3	6	-3	12	6	-3	
225(0, 1)	1	-14	-1	3	-2	-30	-3	5	35	13	-6	3	-2	4	-17	3	-6	
225(0, 2)	1	-14	-1	-3	-2	-30	-3	35	-5	-25	13	-2	-6	-17	3	4	-2	3
225(0, 3)	1	-14	2	0	16	0	-9	-5	35	5	-14	-3	7	6	-8	7	6	7
225(0, 4)	1	-14	-1	3	-2	-30	-3	-5	-35	25	13	4	-2	3	-6	-17	-17	4
225(0, 5)	1	-14	-1	-3	-12	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	2	0	16	0	-9	35	5	-5	-14	-3	-3	16	7	7	6	-3
225(0, 7)	1	-14	-1	3	-2	30	-3	35	-5	-25	13	4	3	-17	-6	-17	-2	-6
225(0, 8)	1	-14	-1	-3	-2	-70	-3	-35	5	-25	13	3	4	3	-2	4	3	13
225(0, 9)	1	-14	2	0	16	0	-9	-35	-5	-5	-14	7	-8	6	-3	7	-14	-8
225(0,10)	1	-14	-1	3	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	
225(0,11)	1	-14	-1	-3	-2	30	-3	5	35	25	13	3	-6	-2	13	4	3	3
225(0,12)	1	-14	2	0	16	0	-9	5	-35	-5	-14	-8	-3	-14	-3	7	16	-3
225(0,13)	1	-14	-1	3	-2	30	-3	-35	5	-25	13	-6	13	3	4	-17	3	4
225(0,14)	1	-14	-1	-3	-2	30	-3	-35	25	13	13	4	3	3	4	-17	-2	
225(1, 2)	1	1	2	0	0	0	0	0	-20	-2	16	6	3	-14	1	-2	-9	
225(1, 3)	1	1	-1	3	-2	0	-3	15	-15	5	-2	-6	-2	13	9	-2	3	4
225(1, 4)	1	1	-1	-3	13	-45	12	0	-20	-2	13	7	3	13	4	-2	-12	
225(1, 5)	1	1	2	0	-2	0	-10	20	10	-2	-9	6	-2	1	1	18	6	
225(1, 6)	1	1	-1	3	-2	60	-3	-5	-5	-2	-11	-3	3	24	13	13	4	
225(1, 7)	1	1	-1	-3	-2	0	-3	15	15	-5	-2	-2	3	3	-2	4	-2	3
225(1, 8)	1	1	2	0	-2	0	0	0	20	-2	6	-14	-2	-9	1	3	16	
225(1, 9)	1	1	-1	3	-2	0	-3	-15	-15	-5	-2	-11	3	-12	4	-2	13	-6
225(1,10)	1	1	-1	-3	-2	-60	-3	5	5	-5	-2	-12	-6	-2	-2	-11	-12	3
225(1,11)	1	1	2	0	-2	0	0	10	-20	10	-2	1	1	-12	-9	1	-2	1
225(1,12)	1	1	-1	3	13	45	12	0	0	-20	-2	-11	-12	3	-11	-2	-2	9
225(1,13)	1	1	-1	-3	-2	0	-3	-15	5	-2	3	-11	-3	3	4	-12	-2	
225(2, 4)	1	1	2	0	-2	0	0	0	20	-2	-9	16	-2	6	1	3	-14	
225(2, 5)	1	1	-1	3	-2	-60	-3	5	-5	5	-2	4	-12	13	-6	13	-2	24
225(2, 6)	1	1	-1	-3	-2	0	-3	-15	-15	-5	-2	-2	-6	-12	-2	4	13	3
225(2, 7)	1	1	2	0	-2	0	0	-20	-10	-10	-2	6	1	18	1	1	-12	1
225(2, 8)	1	1	-1	3	13	-45	12	0	20	-2	9	13	-2	9	-2	3	-11	
225(2, 9)	1	1	-1	-3	13	45	12	0	20	-2	-12	-11	-2	-12	4	3	13	
225(2,10)	1	1	2	0	-2	0	0	20	10	-10	-2	1	-9	-2	6	1	-2	-9
225(2,11)	1	1	-1	3	-2	0	-3	15	15	-5	-2	4	3	3	-11	-2	-2	9
225(3,12)	1	1	-1	-3	-2	60	-3	-5	5	-5	-2	3	-11	-12	-2	-11	3	-2
225(3, 6)	1	1	2	0	-14	0	6	0	-10	16	-3	7	-14	-3	-8	6	7	
225(3, 7)	1	1	-1	3	-2	0	-3	-15	15	5	-2	9	-2	-2	-6	-2	-12	-11
225(3, 8)	1	1	-1	-3	-2	60	-3	5	-5	-5	-2	-2	24	13	3	-11	-2	-12
225(3, 9)	1	1	2	0	-14	0	6	0	10	16	7	-3	6	7	-8	-14	-3	
225(3,10)	1	1	-1	3	-2	-60	-3	-5	5	-5	-2	-6	-2	-12	4	13	3	-11
225(3,11)	1	1	-1	-3	-2	0	-3	15	-15	5	-2	3	4	13	3	4	3	-2
225(4, 0)	1	1	2	0	-2	0	0	0	-20	-2	-14	-9	3	16	1	-2	6	
225(4, 9)	1	1	-1	3	-2	60	-3	5	-5	-5	-2	24	3	-2	-11	13	-12	-6
225(4,10)	1	1	-1	-3	-2	-60	-3	-5	-5	-5	-2	-2	4	3	-12	-11	13	-2
225(5,10)	1	1	2	0	48	0	0	0	0	0	48	6	6	-12	6	-24	-12	6

TABLE 31 IND 2 = 0 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	M	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	2	0	-60	0	36	0	0	0	48	-3	15	-12	-3	-60	-12	-3
225(0, 1)	1	-14	-1	3	-2	-90	-3	5	35	25	13	24	3	-2	4	13	-27	-6
225(0, 2)	1	-14	-1	-3	4	-60	-3	35	-5	-25	-17	-2	24	13	3	4	-2	-27
225(0, 3)	1	-14	2	0	10	-30	-9	-5	35	5	-2	-3	-5	18	-8	-5	-12	7
225(0, 4)	1	-14	-1	3	-2	-90	-3	-5	-35	25	13	4	-2	3	24	13	13	4
225(0, 5)	1	-14	-1	-3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	2	0	10	30	-9	35	5	-5	-2	-3	15	-2	7	-5	18	-3
225(0, 7)	1	-14	-1	3	-2	90	-3	35	-5	-25	13	4	3	13	-6	13	-2	24
225(0, 8)	1	-14	-1	-3	4	-60	-3	-35	5	-25	-17	3	-26	3	-2	4	3	13
225(0, 9)	1	-14	2	0	10	30	-9	-35	-5	-5	-2	7	10	-12	-3	-5	-2	-8
225(0,10)	1	-14	-1	3	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	-3	4	60	-3	5	35	25	-17	-27	-6	-2	13	4	3	3
225(0,12)	1	-14	2	0	10	-30	-9	5	-35	5	-2	-8	-15	-2	-3	-5	-2	-3
225(0,13)	1	-14	-1	3	-2	90	-3	-35	5	-25	13	-6	-17	-27	4	13	3	4
225(0,14)	1	-14	-1	-3	4	60	-3	-5	-35	25	-17	13	4	3	-27	4	13	-2
225(1, 2)	1	1	2	0	7	15	0	0	0	-20	7	-14	-3	12	16	-8	7	6
225(1, 3)	1	1	-1	3	-2	30	-3	15	-15	5	-2	9	-2	-2	9	-2	-12	-11
225(1, 4)	1	1	-1	-3	4	-30	12	0	0	-20	-2	-2	9	-12	-2	4	13	3
225(1, 5)	1	1	2	0	-8	30	0	-10	20	10	-8	-9	-3	7	1	7	12	6
225(1, 6)	1	1	-1	3	-2	0	-3	-5	-5	-5	-2	-11	-2	3	9	-2	-2	4
225(1, 7)	1	1	-1	-3	-11	15	-3	15	15	-5	-2	13	-6	3	-2	4	-2	3
225(1, 8)	1	1	2	0	7	-15	0	0	0	20	7	-9	7	-23	6	-8	12	-14
225(1, 9)	1	1	-1	3	-2	-30	-3	-15	-15	-5	-2	-11	3	3	-11	-2	-2	9
225(1,10)	1	1	-1	-3	4	-30	-3	5	5	13	3	-6	-2	-2	-11	-12	3	3
225(1,11)	1	1	2	0	-8	30	0	10	-20	10	-8	1	-8	-3	-9	7	-8	1
225(1,12)	1	1	-1	3	13	15	12	0	0	-20	-2	4	3	3	4	-2	-2	-6
225(1,13)	1	1	-1	-3	-11	-15	-3	-15	15	5	-2	3	4	-2	-12	4	3	-2
225(2, 4)	1	1	2	0	7	-15	0	0	0	20	7	6	7	7	-9	-8	-3	16
225(2, 5)	1	1	-1	3	-2	0	3	-5	5	-2	4	-12	-2	-6	-2	-2	-2	9
225(2, 6)	1	1	-1	-3	-11	15	-3	-15	-15	-5	-2	-2	9	3	13	4	-2	-12
225(2, 7)	1	1	2	0	-8	-30	0	-20	-10	-10	-8	6	7	12	1	7	-3	1
225(2, 8)	1	1	-1	3	13	-15	12	0	0	20	-2	-6	-2	-2	-6	-2	3	4
225(2, 9)	1	1	-1	-3	4	30	12	0	0	20	-2	3	-11	13	3	4	-12	-2
225(2,10)	1	1	2	0	-8	-30	0	20	10	-10	-8	1	-3	-8	6	7	7	-9
225(2,11)	1	1	-1	3	-2	-30	-3	15	15	-5	-2	-11	-12	-12	-11	-2	13	9
225(2,12)	1	1	-1	-3	4	30	-3	-5	5	13	3	4	-12	-2	-11	3	-2	3
225(3, 6)	1	1	2	0	-5	-15	6	0	0	-10	-2	-3	-5	-2	-3	10	3	7
225(3, 7)	1	1	-1	3	-2	30	-3	-15	15	5	-2	9	13	13	9	-2	3	-11
225(3, 8)	1	1	-1	-3	4	30	-3	5	-5	13	-2	9	-2	3	-11	-2	3	3
225(3, 9)	1	1	2	0	-5	15	6	0	0	10	-2	7	0	3	7	10	-3	-3
225(3,10)	1	1	-1	3	-2	0	-3	-5	5	5	-2	-6	13	3	4	-2	3	-11
225(3,11)	1	1	1	-3	-11	-15	-3	15	-15	5	-2	-12	-11	-3	3	4	3	13
225(4, 8)	1	1	2	0	7	15	0	0	0	-20	7	16	-3	-3	-14	-8	-23	-9
225(4, 9)	1	1	-1	3	-2	0	-3	5	5	-5	-2	9	3	-2	-11	-2	3	-6
225(4,10)	1	1	-1	-3	4	-30	-3	-5	-5	13	-2	4	3	3	-11	-2	-2	-2
225(4,11)	1	1	2	0	7	15	0	0	0	12	-6	-3	-3	6	12	-3	6	6

TABLE 4: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 4 = 0 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0)	1	-44	2	0	36	0	36	0	0	0	0	9	-9	0	9	36	0	9
225(0, 1)	1	-14	-1	3	-2	30	-3	5	35	25	-7	4	3	-2	-16	-7	13	-6
225(0, 2)	1	-14	-1	-3	4	60	-3	35	-5	-25	23	-2	4	-7	3	-16	-2	13
225(0, 3)	1	-14	2	0	14	-30	-9	-5	35	5	-10	9	11	10	4	11	0	-1
225(0, 4)	1	-14	-1	3	-2	30	-3	-5	-35	25	-7	-16	-2	3	4	-7	-7	4
225(0, 5)	1	-14	-1	-3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	2	0	-14	30	-9	35	5	-5	-10	-11	-9	10	-1	11	10	9
225(0, 7)	1	-14	-1	3	-2	-30	-3	35	-5	-25	-7	4	-17	-7	-6	-7	-2	4
225(0, 8)	1	-14	-1	-3	4	60	-3	35	5	-25	23	3	14	-17	-2	-16	3	-7
225(0, 9)	1	-14	2	0	-14	30	-9	-35	-5	-5	-10	-1	-14	0	-11	11	-10	4
225(0, 10)	1	-14	-1	3	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	3
225(0, 11)	1	-14	-1	-3	4	-60	-3	5	35	25	23	13	-6	-2	-7	-16	-17	3
225(0, 12)	1	-14	2	0	-14	-30	-9	5	-35	5	-10	4	1	-10	9	11	10	-11
225(0, 13)	1	-14	-1	3	-2	-30	-3	-35	5	-25	-7	-6	23	13	4	-7	3	-16
225(0, 14)	1	-14	-1	-3	4	-60	-3	-5	-35	25	23	-7	4	3	13	-16	-7	-2
225(1, 2)	1	1	3	0	-1	15	0	0	-20	1	20	-1	-4	-10	4	-19	-10	4
225(1, 3)	1	1	-1	3	8	0	-3	15	-15	5	-2	-1	8	8	-1	-2	8	-1
225(1, 4)	1	1	-1	-3	-16	30	12	0	-20	-2	8	-1	8	8	4	-7	-7	8
225(1, 5)	1	1	3	0	4	30	0	-10	20	10	-4	-5	9	1	5	-1	16	0
225(1, 6)	1	1	-1	3	-2	-60	-3	-5	-5	-5	0	-1	-2	3	19	8	8	4
225(1, 7)	1	1	-1	-3	-1	-15	-3	15	15	-5	-2	-7	14	-7	8	4	8	-7
225(1, 8)	1	1	3	0	-1	-15	0	0	20	1	5	-1	11	-10	4	-4	20	0
225(1, 9)	1	1	-1	3	0	0	-3	-15	-15	-5	-2	-1	-7	-7	-1	-2	8	-1
225(1, 10)	1	1	-1	-3	4	30	-3	5	5	-5	-7	-17	-6	-2	8	-1	-2	3
225(1, 11)	1	1	3	0	4	30	0	10	-20	10	-4	5	4	-9	-5	-1	-4	-5
225(1, 12)	1	1	-1	3	-7	-45	12	0	-20	-2	-16	-7	-7	-16	-2	8	14	0
225(1, 13)	1	1	-1	-3	-1	15	-3	-15	15	5	-2	-7	-16	8	8	4	-7	8
225(2, 4)	1	1	3	0	-1	-15	0	0	20	1	-10	-1	-19	5	4	11	-10	4
225(2, 5)	1	1	-1	3	-2	60	-3	5	-5	5	0	4	-2	8	-4	8	-2	19
225(2, 6)	1	1	-1	-3	-1	-15	-3	-15	-15	-5	-2	8	-1	-7	-7	4	8	8
225(2, 7)	1	1	3	0	4	-30	0	-20	-10	-10	-4	0	-1	16	-5	-1	-9	5
225(2, 8)	1	1	-1	3	-7	45	12	0	20	-2	14	8	8	14	-2	-7	-16	0
225(2, 9)	1	1	-1	-3	-16	-30	12	0	20	-2	-7	-1	-7	-7	4	8	8	8
225(2, 10)	1	1	3	0	4	-30	0	20	10	-10	-4	-5	-11	-4	0	-1	1	-5
225(2, 11)	1	1	-1	3	8	0	-3	15	15	-5	-2	-1	3	6	-1	-2	-7	-1
225(2, 12)	1	1	-1	-3	4	-30	-3	-5	5	5	-7	3	-16	-2	-2	-1	3	8
225(3, 6)	1	1	3	0	11	-15	6	0	-10	10	-1	11	-10	-1	-14	5	-1	0
225(3, 7)	1	1	-1	3	8	0	-3	-15	15	5	-2	-1	-7	-7	-1	-2	-7	-1
225(3, 8)	1	1	-1	-3	4	-30	-3	5	-5	5	-7	-2	19	8	3	-1	-2	-17
225(3, 9)	1	1	3	0	11	15	6	0	10	10	-1	-4	5	-1	-14	-10	-1	0
225(3, 10)	1	1	-1	3	-2	60	-3	-5	5	5	8	-7	-17	4	8	3	-1	0
225(3, 11)	1	1	-1	-3	-1	15	-3	15	-15	5	-2	8	-1	8	-7	4	-7	-7
225(4, 8)	1	1	3	0	-1	15	0	0	-20	1	-10	-1	11	20	4	11	5	0
225(4, 9)	1	1	-1	3	-2	-60	-3	5	5	-5	8	19	3	-2	-1	8	-17	-6
225(4, 10)	1	1	-1	-3	4	30	-3	-5	-5	-5	-7	8	4	3	-17	-1	8	-2
225(5, 10)	1	1	3	0	-36	0	0	0	0	0	36	0	7	-9	0	-36	-9	0

TABLE 5: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 1 \pmod{5}$, $\text{IND } 5 = 0 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	Y0	Y1	Y2	Y3	Y4	Y5	Y6	Y7
225(0, 0)	1	-44	2	0	36	0	6	30	30	30	36	-3	-3	6	27	-18	6	-3
225(0, 1)	1	-14	-1	3	-2	90	-3	25	-5	5	13	14	3	-22	4	13	-7	-6
225(0, 2)	1	-14	-1	-3	-2	30	-13	5	5	-15	3	8	24	3	-17	-6	8	3
225(0, 3)	1	-14	2	0	-4	0	-9	-5	-25	-15	6	7	7	26	2	-3	-14	7
225(0, 4)	1	-14	-1	3	-12	0	7	5	-5	-5	-17	-6	-2	13	24	13	3	4
225(0, 5)	1	-14	-1	-3	-12	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	2	0	16	0	-9	-5	25	-25	-14	-13	-3	-4	7	7	26	-3
225(0, 7)	1	-14	-1	3	-2	-30	-13	5	5	-13	3	-16	3	3	4	3	8	24
225(0, 8)	1	-14	-1	-3	8	60	-3	-25	5	15	3	13	-24	-7	-22	-6	-17	13
225(0, 9)	1	-14	2	0	-24	0	1	-25	-35	25	-14	-3	-8	-14	-3	7	6	-8
225(0, 10)	1	-14	-1	3	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	-3	-2	-90	-3	25	-5	5	13	-7	-6	-22	-17	-26	-7	3
225(0, 12)	1	-14	2	0	16	0	11	5	5	-15	6	2	-3	6	7	-3	-4	-3
225(0, 13)	1	-14	-1	3	8	-60	-3	-35	5	15	3	4	13	-7	14	3	-17	-26
225(0, 14)	1	-14	-1	-3	-12	0	7	5	-5	-5	-17	3	4	13	-27	4	3	-2
225(1, 2)	1	1	2	0	-12	0	0	-10	0	-10	0	-4	-9	8	6	-19	-7	6
225(1, 3)	1	1	-1	3	-2	-60	2	-10	10	-10	3	14	-2	-7	4	3	-7	-11
225(1, 4)	1	1	-1	-3	3	-45	-3	5	15	5	-7	-7	9	-7	3	-1	8	-12
225(1, 5)	1	1	2	0	-2	0	0	10	10	20	-2	-4	6	8	1	1	8	6
225(1, 6)	1	1	-1	3	3	45	-8	-10	-20	10	13	-6	-2	-2	9	-2	3	4
225(1, 7)	1	1	-1	-3	3	-45	-3	5	-15	-25	-7	8	-6	8	3	14	-7	3
225(1, 8)	1	1	2	0	-2	0	5	5	-5	5	3	11	16	-7	1	-9	8	-14
225(1, 9)	1	1	-1	3	3	-45	12	-10	0	-10	8	-16	3	-7	-6	-7	8	9
225(1, 10)	1	1	-1	-3	-2	0	-3	-5	25	5	-2	-7	-6	8	13	4	-7	3
225(1, 11)	1	1	2	0	18	0	-5	5	-5	-5	-3	6	1	-2	-9	1	-12	1
225(1, 12)	1	1	-1	3	3	45	-3	5	15	5	-7	-1	-12	-7	-6	8	8	9
225(1, 13)	1	1	-1	-3	13	15	3	-10	-20	20	-12	-7	4	8	-2	9	8	-2
225(2, 4)	1	1	2	0	-2	0	5	5	-5	5	3	19	-14	-7	1	6	8	16
225(2, 5)	1	1	-1	3	-2	-30	2	20	-10	0	3	14	-12	3	-11	3	-7	9
225(2, 6)	1	1	-1	-3	3	45	12	-10	0	-10	8	8	9	-7	3	-1	8	3
225(2, 7)	1	1	2	0	8	0	0	-20	20	0	-12	1	1	8	-4	6	-2	1
225(2, 8)	1	1	-1	3	-2	30	2	20	10	20	3	-1	13	8	4	-12	-7	-11
225(2, 9)	1	1	-1	-3	-2	-30	2	20	10	20	3	8	-11	8	-2	9	-7	13
225(2, 10)	1	1	2	0	-2	0	-10	20	-10	0	-12	-4	-9	-12	1	6	8	-9
225(2, 11)	1	1	-1	3	3	45	-3	5	-15	-25	-7	-1	3	8	-6	-7	-7	-6
225(2, 12)	1	1	-1	-3	-7	15	-3	-5	5	-15	3	-2	4	-7	8	-6	13	-3
225(3, 6)	1	1	2	0	-14	0	-4	-10	10	20	6	2	7	-4	-8	-3	-4	7
225(3, 7)	1	1	-1	3	13	-15	2	-10	-20	20	-12	1	-2	3	4	3	8	4
225(3, 8)	1	1	-1	-3	-2	30	2	20	-10	0	3	-7	9	3	13	-6	-7	-12
225(3, 9)	1	1	2	0	6	0	6	20	0	-10	-4	2	-3	-4	-3	2	-4	-3
225(3, 10)	1	1	-1	3	-7	-15	-3	-5	5	-15	3	-11	-2	-7	-1	3	13	4
225(3, 11)	1	1	-1	-3	-2	60	2	-10	10	-10	3	-7	-11	-7	-2	-6	-7	-2
225(4, 8)	1	1	2	0	-12	0	0	-10	0	-10	8	11	6	8	6	11	-7	-9
225(4, 9)	1	1	-1	3	-2	0	-3	-5	25	5	-2	14	3	8	-11	-2	-7	-6
225(4, 10)	1	1	-1	-3	3	-45	-8	-10	-20	10	13	3	4	-2	3	-11	3	-2
225(5, 10)	1	1	2	0	18	0	15	-15	-15	-15	18	6	6	-12	-9	-9	-12	6

TABLE 6: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 1 \pmod{5}$, $\text{IND } 5 = 0 \pmod{3}$, $C = -1 \pmod{5}$

	P	I	A	B	C	D	X	Y	Z	U	DO	E1	E2	E3	E4	E5	E6	E7
225(0, 0) =	1	-44	2	0	12	0	6	30	30	30	12	9	9	-18	-21	-6	-18	9
225(0, 1) =	1	-14	-1	3	-2	-30	-3	25	-5	5	-7	14	3	18	-16	-7	-7	-6
225(0, 2) =	1	-14	-1	-3	-2	30	-13	5	5	-15	3	-12	4	3	23	-6	-12	-17
225(0, 3) =	1	-14	2	0	12	0	-9	-5	-25	-15	-18	-1	-1	2	-6	9	2	-1
225(0, 4) =	1	-14	-1	3	3	60	7	5	-5	-5	23	-6	-2	-7	4	-7	3	4
225(0, 5) =	1	-14	-1	-3	-12	0	12	0	0	0	-12	3	-6	3	24	3	3	3
225(0, 6) =	1	-14	2	0	-8	0	-9	-5	25	-25	2	-1	9	12	-1	-1	2	9
225(0, 7) =	1	-14	-1	3	-2	-30	-13	5	5	-15	3	24	-17	3	-16	3	-12	4
225(0, 8) =	1	-14	-1	-3	-12	0	-3	-35	5	15	3	-7	14	-7	18	-6	23	-7
225(0, 9) =	1	-14	2	0	32	0	1	-25	-35	25	2	9	4	2	-11	-1	-18	4
225(0,10) =	1	-14	-1	3	-12	0	12	0	0	0	-12	6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	-2	30	-3	25	-5	5	-7	-7	-6	18	23	14	-7	3
225(0,12) =	1	-14	2	0	-8	0	11	5	5	-15	-18	-6	-11	-18	-1	9	12	-11
225(0,13) =	1	-14	-1	3	-12	0	-3	-35	5	15	3	-16	-7	-7	-6	3	23	14
225(0,14) =	1	-14	-1	-3	8	-60	7	5	-5	-5	23	3	4	-7	13	-16	3	-2
225(1, 2) =	1	1	2	0	0	0	-10	0	-10	0	10	5	0	0	15	-5	-10	0
225(1, 3) =	1	1	-1	3	8	30	2	-10	10	-10	-7	-6	8	13	4	-7	3	-1
225(1, 4) =	1	1	-1	-3	3	15	-3	5	15	5	3	13	-1	3	3	9	-2	8
225(1, 5) =	1	1	2	0	10	0	0	10	10	20	-10	-10	0	0	5	5	20	0
225(1, 6) =	1	1	-1	3	-7	15	-8	-10	-20	10	-7	-6	-2	8	19	8	3	4
225(1, 7) =	1	1	-1	-3	3	15	-3	5	-15	-25	3	-2	14	-12	3	-6	13	-7
225(1, 8) =	1	1	2	0	-10	0	5	5	-5	5	5	-15	-10	-5	-5	5	0	20
225(1, 9) =	1	1	-1	3	3	75	12	-10	0	-10	-12	4	-7	3	-6	3	-2	-1
225(1,10) =	1	1	-1	-3	-2	-60	-3	-5	25	5	8	-7	-6	-12	-7	-16	-7	3
225(1,11) =	1	1	2	0	-10	0	-5	5	-5	-5	-10	0	-5	-10	-5	5	0	-5
225(1,12) =	1	1	-1	3	3	-15	-3	5	15	5	3	-11	8	3	-6	-12	-2	-1
225(1,13) =	1	1	-1	-3	-7	15	2	-10	-20	20	8	3	-16	-2	-2	-1	-12	8
225(2, 4) =	1	1	2	0	-10	0	5	5	-5	5	5	15	20	-5	-5	-10	0	-10
225(2, 5) =	1	1	-1	3	-2	-30	2	20	-10	0	3	-6	-2	3	-1	2	3	19
225(2, 6) =	1	1	-1	-3	3	-75	12	-10	0	-10	-12	-2	-1	3	3	9	-2	-7
225(2, 7) =	:	:	:	:	0	0	0	-20	20	0	0	5	5	20	0	0	-10	5
225(2, 8) =	1	1	-1	3	8	-60	2	20	10	20	-7	9	-7	-2	4	8	3	-1
225(2, 9) =	1	1	-1	-3	8	60	2	20	10	20	-7	-12	-1	-2	-2	-1	3	-7
225(2,10) =	1	1	2	0	10	0	-10	20	-10	0	0	0	-5	0	5	0	0	-5
225(2,11) =	1	1	-1	3	3	-15	-3	5	-15	-25	3	-11	-7	-12	-6	3	13	14
225(2,12) =	1	1	-1	-3	3	45	-3	-5	5	-15	3	8	-16	-7	-12	-6	-7	8
225(3, 6) =	1	1	7	0	2	0	-4	-10	10	20	2	-6	-1	-8	4	-1	12	-1
225(3, 7) =	1	1	-1	3	-7	-15	2	-10	-20	20	8	9	8	-2	4	-7	-12	-16
225(3, 8) =	1	1	-1	-3	-2	30	2	20	-10	0	3	3	19	3	-7	-6	3	-3
225(3, 9) =	1	1	2	0	-18	0	5	20	0	-10	12	4	-1	12	5	-6	-8	-1
225(3,10) =	1	1	-1	3	3	-45	-3	-5	5	-15	3	-1	8	-7	9	3	-7	-16
225(3,11) =	1	1	-1	-3	8	-30	2	-10	10	-10	-7	3	-1	12	-2	14	3	8
225(4, 8) =	1	1	2	0	0	0	-10	0	-10	0	-5	-10	0	0	-15	-5	5	5
225(4, 9) =	1	1	-1	3	-2	60	-3	-5	25	5	8	14	3	-12	-1	8	-7	-4
225(4,10) =	1	1	-1	-3	-7	-15	-8	-10	-20	10	-7	3	4	0	-17	-1	3	-2
225(5,10) =	1	1	2	0	30	0	15	-15	-15	-15	30	0	0	0	15	-15	0	0

TABLE 7: IND 2 = 0 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	2	0	0	0	6	30	30	10	-3	15	-12	27	0	-12	-3	
225(0, 1)	1	-14	-1	3	-2	30	-3	25	-5	5	-17	14	3	8	-26	13	-7	-6
225(0, 2)	1	-14	-1	-3	4	0	-13	5	5	15	3	-22	-6	3	13	-6	8	3
225(0, 3)	1	-14	2	0	-10	-30	-9	-5	-25	-15	-12	7	-5	8	2	15	-2	7
225(0, 4)	1	-14	-1	3	-12	-60	7	5	-5	-5	13	-6	-2	-17	-6	-17	3	4
225(0, 5)	1	-14	-1	-3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	2	0	10	30	-9	-5	25	-25	-2	-13	15	8	7	-5	8	-3
225(0, 7)	1	-14	-1	3	-2	30	-13	5	5	-15	3	14	-27	3	-26	3	-22	24
225(0, 8)	1	-14	-1	-3	14	30	-3	-35	5	15	3	13	4	-7	8	-6	13	-17
225(0, 9)	1	-14	2	0	-30	30	1	-25	-35	25	-2	-3	10	-2	-3	-5	-12	-8
225(0,10)	1	-14	-1	3	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	4
225(0,11)	1	-14	-1	-3	4	-60	-3	25	-5	5	13	-7	-6	8	13	4	-7	3
225(0,12)	1	-14	2	0	10	-30	11	5	5	-15	-12	2	-15	-12	7	15	8	-3
225(0,13)	1	-14	-1	3	8	0	-3	-35	5	15	3	4	13	-7	-16	3	13	4
225(0,14)	1	-14	-1	-3	-6	30	7	5	-5	-5	13	3	4	13	3	-26	3	-2
225(1, 2)	1	1	2	0	-3	15	0	-10	0	-10	17	11	-3	-13	6	2	-13	-9
225(1, 3)	1	1	-1	3	-2	-30	2	-10	10	-10	-12	-1	13	8	4	3	8	-11
225(1, 4)	1	1	-1	-3	-6	-30	-3	5	15	5	9	0	9	8	3	-1	-7	3
225(1, 5)	1	1	2	0	-8	30	0	10	10	20	-8	-4	-3	2	1	7	17	6
225(1, 6)	1	1	-1	3	3	-15	-8	-10	-20	10	-2	-6	-2	13	24	13	3	4
225(1, 7)	1	1	-1	-3	-6	-30	-3	5	-15	-25	-7	8	9	-7	3	-1	8	-12
225(1, 8)	1	1	2	0	7	-15	5	5	-5	5	12	-19	7	-13	1	-3	17	16
225(1, 9)	1	1	-1	3	3	-75	12	-10	0	-10	-7	-1	-12	8	-6	8	-7	9
225(1,10)	1	1	-1	-3	4	30	-3	-5	25	5	-2	-7	-6	-7	-2	-11	-7	3
225(1,11)	1	1	2	0	12	30	-5	5	-5	-5	-8	6	-8	-8	-9	7	-3	1
225(1,12)	1	1	-1	3	3	15	-3	5	15	5	-7	-16	3	-7	-6	-7	8	-6
225(1,13)	1	1	-1	-3	4	0	2	-10	-20	20	3	-7	-11	8	-2	-6	-7	13
225(2, 4)	1	1	2	0	7	-15	5	5	-5	5	-3	11	7	2	1	-3	-13	-14
225(2, 5)	1	1	-1	3	-2	30	2	20	-10	0	3	-1	3	3	4	3	8	9
225(2, 6)	1	1	-1	-3	-6	60	12	-10	0	-10	-7	-7	-6	-7	3	14	8	3
225(2, 7)	1	1	2	0	2	-30	0	-20	20	0	-3	1	7	17	-4	-3	-8	1
225(2, 8)	1	1	-1	3	-2	60	2	20	10	20	3	14	-2	8	4	3	-7	4
225(2, 9)	1	1	-1	-3	-11	-45	2	20	10	20	-12	-7	-11	-7	-2	9	8	-2
225(2,10)	1	1	2	0	-8	-30	-10	20	-10	0	-3	-4	-3	-3	1	-3	2	-9
225(2,11)	1	1	-1	3	3	15	-3	5	-15	-25	8	-1	3	-7	-6	-7	8	9
225(2,12)	1	1	-1	-3	-1	-15	-3	-5	5	-15	3	-2	-11	-7	-7	-6	-2	13
225(3, 6)	1	1	2	0	-5	-15	-4	-10	10	20	3	2	-5	-7	-8	0	8	7
225(3, 7)	1	1	-1	3	13	15	2	-10	-20	20	3	-1	-2	-7	4	-12	-7	-11
225(3, 8)	1	1	-1	-3	4	0	2	30	-10	0	3	8	24	3	-2	-6	-7	-12
225(3, 9)	1	1	2	0	15	15	6	20	0	-10	8	2	0	8	-3	-10	-7	-3
225(3,10)	1	1	-1	3	-7	45	-3	-5	5	-15	3	-11	-2	-7	14	3	-2	-11
225(3,11)	1	1	-1	-3	-11	45	2	-10	10	-10	3	0	4	8	-2	9	-7	-2
225(4, 8)	1	1	2	0	-3	15	0	-10	0	-10	-13	-4	-3	17	6	2	2	6
225(4, 9)	1	1	-1	3	-2	-60	-3	-5	25	5	13	14	3	-7	4	-2	-7	-6
225(4,10)	1	1	-1	-3	9	-15	-8	-10	-20	10	-2	3	4	-2	-12	4	3	-2
225(5,10)	1	1	2	0	-18	0	15	-15	-15	-15	27	6	-3	-3	-9	-18	-3	6

TABLE 8: IND 1 = 0 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	M	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	-24	0	6	30	30	30	30	9	-9	0	-21	-24	0	9
225(0, 1) =	1	-14	-1	3	-2	-90	-3	25	-5	5	23	14	3	-12	14	-7	-7	-6
225(0, 2) =	1	-14	-1	-3	4	0	-13	5	5	-15	3	18	34	3	-7	-6	-12	-17
225(0, 3) =	1	-14	2	0	6	-30	-9	-5	-25	-15	0	-1	11	20	-6	-9	-10	-1
225(0, 4) =	1	-14	-1	3	0	0	7	5	-5	-5	-7	-6	-2	23	34	23	3	4
225(0, 5) =	1	-14	-1	-3	24	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	-14	30	-9	-5	25	-25	-10	-1	-9	0	-1	11	20	9
225(0, 7) =	1	-14	-1	3	-2	30	-13	5	3	-15	3	-6	13	3	14	3	18	4
225(0, 8) =	1	-14	-1	-3	-6	-30	-3	-35	5	15	3	-7	-16	-7	-12	-6	-7	23
225(0, 9) =	1	-14	2	0	26	30	1	-25	-35	25	-10	9	-14	-10	-11	11	0	4
225(0,10) =	1	-14	-1	3	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	4	60	-3	25	-5	5	-7	-7	-6	-12	-7	-16	-7	3
225(0,12) =	1	-14	2	0	-14	-30	11	5	5	-15	0	-6	1	0	-1	-9	0	-11
225(0,13) =	1	-14	-1	3	-12	60	-3	-35	5	15	3	-16	-7	-7	24	3	-7	-16
225(0,14) =	1	-14	-1	-3	14	-30	7	5	-5	-5	-7	3	4	-7	-17	14	3	-2
225(1, 2) =	1	1	2	0	9	15	0	-10	0	-10	-9	-5	-1	31	0	-6	1	5
225(1, 3) =	1	1	-1	3	8	60	2	-10	10	-10	0	9	-7	-2	4	-7	-12	-1
225(1, 4) =	1	1	-1	-3	-6	30	-3	5	15	5	-12	-2	-1	-12	3	9	13	-7
225(1, 5) =	1	1	2	0	4	30	0	10	10	20	-4	-10	9	6	5	-1	11	0
225(1, 6) =	1	1	-1	3	-7	-45	-8	-10	-20	10	8	-6	-2	-7	4	-7	3	4
225(1, 7) =	1	1	-1	-3	-6	30	-3	5	-15	-25	3	-2	-1	3	3	9	-2	8
225(1, 8) =	1	1	2	0	-1	-15	5	5	-5	5	-4	15	-1	1	-5	-1	-9	-10
225(1, 9) =	1	1	-1	3	3	45	12	-10	0	-10	3	-11	8	-12	-6	-12	13	-1
225(1,10) =	1	1	-1	-3	4	-30	-3	-5	25	5	8	-7	-6	3	0	-1	-7	8
225(1,11) =	1	1	2	0	-16	30	-5	5	-5	-5	-4	0	4	-4	-5	-1	-9	-5
225(1,12) =	1	1	-1	3	3	-45	-3	5	15	5	3	4	-7	3	-6	3	-2	14
225(1,13) =	1	1	-1	-3	-16	0	2	-10	-20	20	-7	3	-1	-2	-2	14	3	-7
225(2, 4) =	1	1	2	0	-1	-15	5	5	-5	5	11	-15	-1	-14	-5	-1	21	20
225(2, 5) =	1	1	-1	2	-2	30	2	20	-10	0	3	9	-17	3	-16	3	-12	19
225(2, 6) =	1	1	-1	-3	-6	-60	12	-10	0	-10	3	13	14	3	3	-6	-2	-7
225(2, 7) =	1	1	2	0	-6	-30	0	-20	20	0	-9	5	-1	11	0	9	-4	5
225(2, 8) =	1	1	-1	3	8	-30	2	20	10	20	-7	-6	8	-2	4	-7	3	-16
225(2, 9) =	1	1	-1	-3	-1	45	2	20	10	20	8	3	-1	13	-2	-1	-12	8
225(2,10) =	1	1	2	0	4	-30	-10	20	-10	0	-9	0	-11	-9	5	9	6	-5
225(2,11) =	1	1	-1	3	3	-45	-3	5	-15	-25	-12	-11	-7	3	-6	3	-2	-1
225(2,12) =	1	1	-1	-3	9	15	-3	-5	5	-15	3	8	-1	-7	3	-6	8	-7
225(3, 6) =	1	1	2	0	11	-15	-4	-10	10	20	5	-6	11	-5	4	-4	0	-1
225(3, 7) =	1	1	-1	3	-7	15	2	-10	-20	20	-7	9	8	13	4	8	3	-1
225(3, 8) =	1	1	-1	-3	4	0	2	20	-10	0	3	-12	4	3	8	-6	3	-2
225(3, 9) =	1	1	2	0	-9	15	6	20	0	-10	0	4	-4	0	9	6	-5	-1
225(3,10) =	1	1	-1	3	3	15	-3	-5	5	-15	3	-1	8	-7	-6	3	8	-1
225(3,11) =	1	1	-1	-3	-1	-45	2	-10	10	-10	-7	-12	-16	-2	-2	-1	3	8
225(4, 8) =	1	1	2	0	9	15	0	-10	0	-10	21	10	-1	9	0	-6	-14	-10
225(4, 9) =	1	1	-1	3	-2	0	-3	-5	25	5	-7	14	3	3	-16	8	-7	-6
225(4,10) =	1	1	-1	-3	-1	15	-8	-10	-20	10	8	3	4	8	-2	-16	3	-2
225(5,10) =	1	1	2	0	-6	0	15	-15	-15	-15	21	0	9	-9	15	-6	-9	0

TABLE 91 IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	80	81	82	83	84	85	86	87
225(0, 0) =	1	-44	2	0	-24	0	-9	45	-45	-45	-24	-3	-3	6	-3	12	6	-3
225(0, 1) =	1	-14	-1	3	-3	-30	2	-10	30	-30	13	-6	3	-2	4	-17	3	-6
225(0, 2) =	1	-14	-1	-3	-2	-30	-3	-35	-25	5	13	-2	-6	-17	3	4	-2	3
225(0, 3) =	1	-14	2	0	16	0	11	-15	25	-15	-14	-3	7	6	-8	7	6	7
225(0, 4) =	1	-14	-1	3	-2	-30	-13	15	15	25	13	4	-2	3	-6	-17	-17	4
225(0, 5) =	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	16	0	-4	-40	0	0	-14	-3	-3	16	7	7	6	-3
225(0, 7) =	1	-14	-1	3	-2	30	-3	-35	-25	5	13	4	3	-17	-6	-17	-2	-6
225(0, 8) =	1	-14	-1	-3	-2	-30	17	15	-5	15	13	3	4	3	-2	4	3	13
225(0, 9) =	1	-14	2	0	16	0	11	15	15	25	-14	7	-8	6	-3	7	-14	-8
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	-2	30	2	-10	30	-30	13	3	-6	-2	13	4	3	2
225(0,12) =	1	-14	2	0	16	0	-9	-5	5	35	-14	-8	-3	-14	-3	7	16	-3
225(0,13) =	1	-14	-1	3	-2	30	17	15	-5	15	13	-6	13	3	4	-17	3	4
225(0,14) =	1	-14	-1	-3	-2	30	-13	15	15	25	13	4	3	3	4	-17	-2	-2
225(1, 2) =	1	1	2	0	-2	0	5	-5	-15	5	-2	16	6	3	-14	1	-2	-9
225(1, 3) =	1	1	-1	3	-2	0	-8	-10	0	10	-2	-6	-2	13	9	-2	3	4
225(1, 4) =	1	1	-1	-3	13	-45	2	10	-30	-10	-2	13	9	3	13	4	-2	-12
225(1, 5) =	1	1	2	0	-2	0	5	5	15	-15	-2	-9	6	-2	1	1	18	6
225(1, 6) =	1	1	-1	3	-2	60	2	0	0	10	-2	-11	-2	3	24	13	13	4
225(1, 7) =	1	1	-1	-3	-2	0	-2	-20	0	-10	-2	-2	9	3	-2	4	-2	3
225(1, 8) =	1	1	2	0	-2	0	-5	5	15	-5	-2	6	-14	-2	-9	1	3	16
225(1, 9) =	1	1	-1	3	-2	0	2	10	0	20	-2	-11	3	-12	4	-2	13	-6
225(1,10) =	1	1	-1	-3	-2	-60	2	-10	0	0	-2	-12	-6	-2	-2	-11	-12	3
225(1,11) =	1	1	2	0	-2	0	-10	0	0	10	-2	1	1	-12	-9	1	-2	1
225(1,12) =	1	1	-1	3	13	45	2	10	-30	-10	-2	-11	-12	3	-11	-2	-2	9
225(1,13) =	1	1	-1	-3	-2	0	7	5	15	-5	-2	3	-11	-2	3	4	-12	-2
225(2, 4) =	1	1	2	0	-2	0	-5	5	15	-5	-2	-9	16	-2	6	1	3	-14
225(2, 5) =	1	1	-1	3	-2	-60	-3	-5	5	5	-2	4	-12	13	-6	13	-2	24
225(2, 6) =	1	1	-1	-3	-2	0	2	10	0	20	-2	-2	-6	-12	-2	4	13	3
225(2, 7) =	1	1	2	0	-2	0	5	15	-5	15	-2	6	1	18	1	1	-12	1
225(2, 8) =	1	1	-1	3	13	-45	-8	20	0	-20	-2	9	13	-2	9	-2	3	-11
225(2, 9) =	1	1	-1	-3	13	45	-8	20	0	-20	-2	-12	-11	-2	-12	4	3	13
225(2,10) =	1	1	2	0	-2	0	0	-20	-10	-10	-2	1	-9	-2	6	1	-2	-9
225(2,11) =	1	1	-1	3	-2	0	2	-20	0	-10	-2	4	3	3	-11	-2	-2	9
225(2,12) =	1	1	-1	-3	-2	60	2	0	10	0	-2	3	-11	-12	-2	-11	3	-2
225(3, 6) =	1	1	2	0	-14	0	1	5	-15	-5	16	-3	7	-14	-3	-8	6	7
225(3, 7) =	1	1	-1	3	-2	0	7	5	15	-5	-2	9	-2	-2	-6	-2	-12	-11
225(3, 8) =	1	1	-1	-3	-3	60	-3	-5	5	5	-2	-2	24	13	3	-11	-2	-12
225(3, 9) =	1	1	2	0	-14	0	-4	10	0	-10	16	7	-3	6	7	-8	-14	-3
225(3,10) =	1	1	-1	3	-2	-60	2	0	10	0	-2	-6	-2	-12	4	13	3	-11
225(3,11) =	1	1	-1	-3	-2	0	-8	-10	0	-2	3	4	13	3	4	3	-2	-2
225(4, 8) =	1	1	2	0	-2	0	5	-5	-15	5	-2	-14	-9	3	16	1	-2	6
225(4, 9) =	1	1	-1	3	-2	60	2	-10	0	0	-2	24	3	-2	-11	13	-12	-6
225(4,10) =	1	1	-1	-3	-2	-60	2	0	10	-2	-2	-2	4	3	-12	-11	13	-2
225(5,10) =	1	1	2	0	48	0	0	0	0	0	48	6	6	-12	6	-24	-12	6

TABLE 11: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	80	81	82	83	84	85	86	87
225(0, 0) =	1	-44	2	0	-60	0	-9	45	-45	-45	48	-3	15	-12	-3	-60	-12	-3
225(0, 1) =	1	-14	-1	3	-2	-90	2	-10	30	-30	13	24	3	-2	4	13	-27	-6
225(0, 2) =	1	-14	-1	-3	4	-60	-3	-35	-25	5	-17	-2	24	13	3	4	-2	-27
225(0, 3) =	1	-14	2	0	10	-30	11	-15	25	-15	-2	-3	-5	18	-8	-5	-12	7
225(0, 4) =	1	-14	-1	3	-2	-90	-13	15	15	25	13	4	-2	3	24	13	13	4
225(0, 5) =	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	2
225(0, 6) =	1	-14	2	0	10	30	-4	-40	0	0	-2	-3	15	-2	7	-5	18	-3
225(0, 7) =	1	-14	-1	3	-2	90	-3	-35	-25	5	13	4	3	13	-6	13	-2	34
225(0, 8) =	1	-14	-1	-3	4	-60	17	15	-5	15	-17	3	-26	3	-2	4	3	13
225(0, 9) =	1	-14	2	0	10	30	11	15	15	25	-2	7	10	-12	-3	-5	-2	-8
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	4	60	2	-10	30	-30	-17	-27	-6	-2	13	4	3	3
225(0,12) =	1	-14	2	0	10	-30	-9	-5	5	35	-2	-8	-15	-2	-3	-5	-2	-3
225(0,13) =	1	-14	-1	3	-2	90	17	15	-5	15	13	-6	-17	-27	4	13	3	4
225(0,14) =	1	-14	-1	-3	4	60	-13	15	15	25	-17	13	4	3	-27	4	13	-2
225(1, 2) =	1	1	2	0	7	15	5	-5	-15	5	7	-14	-3	12	16	-8	7	6
225(1, 3) =	1	1	-1	3	-2	30	-8	-10	0	10	-2	9	-2	2	2	-12	-11	-11
225(1, 4) =	1	1	-1	-3	4	-30	2	10	-30	-10	-2	-2	9	-12	-2	4	13	3
225(1, 5) =	1	1	2	0	-8	30	5	5	15	-8	-9	-3	7	1	7	13	6	4
225(1, 6) =	1	1	-1	3	-2	0	2	0	0	10	-2	-11	-2	3	9	-2	-2	4
225(1, 7) =	1	1	-1	-3	-11	15	2	-20	0	-10	-2	13	-6	3	-2	4	-2	3
225(1, 8) =	1	1	2	0	7	-15	-5	5	15	-5	7	-9	7	-23	6	-8	12	-14
225(1, 9) =	1	1	-1	3	-2	-30	2	10	0	20	-2	-11	3	3	-11	-2	-3	9
225(1,10) =	1	1	-1	-3	4	-30	2	-10	0	0	13	3	-6	-2	-2	-11	-12	3
225(1,11) =	1	1	2	0	-8	30	-10	0	0	10	-8	1	-8	-3	-9	7	-8	1
225(1,12) =	1	1	-1	3	13	15	2	10	-30	-10	-2	4	3	4	-2	-2	-2	-6
225(1,13) =	1	1	-1	-3	-11	-15	7	5	15	-5	-2	3	4	4	-2	-12	4	-2
225(2, 4) =	1	1	2	0	7	-15	-5	5	15	-5	7	6	7	7	-9	-8	-3	16
225(2, 5) =	1	1	-1	3	-2	0	-3	-5	5	5	-2	4	-12	-2	-6	-2	-2	9
225(2, 6) =	1	1	-1	-3	-11	15	2	10	0	20	-2	-2	9	3	13	4	-2	-12
225(2, 7) =	1	1	2	0	-8	-30	5	15	-5	15	-8	6	7	12	1	7	-3	1
225(2, 8) =	1	1	-1	3	13	-15	-8	20	0	-20	-2	-6	-2	-2	-6	-2	3	4
225(2, 9) =	1	1	-1	-3	4	30	-8	20	0	-20	-2	3	-11	13	3	4	-12	-2
225(2,10) =	1	1	2	0	-8	-30	0	-20	-10	-10	-8	1	-3	-8	6	7	7	-9
225(2,11) =	1	1	-1	3	-2	-30	2	-20	0	-10	-2	-11	-12	-12	-11	-2	13	9
225(2,12) =	1	1	-1	-3	4	30	2	10	0	13	3	4	-12	-2	-11	3	-2	7
225(3, 6) =	1	1	2	0	-5	-15	1	5	-15	-5	-2	-3	-5	-2	-3	10	3	7
225(3, 7) =	1	1	-1	3	-2	30	7	5	15	-5	-2	9	13	13	9	-2	3	-11
225(3, 8) =	1	1	-1	-3	4	30	-3	-5	5	3	13	-2	9	-2	3	-11	-2	3
225(3, 9) =	1	1	2	0	-5	15	-4	10	0	-10	-2	7	0	3	7	10	-2	-3
225(3,10) =	1	1	-1	3	-2	0	2	0	10	0	-2	-6	13	2	4	-2	3	-11
225(3,11) =	1	1	-1	-3	-11	-15	-8	-10	0	10	-2	-12	-11	-2	3	4	3	13
225(4, 8) =	1	1	2	0	7	15	5	-5	-15	5	7	16	-3	-3	-14	-8	-23	-9
225(4, 9) =	1	1	-1	3	-2	0	2	-10	0	0	-2	9	3	-2	-11	-2	3	-6
225(4,10) =	1	1	-1	-3	4	-30	2	0	0	10	13	-2	4	3	3	-11	-2	-2
225(5,10) =	1	1	2	0	12	0	0	0	0	0	12	6	-3	-3	6	12	-3	6

TABLE 12: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	P0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	2	0	36	0	-9	45	-45	-45	0	9	-9	0	9	36	0	9
225(0, 1)	1	-14	-1	3	-2	30	2	-10	30	-30	-7	4	3	-2	-16	-7	13	-6
225(0, 2)	1	-14	-1	-3	4	60	-3	-35	-25	5	23	-2	4	-7	3	-16	-2	13
225(0, 3)	1	-14	2	0	-14	-30	11	-15	25	-15	-10	9	11	10	4	11	0	-1
225(0, 4)	1	-14	-1	3	-2	30	-13	15	15	25	-7	-16	-2	3	4	-7	-7	4
225(0, 5)	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	24	3	3	3
225(0, 6)	1	-14	2	0	-14	30	-4	-40	0	0	-10	-11	-9	10	-1	11	10	9
225(0, 7)	1	-14	-1	3	-2	-30	-3	-35	-25	5	-7	4	-17	-7	-6	-7	-2	4
225(0, 8)	1	-14	-1	-3	4	60	17	15	-5	15	23	3	14	-17	-2	-16	3	-7
225(0, 9)	1	-14	2	0	-14	30	11	15	15	25	-10	-1	-14	0	-11	11	-10	4
225(0,10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	-3	4	-60	2	-10	30	-30	23	13	-6	-2	-7	-16	-17	3
225(0,12)	1	-14	2	0	-14	-30	-9	-5	35	-10	4	1	-10	9	11	10	-11	
225(0,13)	1	-14	-1	3	-2	-30	17	15	-5	15	-7	-6	23	13	4	-7	3	-16
225(0,14)	1	-14	-1	-3	4	-60	-13	15	15	25	23	-7	4	3	13	-16	-7	-2
225(1, 2)	1	1	2	0	-1	15	5	-5	-15	5	1	20	-1	-4	-10	4	-19	-10
225(1, 3)	1	1	-1	3	8	0	-8	-10	0	10	-2	-1	8	8	-1	-2	8	-1
225(1, 4)	1	1	-1	-3	-16	30	2	10	-30	-10	-2	8	-1	8	8	4	-7	-7
225(1, 5)	1	1	2	0	4	30	5	5	15	-15	-4	-5	9	1	5	-1	16	0
225(1, 6)	1	1	-1	3	-2	-60	2	0	0	10	8	-1	-2	3	19	8	8	4
225(1, 7)	1	1	-1	-3	-1	-15	2	-20	0	-10	-2	-7	14	-7	8	4	8	-7
225(1, 8)	1	1	2	0	-1	-15	-5	5	15	-5	1	5	-1	11	-10	4	-4	20
225(1, 9)	1	1	-1	3	8	0	2	10	0	20	-2	-1	-7	-7	-1	-2	8	-1
225(1,10)	1	1	-1	-3	4	30	2	-10	0	0	-7	-17	-6	-2	8	-1	-2	3
225(1,11)	1	1	2	0	4	30	-10	0	0	10	-4	5	4	-9	-5	-1	-4	-5
225(1,12)	1	1	-1	3	-7	-45	2	10	-30	-10	-2	-16	-7	-7	-16	-2	8	14
225(1,13)	1	1	-1	-3	-1	15	7	5	15	-5	-2	-7	-16	8	8	4	-7	8
225(2, 4)	1	1	2	0	-1	-15	-5	5	15	-5	1	-10	-1	-19	5	4	11	-10
225(2, 5)	1	1	-1	3	-2	60	-3	-5	5	5	8	4	-2	8	-6	8	-2	19
225(2, 6)	1	1	-1	-3	-1	-15	2	10	0	20	-2	8	-1	-7	-7	4	8	8
225(2, 7)	1	1	2	0	4	-30	5	15	-5	15	-4	0	-1	16	-5	-1	-9	5
225(2, 8)	1	1	-1	3	-7	45	-8	20	0	-20	-2	14	8	8	14	-2	-7	-16
225(2, 9)	1	1	-1	-3	-16	-30	-8	20	0	-20	-2	-7	-1	-7	-7	4	8	8
225(2,10)	1	1	2	0	4	-30	0	-20	-10	-10	-4	-5	-11	-4	0	-1	1	-5
225(2,11)	1	1	-1	3	8	0	2	-20	0	-10	-2	-1	8	8	-1	-2	-7	-1
225(2,12)	1	1	-1	-3	4	-30	2	0	10	0	-7	3	-16	-2	-2	-1	3	8
225(3, 6)	1	1	2	0	11	-15	1	5	-15	-5	10	-1	11	-10	-1	-14	5	-1
225(3, 7)	1	1	-1	3	8	0	7	5	15	-5	-2	-1	-7	-7	-1	-2	-7	-1
225(3, 8)	1	1	-1	-3	4	-30	-3	-5	5	5	-7	-2	19	0	3	-1	-2	-17
225(3, 9)	1	1	2	0	11	15	-4	10	0	-10	10	-1	-4	5	-1	-14	-10	-1
225(3,10)	1	1	-1	3	-2	60	2	0	10	0	8	-6	-7	-17	4	8	3	-1
225(3,11)	1	1	-1	-3	-1	15	-8	-10	0	10	-2	8	-1	8	-7	4	-7	-7
225(4, 8)	1	1	2	0	-1	15	5	-5	-15	5	1	-10	-1	11	20	4	11	5
225(4, 9)	1	1	-1	3	-2	-60	2	-10	0	0	8	19	3	-2	-1	8	-17	-6
225(4,10)	1	1	-1	-3	4	30	2	0	0	10	-7	8	4	3	-17	-1	8	-2
225(4,10)	1	1	2	0	-36	0	0	0	0	0	36	0	9	-9	0	-36	-9	0

TABLE 13: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	36	0	-9	-15	15	-45	36	-3	-3	6	27	-18	6	-3
225(0, 1) =	1	-14	-1	3	-2	90	-8	-20	0	0	13	14	3	-22	4	13	-7	-6
225(0, 2) =	1	-14	-1	-3	-2	30	7	-25	5	15	3	8	24	3	-17	-6	8	3
225(0, 3) =	1	-14	2	0	-4	0	1	-5	-5	35	6	7	7	26	2	-3	-14	7
225(0, 4) =	1	-14	-1	3	-12	0	-3	5	-15	-5	-17	-6	-2	13	24	13	3	4
225(0, 5) =	1	-14	-1	-3	-12	0	-3	15	-15	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	2	0	16	0	16	-20	0	0	-14	-13	-3	-4	7	7	26	-3
225(0, 7) =	1	-14	-1	3	-2	-30	7	-25	5	15	3	-16	3	3	4	3	8	24
225(0, 8) =	1	-14	-1	-3	8	60	7	25	25	5	3	13	-26	-7	-22	-6	-17	13
225(0, 9) =	1	-14	2	0	-24	0	-9	35	15	25	-14	-3	-8	-14	-3	7	6	-8
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-12	-6	3	3	-6	-12	3	-6	-3
225(0,11) =	1	-14	-1	-3	-2	-90	-8	-20	0	0	13	-7	-4	-22	-17	-26	-7	3
225(0,12) =	1	-14	2	0	16	0	1	5	-25	-15	6	2	-3	6	7	-3	-4	-3
225(0,13) =	1	-14	-1	3	8	-60	7	25	25	5	3	4	13	-7	14	3	-17	-26
225(0,14) =	1	-14	-1	-3	-12	0	-3	5	-15	-5	-17	3	4	13	-27	4	3	-2
225(1, 2) =	1	1	2	0	-12	0	5	5	-5	5	8	-4	-9	8	6	-19	-7	6
225(1, 3) =	1	1	-1	3	-2	-60	7	5	-5	-5	3	14	-2	-7	4	3	-7	-11
225(1, 4) =	1	1	-1	-3	3	-45	2	-10	10	-10	-7	-7	9	-7	3	-1	8	-12
225(1, 5) =	1	1	2	0	-2	0	-5	-5	15	-15	-2	-4	6	8	1	1	8	6
225(1, 6) =	1	1	-1	3	3	45	-3	5	15	25	13	-6	-2	-2	9	-2	3	4
225(1, 7) =	1	1	-1	-3	3	-45	2	-10	-20	20	-7	8	-6	8	3	14	-7	3
225(1, 8) =	1	1	2	0	-2	0	-5	5	-5	-5	3	11	14	-7	1	-9	8	-14
225(1, 9) =	1	1	-1	3	3	-45	2	20	-20	-10	8	-16	3	-7	-6	-7	8	9
225(1,10) =	1	1	-1	-3	-2	0	7	-5	15	-15	-2	-7	-6	3	13	4	-7	3
225(1,11) =	1	1	2	0	18	0	0	-10	0	10	-2	6	1	-2	-9	1	-12	1
225(1,12) =	1	1	-1	3	3	45	2	-10	10	-10	-7	-1	-12	-7	-6	8	8	9
225(1,13) =	1	1	-1	-3	13	15	-8	20	10	10	-12	-7	4	8	-2	9	8	-2
225(2, 4) =	1	1	2	0	-2	0	-5	5	-5	-5	3	-19	-14	-7	1	6	8	16
225(2, 5) =	1	1	-1	3	-2	-30	-8	-10	-10	0	3	14	-12	3	-11	3	-7	9
225(2, 6) =	1	1	-1	-3	3	45	2	20	-20	-10	8	8	9	-7	3	-1	8	3
225(2, 7) =	1	1	2	0	8	0	10	10	10	-10	-12	1	1	8	-4	6	-2	1
225(2, 8) =	1	1	-1	3	-2	30	-8	-10	10	-20	3	-1	13	8	4	-12	-7	-11
225(2, 9) =	1	1	-1	-3	-2	-30	-8	-10	10	-20	3	8	-11	8	-2	9	-7	13
225(2,10) =	1	1	2	0	-2	0	-5	-25	5	15	-12	-4	-9	-12	1	6	8	-9
225(2,11) =	1	1	-1	3	3	45	2	-10	-20	20	-7	-1	3	8	-6	-7	-7	-6
225(2,12) =	1	1	-1	-3	-7	15	7	-5	-5	5	3	-2	4	-7	8	-6	13	-2
225(3, 6) =	1	1	2	0	-14	0	1	5	25	-5	6	2	7	-4	-8	-3	-4	7
225(3, 7) =	1	1	-1	3	13	-15	-8	20	10	10	-12	-1	-2	8	4	3	8	4
225(3, 8) =	1	1	-1	-3	-2	30	-8	-10	-10	0	3	-7	9	3	13	-6	-7	-12
225(3, 9) =	1	1	2	0	6	0	-4	-10	-20	-10	-4	2	3	-4	-3	2	4	-3
225(3,10) =	1	1	-1	3	-7	-15	7	-5	-5	5	3	-11	-2	-7	-1	3	13	4
225(3,11) =	1	1	-1	-3	-2	60	7	5	-5	-5	3	-7	-11	-7	-2	-6	-7	-2
225(4, 8) =	1	1	2	0	-12	0	5	5	-5	5	8	11	6	8	6	11	-7	-9
225(4, 9) =	1	1	-1	3	-2	0	7	-5	15	-15	-2	14	3	8	-11	-2	-7	-6
225(4,10) =	1	1	-1	-3	3	-45	-3	5	15	25	13	3	4	-2	3	-11	3	-2
225(5,10) =	1	1	2	0	18	0	0	30	-30	0	18	6	6	-12	-9	-9	-12	6

TABLE 14: $IND\ 2 = 0 \pmod{3}$, $IND\ 2 = 1 \pmod{5}$, $IND\ 2 = 1 \pmod{5}$, $IND\ 5 = 0 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0) =	1	-44	2	0	12	0	-9	-15	15	-45	12	9	-18	-21	-6	-18	9	
225(0, 1) =	1	-14	-1	3	-2	-30	-8	-20	0	0	-7	14	3	18	-16	-7	-7	-6
225(0, 2) =	1	-14	-1	-3	-2	30	7	-25	5	15	3	-12	4	3	23	-6	-12	-17
225(0, 3) =	1	-14	2	0	12	0	1	-5	-5	35	-18	-1	-1	2	-6	9	2	-1
225(0, 4) =	1	-14	-1	3	8	60	-3	5	-15	-5	23	-6	-2	-7	4	-7	3	4
225(0, 5) =	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	-8	0	16	-20	0	0	0	-1	9	12	-1	-1	2	9
225(0, 7) =	1	-14	-1	3	-2	-30	7	-25	5	15	3	24	-17	3	-16	3	-12	4
225(0, 8) =	1	-14	-1	-3	-12	0	7	25	25	5	3	-7	14	-7	18	-6	23	-7
225(0, 9) =	1	-14	2	0	32	0	-9	35	15	25	3	9	4	2	-11	-1	-18	4
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	-2	30	-8	-20	0	0	-7	-7	-6	18	23	14	-7	3
225(0,12) =	1	-14	2	0	-8	0	1	5	-25	-15	-18	-6	-11	-18	-1	9	12	-11
225(0,13) =	1	-14	-1	3	-12	0	7	25	25	5	3	-16	-7	-7	-6	3	23	14
225(0,14) =	1	-14	-1	-3	8	-60	-3	5	-15	-5	23	3	4	-7	13	-16	3	-2
225(1, 2) =	1	1	2	0	0	0	5	5	-5	5	0	10	5	0	15	-5	-10	0
225(1, 3) =	1	1	-1	3	8	30	7	5	-5	-5	-7	-6	8	13	4	-7	3	-1
225(1, 4) =	1	1	-1	-3	3	15	-2	-10	10	-10	3	13	-1	3	3	9	-2	8
225(1, 5) =	1	1	2	0	10	0	-5	-5	15	-15	-10	-10	0	0	5	5	20	0
225(1, 6) =	1	1	-1	3	-7	15	-3	5	15	25	-7	-6	-2	8	19	8	3	4
225(1, 7) =	1	1	-1	-3	3	15	-2	-10	-20	20	3	-2	14	-12	3	-6	13	-7
225(1, 8) =	1	1	2	0	-10	0	-5	5	-5	-5	5	-15	-10	-5	-5	5	0	20
225(1, 9) =	1	1	-1	3	3	75	2	20	-20	-10	-12	4	-7	3	-6	3	-2	-1
225(1,10) =	1	1	-1	-3	-2	-60	7	-5	15	-15	8	-7	-6	-12	-7	-16	-7	3
225(1,11) =	1	1	2	0	-10	0	0	-10	0	10	-10	0	-5	-10	-5	5	0	-5
225(1,12) =	1	1	-1	3	3	-15	2	-10	10	-10	3	-11	8	3	-6	-12	-2	-1
225(1,13) =	1	1	-1	-3	-7	15	-8	20	10	10	8	3	-16	-2	-2	-1	-12	8
225(2, 4) =	1	1	2	0	-10	0	-5	5	-5	-5	5	15	20	-5	-5	-10	0	-10
225(2, 5) =	1	1	-1	3	-2	-30	-3	-10	-10	0	3	-6	-2	3	-1	3	3	19
225(2, 6) =	1	1	-1	-3	3	-75	2	20	-20	-10	-12	-2	-1	3	3	9	-2	-7
225(2, 7) =	1	1	2	0	0	0	10	10	10	-10	0	5	5	20	0	0	-10	5
225(2, 8) =	1	1	-1	3	8	-60	-8	-10	10	-20	-7	9	-7	-2	4	0	3	-1
225(2, 9) =	1	1	-1	-3	8	60	-8	-10	10	-20	-7	-12	-1	-2	-2	-1	3	-7
225(2,10) =	1	1	2	0	10	0	-5	-25	5	15	0	0	-5	0	5	0	0	-8
225(2,11) =	1	1	-1	3	3	-15	2	-10	-20	20	3	-11	-7	-12	-6	3	13	14
225(2,12) =	1	1	-1	-3	3	45	7	-5	-5	5	2	9	-16	-7	-12	-6	-7	8
225(3, 6) =	1	1	2	0	2	0	1	5	25	-5	2	-6	-1	-8	4	-1	12	-1
225(3, 7) =	1	1	-1	3	-7	-15	-9	20	10	10	8	9	8	-2	4	-7	-12	-16
225(3, 8) =	1	1	-1	-3	-2	30	-8	-10	-10	0	3	3	19	3	-7	-6	3	-2
225(3, 9) =	1	1	2	0	-18	0	-4	-10	-20	-10	12	4	-1	12	9	-6	-8	-1
225(3,10) =	1	1	-1	3	3	-45	7	-5	-5	5	3	-1	8	-7	9	3	-7	-16
225(3,11) =	1	1	-1	-3	8	-30	7	5	-5	-5	-7	3	-1	13	-2	14	3	8
225(4, 8) =	1	1	2	0	0	0	5	5	-5	5	0	-5	-10	0	0	-15	-5	5
225(4, 9) =	1	1	-1	3	-2	60	7	-5	15	-15	8	14	3	-12	-1	8	-7	-6
225(4,10) =	1	1	-1	-3	-7	-15	-3	5	15	25	-7	3	4	8	-17	-1	3	-2
225(5,10) =	1	1	2	0	30	0	0	30	-30	0	30	0	0	0	15	-15	0	0

TABLE 15: $\text{IMD } 2 = 0 \pmod{3}$, $\text{IMD } 2 = 1 \pmod{5}$, $\text{IMD } 3 = 1 \pmod{5}$, $\text{IMD } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	F	I	A	b	C	D	X	U	V	W	B0	B1	B2	B3	P4	B5	B6	B7
225(0, 0)	1	-44	2	0	0	0	-9	-15	15	-45	18	-3	15	-12	27	0	-12	-3
225(0, 1)	1	-14	-1	3	-2	30	-8	-20	0	0	-17	14	3	8	-26	13	-7	-6
225(0, 2)	1	-14	-1	-3	4	0	7	-25	5	15	3	-27	-6	3	13	-6	8	3
225(0, 3)	1	-14	2	0	-10	-30	1	-5	-5	35	-12	7	-5	8	2	15	-2	7
225(0, 4)	1	-14	-1	3	-12	-60	-3	5	-15	-5	13	-6	-2	-17	-6	-17	3	4
225(0, 5)	1	-14	-1	-2	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	4
225(0, 6)	1	-14	2	0	10	30	14	-20	0	0	-2	-13	15	8	7	-5	8	-3
225(0, 7)	1	-14	-1	3	-2	30	7	-25	5	15	3	14	-27	3	-26	3	-22	24
225(0, 8)	1	-14	-1	-3	14	30	7	25	25	5	3	13	4	-7	8	-6	13	-17
225(0, 9)	1	-14	2	0	-30	30	-9	35	15	25	-2	-3	10	-2	-3	-5	-12	-8
225(0, 10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	-3	4	-60	-8	-20	0	0	13	-7	-6	8	13	4	-7	3
225(0, 12)	1	-14	2	0	10	-30	1	5	-25	-15	-12	2	-15	-12	7	15	8	-3
225(0, 13)	1	-14	-1	3	8	0	7	25	25	5	3	4	13	-7	-16	3	13	4
225(0, 14)	1	-14	-1	-3	-6	30	-3	5	-15	-5	13	3	4	13	3	-26	3	-2
225(1, 2)	1	1	2	0	-3	15	5	5	-5	5	17	11	-3	-13	6	2	-13	-9
225(1, 3)	1	1	-1	3	-2	-30	7	5	-5	-5	-12	-1	13	6	4	3	8	-11
225(1, 4)	1	1	-1	-3	-6	-30	2	-10	10	-10	8	8	9	8	3	-1	-7	3
225(1, 5)	1	1	2	0	-8	30	-5	-5	15	-15	-8	-4	-3	2	1	7	17	6
225(1, 6)	1	1	-1	3	3	-15	-3	5	15	25	-2	-6	-2	13	24	4	3	4
225(1, 7)	1	1	-1	-3	-6	-30	2	-10	-20	20	-7	8	9	-7	3	-1	8	-12
225(1, 8)	1	1	2	0	7	-15	-5	5	-5	-5	12	-19	7	-13	1	-3	17	16
225(1, 9)	1	1	-1	3	3	-75	2	20	-20	-10	-7	-1	-12	8	-6	8	-7	9
225(1, 10)	1	1	-1	-3	4	30	7	-5	15	-15	-2	-7	-6	-7	-2	-11	-7	3
225(1, 11)	1	1	2	0	12	30	0	-10	0	10	-8	6	-8	-8	-9	7	-3	1
225(1, 12)	1	1	-1	3	3	15	3	-10	10	-10	-7	-16	3	-7	-6	-7	8	-6
225(1, 13)	1	1	-1	-3	4	0	-8	20	10	10	3	-7	11	8	-2	-6	-7	13
225(2, 4)	1	1	2	0	7	-15	-5	5	-5	-5	-2	11	7	2	1	-3	-12	-14
225(2, 5)	1	1	-1	3	-2	30	-8	-10	-10	0	3	-1	3	3	4	3	8	9
225(2, 6)	1	1	-1	-3	-6	60	2	20	-20	-10	-7	-7	-6	-7	3	14	8	3
225(2, 7)	1	1	2	0	-20	10	10	10	-10	-3	1	7	17	-4	-3	-8	1	1
225(2, 8)	1	1	-1	3	-2	60	-2	-10	10	-20	3	14	-2	0	4	3	-7	4
225(2, 9)	1	1	-1	-3	-11	-45	-8	-10	10	-20	-12	-7	-11	-7	-2	9	8	-2
225(2, 10)	1	1	2	0	-8	-30	-5	-25	5	15	-3	-4	-3	-3	1	-3	2	-9
225(2, 11)	1	1	-1	3	3	15	2	-10	-20	20	8	-1	3	-7	-6	-7	8	9
225(2, 12)	1	1	-1	-3	-1	-15	7	-5	-5	5	3	-2	-11	-7	-7	-6	-2	13
225(3, 6)	1	1	2	0	-5	-15	1	5	25	-5	3	2	-5	-7	-8	0	8	7
225(3, 7)	1	1	-1	3	13	15	-8	20	10	10	3	-1	-2	-7	4	-12	-7	-11
225(3, 8)	1	1	-1	-3	4	0	-8	-10	-10	0	3	8	24	3	-2	-6	-7	-12
225(3, 9)	1	1	2	0	15	15	-4	-10	-20	-10	8	2	0	8	-3	-10	-7	-3
225(3, 10)	1	1	-1	3	-7	45	7	-5	-5	5	3	-11	-2	-7	14	3	-2	-11
225(3, 11)	1	1	-1	-3	-11	45	7	5	-5	-5	3	8	4	8	-2	9	-7	-2
225(4, 8)	1	1	2	0	-3	15	5	5	-5	5	-13	-4	-3	17	6	2	2	6
225(4, 9)	1	1	-1	3	-2	-60	7	-5	15	-13	13	14	3	-7	4	-2	-7	-6
225(4, 10)	1	1	-1	-3	9	-15	-3	5	15	25	-2	3	4	-2	-12	4	3	-2
225(5, 10)	1	1	2	0	-18	0	0	30	-30	0	27	6	-3	-3	-9	-18	-3	8

TABLE 16.: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	F	1	A	B	C	D	X	U	V	W	D0	D1	D2	D3	D4	D5	D6	D7
225(0, 0) *	1	-44	2	0	-24	0	-9	-15	15	-45	30	9	-9	0	-21	-24	0	9
225(0, 1) *	1	-14	-1	3	-2	-90	-8	-20	0	0	23	14	3	-12	14	-7	-7	-6
225(0, 2) *	1	-14	-1	-3	4	0	7	-25	5	15	3	18	34	3	-7	-6	-12	-17
225(0, 3) *	1	-14	2	0	6	-30	1	-5	-5	35	0	-1	11	20	-6	-9	-10	-1
225(0, 4) *	1	-14	-1	3	8	0	-3	5	-15	-5	-7	-6	-2	23	34	23	3	4
225(0, 5) *	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) *	1	-14	2	0	-14	30	16	-20	0	0	-10	-1	-9	0	-1	11	20	9
225(0, 7) *	1	-14	-1	3	-2	30	7	-25	5	15	3	-6	13	3	14	3	18	4
225(0, 8) *	1	-14	-1	-3	-6	-30	7	25	25	5	3	-7	-16	-7	-12	-6	-7	23
225(0, 9) *	1	-14	2	0	26	30	-9	35	15	25	-10	9	-14	-10	-11	11	0	4
225(0,10) *	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) *	1	-14	-1	-3	4	60	-8	-20	0	0	-7	-7	-6	-12	-7	-16	-7	3
225(0,12) *	1	-14	2	0	-14	-30	1	5	-25	-15	0	-6	1	0	-1	-9	0	-11
225(0,13) *	1	-14	-1	3	-12	60	7	25	25	5	3	-16	-7	-7	24	3	-7	-16
225(0,14) *	1	-14	-1	-3	14	-30	-3	5	-15	-5	-7	3	4	-7	-17	14	3	-2
225(1, 2) *	1	1	2	0	9	15	5	5	-5	5	-9	-5	-1	21	0	-6	1	5
225(1, 3) *	1	1	-1	3	8	60	7	5	-5	-5	8	9	-7	-2	4	-7	-12	-1
225(1, 4) *	1	1	-1	-3	-6	30	2	-10	10	-10	-12	-2	-1	-12	3	9	13	-7
225(1, 5) *	1	1	2	0	4	30	-5	-5	15	-15	-4	-10	9	6	5	-1	11	0
225(1, 6) *	1	1	-1	3	-7	-45	-3	5	15	25	3	-6	-2	-7	4	-7	3	4
225(1, 7) *	1	1	-1	-3	-6	30	2	-10	-20	20	3	-2	-1	3	3	9	-2	8
225(1, 8) *	1	1	2	0	-1	-15	-5	5	-5	-5	-4	15	-1	1	-5	-1	-9	-10
225(1, 9) *	1	1	-1	3	3	45	2	20	-20	-10	3	-11	8	-12	-6	-12	13	-1
225(1,10) *	1	1	-1	-3	4	-30	7	-5	15	-15	8	-7	-6	3	8	-1	-7	3
225(1,11) *	1	1	2	0	-16	30	0	-10	0	10	-4	0	4	-4	-5	-1	-9	-5
225(1,12) *	1	1	-1	3	3	-45	2	-10	10	-10	3	4	-7	3	-6	3	-2	14
225(1,13) *	1	1	-1	-3	-16	0	-8	20	10	10	-7	3	-1	-2	-2	14	3	-9
225(2, 4) *	1	1	2	0	-1	-15	-5	5	-5	5	11	-15	-1	-14	-5	-1	21	30
225(2, 5) *	1	1	-1	3	-2	30	-8	-10	-10	0	3	9	-17	3	-16	3	-12	19
225(2, 6) *	1	1	-1	-3	-6	-60	2	20	-20	-10	3	13	14	3	3	-6	-2	-7
225(2, 7) *	1	1	2	0	-6	-30	10	10	10	-10	-9	5	-1	11	0	9	-4	5
225(2, 8) *	1	1	-1	3	8	-30	-8	-10	10	-20	-7	-6	8	-2	4	-7	3	-16
225(2, 9) *	1	1	-1	-3	-1	45	-8	-10	10	-20	8	3	-1	13	-2	-1	-12	8
225(2,10) *	1	1	2	0	4	-30	-5	-25	5	15	-9	0	-11	-9	5	9	6	-5
225(2,11) *	1	1	-1	3	3	-45	2	-10	-20	20	-12	-11	-7	3	-6	3	-2	-1
225(2,12) *	1	1	-1	-3	9	15	7	-5	-5	5	3	8	-1	-7	3	-6	8	-7
225(3, 6) *	1	1	2	0	11	-15	1	5	25	-5	5	-6	11	-5	4	-4	0	-1
225(3, 7) *	1	1	-1	3	-7	15	-8	20	10	10	-7	9	5	13	4	8	3	-1
225(3, 8) *	1	1	-1	-3	4	0	-8	-10	-10	0	3	-12	4	3	8	-6	3	-2
225(3, 9) *	1	1	2	0	-9	15	-4	-10	-20	-10	0	4	-4	0	9	6	-5	-1
225(2,10) *	1	1	-1	3	3	15	7	-5	-5	5	3	-1	8	-7	-6	3	8	-1
225(3,11) *	1	1	-1	-3	-1	-45	7	5	-5	-5	-7	-12	-16	-2	-2	-1	3	8
225(4, 8) *	1	1	2	0	9	15	5	5	-5	5	21	10	-1	-9	0	-6	-14	-10
225(4, 9) *	1	1	-1	3	-2	0	7	-5	15	-15	-7	14	3	3	-16	8	-7	-6
225(4,10) *	1	1	-1	-3	-1	15	-3	5	15	25	8	3	8	-2	-16	3	-2	-2
225(5,10) *	1	1	2	0	-6	0	0	30	-30	0	21	0	2	-9	15	-6	-9	0

TABLE 18 : $IND 2 = 0 \pmod{3}$, $IND 2 = 1 \pmod{5}$, $IND 3 = 2 \pmod{5}$, $IND 5 = 0 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	DO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) *	1	-44	0	0	12	0	-9	-15	-45	15	12	9	9	42	9	-6	-18	9
225(0, 1) *	1	-14	-1	3	-12	0	12	-20	0	-20	3	14	-7	-12	14	3	-7	-16
225(0, 2) *	1	-14	-1	-3	-2	-30	-3	5	-5	25	-7	-12	14	-7	3	14	18	-7
225(0, 3) *	1	-14	2	0	32	0	21	15	-5	-5	2	-1	9	32	4	-1	2	9
225(0, 4) *	1	-14	-1	3	-2	30	-3	-15	25	15	3	-6	-12	-7	4	3	3	24
225(0, 5) *	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) *	1	-14	2	0	12	0	6	10	30	10	-18	-1	-1	12	-1	9	2	-1
225(0, 7) *	1	-14	-1	0	-2	30	-3	5	-5	25	-7	-6	-7	-7	-6	-7	18	14
225(0, 8) *	1	-14	-1	-3	8	60	-3	15	-5	-5	23	-7	-6	-17	-2	-16	-7	3
225(0, 9) *	1	-14	2	0	-8	0	-9	15	-5	-15	-18	9	-6	2	-11	9	-18	-6
225(0,10) *	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) *	1	-14	-1	-3	-12	0	12	-20	0	-20	3	-7	-16	-12	-7	-6	-7	-7
225(0,12) *	1	-14	2	0	-8	0	-9	-25	25	-5	2	-6	-1	2	9	-1	12	-1
225(0,13) *	1	-14	-1	3	6	-60	-3	15	-5	-5	23	14	3	-17	4	-7	-7	-6
225(0,14) *	1	-14	-1	-3	-2	-30	-3	-15	25	15	3	3	24	-7	-17	-6	3	-12
225(1, 2) *	1	1	2	0	-10	0	0	10	-10	0	5	-5	-15	10	-10	-10	-5	15
225(1, 3) *	1	1	-1	3	0	15	-3	15	25	5	3	9	-2	3	14	3	-12	-11
225(1, 4) *	1	1	-3	-3	6	-60	-3	-5	-25	15	-7	13	9	-2	-7	-1	-2	-12
225(1, 5) *	1	1	2	0	0	0	0	-20	0	-20	0	-10	5	0	5	0	20	5
225(1, 6) *	1	1	-1	3	-2	30	-3	15	-5	15	3	-6	3	8	19	3	3	-6
225(1, 7) *	1	1	-1	-3	-7	-15	12	10	-10	0	8	-2	9	-2	8	-1	-2	3
225(1, 8) *	1	1	2	0	0	0	0	0	10	-10	0	15	-5	0	-10	15	0	10
225(1, 9) *	1	1	-1	3	8	-30	-3	-5	-5	-15	-7	-11	3	-2	-1	-7	13	-6
225(1,10) *	1	1	-1	-3	0	-45	-3	-5	15	-5	3	-7	-1	3	8	-6	-7	8
225(1,11) *	1	1	2	0	10	0	0	0	10	30	0	0	0	-10	-5	0	0	0
225(1,12) *	1	1	-1	3	0	60	-3	-5	-25	15	-7	-11	-12	-2	-1	8	-2	9
225(1,13) *	1	1	-1	-3	3	75	-3	15	-5	-25	-12	3	4	3	-7	9	3	-2
225(2, 4) *	1	1	2	0	0	0	0	0	10	-10	0	-15	10	0	5	-15	0	-5
225(2, 5) *	1	1	-1	3	-2	-60	-3	-25	-5	-5	8	9	-7	8	-6	8	-12	14
225(2, 6) *	1	1	-1	-3	0	30	-3	-5	-5	-15	-7	-2	-6	-2	8	14	13	2
225(2, 7) *	1	1	2	0	-10	0	0	0	10	10	-10	5	0	10	-5	5	-10	0
225(2, 8) *	1	1	-1	3	0	15	-3	-15	-5	5	3	9	13	3	-1	-12	3	-11
225(2, 9) *	1	1	-1	-3	3	-15	-3	-15	-5	5	3	-12	-11	3	6	9	3	13
225(2,10) *	1	1	2	0	10	0	0	-10	-20	10	-10	0	-10	-10	0	5	0	-10
225(2,11) *	1	1	-1	3	-7	15	12	10	-10	0	8	4	3	-2	-16	-7	-2	9
225(2,12) *	1	1	-1	-3	-7	15	12	0	10	10	-7	0	-6	-2	-2	-1	8	3
225(3, 6) *	1	1	2	0	-18	0	-9	15	-5	5	12	-6	4	-18	-1	-6	12	4
225(3, 7) *	1	1	-1	3	3	-75	-3	15	-3	-25	-12	-6	-2	3	-1	3	3	4
225(3, 8) *	1	1	-1	-3	-2	60	-3	-25	-5	-5	8	3	14	8	3	-16	-12	-7
225(3, 9) *	1	1	2	0	2	0	6	-20	-10	0	2	4	-6	-8	-1	-1	-8	-6
225(3,10) *	1	1	-1	3	-7	-15	12	0	10	10	-7	-16	3	-2	4	8	8	-6
225(3,11) *	1	1	-1	-3	3	-15	-3	15	25	5	3	3	-11	3	-7	-6	-12	-2
225(4, 8) *	1	1	2	0	-10	0	0	10	-10	0	5	10	15	10	20	5	-5	-15
225(4, 9) *	1	1	-1	3	3	45	-3	-5	15	-5	3	14	8	3	-16	3	-7	-1
225(4,10) *	1	1	-1	-3	-2	-30	-3	15	-5	15	3	3	-6	8	-2	-6	3	3
225(5,10) *	1	1	2	0	30	0	0	30	0	-30	30	0	0	-30	0	-15	0	0

TABLE 19: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 2 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	F	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	0	0	-9	-15	-45	15	18	-3	15	18	-3	0	-12	-3
225(0, 1) =	1	-14	-1	3	0	0	12	-20	0	-20	3	14	-17	8	4	3	-7	4
225(0, 2) =	1	-14	-1	-3	4	60	-3	5	-5	25	13	8	14	-17	3	4	8	-7
225(0, 3) =	1	-14	2	0	-30	-30	21	15	-5	-5	-2	7	15	18	-8	-5	-2	-3
225(0, 4) =	1	-14	-1	3	-2	-30	-3	-15	25	15	3	-6	8	13	24	3	3	14
225(0, 5) =	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	-10	30	6	10	30	10	-12	-13	-5	8	7	15	8	7
225(0, 7) =	1	-14	-1	3	-2	-30	-3	5	-5	25	-17	14	-7	13	-6	13	8	14
225(0, 8) =	1	-14	-1	-3	-6	-30	-3	15	-5	-5	13	-17	-6	-27	-2	-26	13	3
225(0, 9) =	1	-14	2	0	10	30	-9	15	-5	-15	-12	-3	-10	-2	-3	15	-12	2
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	14	-30	12	-20	0	-20	3	-7	-26	-22	-17	-6	-7	13
225(0,12) =	1	-14	2	0	10	-30	-9	-25	25	-5	-2	2	5	-3	-3	-5	8	-13
225(0,13) =	1	-14	-1	3	-12	60	-3	15	-5	-5	13	4	3	3	4	-17	-17	-6
225(0,14) =	1	-14	-1	-3	4	0	-3	-15	25	15	3	3	14	-17	3	-6	3	-22
225(1, 2) =	1	1	2	0	7	15	0	10	-10	0	-3	-4	2	7	-14	-3	2	11
225(1, 3) =	1	1	-1	3	3	-15	-3	15	25	5	8	-1	-7	3	9	-7	-7	-1
225(1, 4) =	1	1	-1	-3	-11	45	-3	-5	-25	15	-12	8	-1	-2	-2	9	-7	-7
225(1, 5) =	1	1	2	0	2	30	0	-20	0	-20	-3	-4	7	-2	1	-3	19	1
225(1, 6) =	1	1	-1	3	-2	-30	-3	15	-5	15	3	-6	-7	-2	9	3	3	-1
225(1, 7) =	1	1	-1	-3	4	0	12	10	-10	0	3	-7	14	-2	13	-6	8	-7
225(1, 8) =	1	1	2	0	-3	-15	0	0	10	-10	17	11	2	-3	-9	2	-13	11
225(1, 9) =	1	1	-1	3	-2	30	-3	-5	5	-15	-12	-1	-7	-2	-11	3	8	-1
225(1,10) =	1	1	-1	-3	-1	15	-3	-5	15	-5	3	-7	4	8	13	-6	-7	-2
225(1,11) =	1	1	2	0	-3	30	0	0	10	30	-3	6	2	-8	-9	-3	-3	-4
225(1,12) =	1	1	-1	3	-2	-60	-3	-5	-25	15	3	-16	-7	-2	4	3	8	14
225(1,13) =	1	1	-1	-3	-6	-60	-3	15	-5	-25	-7	8	-1	3	3	14	-7	-7
225(2, 4) =	1	1	2	0	-3	-15	0	0	10	-10	-13	-19	2	-3	6	2	17	-4
225(2, 5) =	1	1	-1	3	-2	60	-3	-25	-5	-5	13	-1	-7	-2	-6	-2	-7	14
225(2, 6) =	1	1	-1	-3	-11	-45	-3	-5	5	-15	3	8	-1	-2	-2	9	8	8
225(2, 7) =	1	1	2	0	12	-30	0	0	10	10	-8	1	-3	12	1	7	-8	6
225(2, 8) =	1	1	-1	3	3	-15	-3	-15	-5	5	-7	14	8	3	-6	-7	-7	-16
225(2, 9) =	1	1	-1	-3	-6	30	-3	-15	-5	5	0	-7	-1	3	3	-1	8	8
225(2,10) =	1	1	2	0	0	-30	0	-10	-20	10	-8	-4	-13	-8	6	7	2	-4
225(2,11) =	1	1	-1	3	13	-15	12	10	-10	0	3	-1	8	-2	-11	-12	-7	-1
225(2,12) =	1	1	-1	-3	9	15	12	0	10	10	-3	13	-6	3	-2	4	-2	3
225(3, 6) =	1	1	2	0	15	-9	15	-5	5	8	2	5	-12	-3	-10	8	2	3
225(3, 7) =	1	1	-1	3	3	75	-3	15	-5	-25	-7	-1	8	3	9	8	8	-1
225(3, 8) =	1	1	-1	-3	4	-30	-3	-25	-5	-5	-2	-7	14	13	3	-11	-7	-7
225(3, 9) =	1	1	2	0	-5	15	6	-20	-10	0	3	2	-10	-2	7	6	-7	2
225(3,10) =	1	1	-1	3	3	15	12	0	10	10	-2	-11	3	-12	4	13	13	-6
225(3,11) =	1	1	-1	-3	-6	30	-3	15	25	5	-7	-7	-16	3	-12	-1	-7	8
225(4, 8) =	1	1	2	0	7	15	0	10	-10	0	12	11	2	7	16	-3	-13	-19
225(4, 9) =	1	1	-1	3	-7	-45	-3	-5	15	-5	3	14	13	-7	-11	3	-7	-11
225(4,10) =	1	1	-1	-3	4	0	-3	15	-5	15	3	3	-1	13	-12	-6	3	8
225(5,10) =	1	1	2	0	-18	0	0	30	0	-30	27	6	-3	-18	6	-18	-3	6

TABLE 20: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 2 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	-24	0	-9	-15	-45	15	30	9	-9	-30	9	-24	0	9
225(0, 1) =	1	-14	-1	3	-12	-60	12	-20	0	-20	3	14	23	-12	-14	3	-7	-16
225(0, 2) =	1	-14	-1	-3	4	-60	-3	5	-5	25	-7	-12	14	23	3	-16	-12	-7
225(0, 3) =	1	-14	2	0	26	-20	21	15	-5	-5	-10	-1	-9	10	4	11	-10	9
225(0, 4) =	1	-14	-1	3	-2	-30	-3	-15	25	15	3	-6	-12	-7	4	3	3	-6
225(0, 5) =	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	6	30	6	10	30	10	0	-1	11	0	-1	-9	20	-1
225(0, 7) =	1	-14	-1	3	-2	90	-3	5	-5	25	23	-6	-7	-7	-6	-7	-12	14
225(0, 8) =	1	-14	-1	-3	14	30	-3	15	-5	-5	-7	23	-6	13	-2	14	-7	3
225(0, 9) =	1	-14	2	0	-14	30	-9	15	-5	-15	0	9	6	-10	-11	-9	0	-6
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	-6	30	12	-20	0	-20	3	-7	14	18	23	-6	-7	-7
225(0,12) =	1	-14	2	0	-14	-30	-9	-25	25	-5	-10	-6	-19	-10	9	11	0	-1
225(0,13) =	1	-14	-1	3	0	0	-3	15	-5	-5	-7	-16	3	-17	4	23	23	-6
225(0,14) =	1	-14	-1	-3	4	0	-3	-15	25	15	3	3	-6	23	-17	-4	3	10
225(1, 2) =	1	1	2	0	-1	15	0	10	-10	0	11	10	-6	1	20	-1	-14	-15
225(1, 3) =	1	1	-1	3	3	45	-3	15	25	5	-12	9	13	3	-1	3	3	-11
225(1, 4) =	1	1	-1	-3	-1	-45	-3	-5	-25	15	0	-2	9	-2	0	-1	13	3
225(1, 5) =	1	1	2	0	-6	30	0	-20	0	-20	-9	-10	-1	6	5	9	11	5
225(1, 6) =	1	1	-1	3	-2	-30	-3	15	-5	15	3	-6	3	8	19	3	3	9
225(1, 7) =	1	1	-1	-3	-16	0	12	10	-10	0	-7	13	-6	-2	-7	14	-2	3
225(1, 8) =	1	1	2	0	9	-15	0	0	10	-10	-9	-15	4	-9	5	-6	21	-5
225(1, 9) =	1	1	-1	3	0	-60	-3	-5	-5	-15	3	-2	-1	-7	-2	9	-2	9
225(1,10) =	1	1	-1	-3	9	-15	-3	-5	15	-5	3	-7	-16	-12	-7	-6	-7	0
225(1,11) =	1	1	2	0	4	30	0	0	10	30	-9	0	-6	-4	-5	9	-9	0
225(1,12) =	1	1	-1	3	8	30	-3	-5	-25	15	-7	4	3	-2	-16	-7	-2	-6
225(1,13) =	1	1	-1	-3	-6	60	-3	15	-5	-25	3	-12	-11	3	-7	-6	3	13
225(2, 4) =	1	1	2	0	9	-15	0	0	10	-10	21	15	4	-9	-10	-6	-9	10
225(2, 5) =	1	1	-1	3	-2	0	-3	-25	-5	-5	-7	9	-7	0	-6	0	3	14
225(2, 6) =	1	1	-1	-3	-1	45	-3	-5	-5	-15	-7	-2	9	-2	0	-1	-2	-12
225(2, 7) =	1	1	2	0	-16	-30	0	0	10	10	-4	5	9	16	-5	-1	-4	0
225(2, 8) =	1	1	-1	3	3	45	-3	-15	-5	5	3	-6	-2	3	14	3	3	4
225(2, 9) =	1	1	-1	-3	-6	-30	-3	-15	-5	5	-12	3	-11	3	-7	9	-12	-2
225(2,10) =	1	1	2	0	4	-30	0	-10	-20	10	-4	0	-1	-4	0	-1	6	-10
225(2,11) =	1	1	-1	3	-7	-15	12	10	-10	0	-7	-11	-12	-2	-1	8	13	9
225(2,12) =	1	1	-1	-3	-1	-15	12	0	10	10	9	-7	-6	-17	-2	-16	0	3
225(3, 6) =	1	1	2	0	-9	-15	-9	15	-5	5	0	-6	1	0	-1	6	0	4
225(3, 7) =	1	1	-1	3	3	-45	-3	15	-5	-25	3	7	-2	3	-1	-12	-12	-11
225(3, 8) =	1	1	-1	-3	4	30	-3	-25	-5	-5	8	3	14	-7	3	-1	3	-7
225(3, 9) =	1	1	2	0	11	15	6	-20	-10	0	5	4	6	10	-1	-4	-5	-6
225(3,10) =	1	1	-1	3	-7	45	12	0	10	10	8	-1	3	-2	4	-7	-7	-4
225(3,11) =	1	1	-1	-3	-6	-30	-3	15	25	5	3	3	4	3	8	9	3	-2
225(4, 8) =	1	1	2	0	-1	15	0	10	-10	0	-4	-5	-6	1	-10	-1	1	15
225(4, 9) =	1	1	-1	3	3	-15	-3	-5	15	-5	3	14	-7	3	-1	3	-7	-1
225(4,10) =	1	1	-1	-3	4	0	-3	15	-5	15	3	3	9	-7	-2	-6	3	-12
225(5,10) =	1	1	2	0	-6	0	0	30	0	-30	21	0	9	6	0	-6	-9	0

TABLE 21: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	36	0	21	15	-15	-15	36	-3	27	6	-3	-10	6	27
225(0, 1) =	1	-14	-1	3	-2	30	2	-10	30	10	3	24	-17	8	-6	3	-27	4
225(0, 2) =	1	-14	-1	-3	-12	0	-3	5	-5	-15	-17	-2	24	3	13	4	-2	-27
225(0, 3) =	1	-14	2	0	16	0	1	15	35	15	-14	-3	7	26	2	7	6	7
225(0, 4) =	1	-14	-1	3	8	60	-3	5	-15	35	3	-26	-22	-17	14	3	13	14
225(0, 5) =	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	16	0	-4	20	0	-20	6	-3	7	-4	-3	-3	6	7
225(0, 7) =	1	-14	-1	3	-12	0	-3	5	-5	-15	-17	4	-27	3	-26	13	-2	24
225(0, 8) =	1	-14	-1	-3	-2	90	7	-15	5	-15	13	3	4	-7	8	-26	3	-17
225(0, 9) =	1	-14	2	0	-4	0	-9	-25	15	5	6	7	2	-14	-13	-3	-14	3
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	-2	-30	2	-10	30	10	3	3	4	6	3	-6	-27	-17
225(0,12) =	1	-14	2	0	-24	0	-9	-25	35	15	-14	-8	-3	6	7	7	16	-3
225(0,13) =	1	-14	-1	3	-2	-90	7	-15	5	-15	13	-6	-17	-7	14	13	3	4
225(0,14) =	1	-14	-1	-3	8	-60	-3	5	-15	35	3	13	14	-17	-7	-6	13	-23
225(1, 2) =	1	1	2	0	-2	0	0	0	-10	-10	3	-14	1	8	-4	-9	-2	1
225(1, 3) =	1	1	-1	3	3	45	-8	20	-10	-10	8	9	3	8	14	-7	-12	-6
225(1, 4) =	1	1	-1	-3	-2	30	12	0	-10	-10	3	13	4	-7	-7	9	-2	-2
225(1, 5) =	1	1	2	0	-2	0	5	-25	15	-5	-12	-9	1	8	6	6	10	1
225(1, 6) =	1	1	-1	3	-7	15	-3	5	15	5	3	4	8	13	14	3	-2	-1
225(1, 7) =	1	1	-1	-3	-2	-60	-3	15	5	5	3	-2	4	-7	8	-6	13	-2
225(1, 8) =	1	1	2	0	-12	0	-5	5	5	5	8	-9	6	-7	11	11	3	6
225(1, 9) =	1	1	-1	3	13	15	-3	-15	-25	5	-12	4	-2	8	-16	3	-2	4
225(1,10) =	1	1	-1	-3	-2	-30	2	-10	0	-20	3	-12	-11	-7	3	-6	3	13
225(1,11) =	1	1	2	0	0	0	0	20	0	20	-12	1	-4	-2	-4	6	-2	-4
225(1,12) =	1	1	-1	3	-2	-30	12	0	-10	-10	3	-11	-2	-7	-1	-12	-2	4
225(1,13) =	1	1	-1	-3	3	45	-8	-10	20	-10	-7	3	-6	-7	-7	14	3	3
225(2, 4) =	1	1	2	0	-12	0	-5	5	5	5	8	6	6	-7	-19	-19	3	6
225(2, 5) =	1	1	-1	3	3	-45	-3	-25	-5	15	13	4	3	3	4	-2	-2	9
225(2, 6) =	1	1	-1	-3	13	-15	-3	-15	-25	5	-12	-2	4	8	8	9	-2	-2
225(2, 7) =	1	1	2	0	-2	0	10	0	-10	0	-2	6	1	8	-4	1	-12	1
225(2, 8) =	1	1	-1	3	3	-45	7	5	5	5	-7	9	3	8	-1	8	3	-6
225(2, 9) =	1	1	-1	-3	3	45	7	5	5	5	-7	-12	-6	8	8	-1	3	3
225(2,10) =	1	1	2	0	18	0	0	-10	10	0	-2	1	-9	-12	1	1	-2	-9
225(2,11) =	1	1	-1	3	-2	60	-3	15	5	5	3	-11	-2	-7	-1	3	13	4
225(2,12) =	1	1	-1	-3	-2	0	7	15	5	15	-2	3	-11	-7	-7	4	3	13
225(3, 6) =	1	1	2	0	0	0	1	5	5	-25	-4	-3	-3	-4	2	2	6	-3
225(3, 7) =	1	1	-1	3	3	-45	-8	-10	20	-10	-7	-6	3	-7	-1	-7	3	-6
225(3, 8) =	1	1	-1	-3	3	45	-3	-25	-5	15	13	-2	9	3	-2	-11	-2	3
225(3, 9) =	1	1	2	0	-14	0	6	0	-10	20	6	7	-8	-4	2	-3	-14	-8
225(3,10) =	1	1	-1	3	-2	0	7	15	5	15	-2	-6	13	-7	-1	-2	3	-11
225(3,11) =	1	1	-1	-3	3	-45	-8	20	-10	-10	8	3	-6	8	-7	-1	-12	3
225(4, 8) =	1	1	2	0	-2	0	0	0	-10	-10	3	16	1	8	11	6	-2	1
225(4, 9) =	1	1	-1	3	-2	30	2	-10	0	-20	3	9	13	-7	-6	3	3	-11
225(4,10) =	1	1	-1	-3	-7	-15	-3	5	15	5	3	-2	-1	13	-7	-6	-2	8
225(5,10) =	1	1	2	0	18	0	-15	15	-15	-15	18	6	-9	-12	6	-9	-12	-9

TABLE 72: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0,0)	1	-44	2	0	12	0	21	15	-15	-15	12	9	-21	-18	9	-6	-10	-21
225(0,1)	1	-14	-1	3	-2	30	2	-10	30	10	3	4	23	-12	-6	3	13	-16
225(0,2)	1	-14	-1	-3	8	60	-3	5	-5	-15	23	-2	4	3	-7	-16	-2	13
225(0,3)	1	-14	2	0	-8	0	1	15	35	15	2	7	-1	2	-6	-1	-10	-1
225(0,4)	1	-14	-1	3	-12	0	-3	5	-15	35	3	14	18	23	14	3	-7	-6
225(0,5)	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0,6)	1	-14	2	0	-8	0	-4	20	0	-20	-18	-11	-1	12	9	9	23	-1
225(0,7)	1	-14	-1	3	8	-60	-3	5	-5	-15	23	4	13	3	14	-7	-2	4
225(0,8)	1	-14	-1	-3	-2	-30	7	-15	5	-15	-7	3	16	-7	-12	14	3	23
225(0,9)	1	-14	2	0	12	0	-9	-25	15	5	-18	-1	-6	3	-1	9	2	-6
225(0,10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	-3	-2	-30	2	-19	30	10	3	-17	-16	-12	3	-6	13	23
225(0,12)	1	-14	2	0	32	0	-9	-25	-35	15	2	4	-11	-18	-1	-1	8	-11
225(0,13)	1	-14	-1	3	-2	30	7	-15	5	-15	-7	-6	23	-7	-6	-7	3	-16
225(0,14)	1	-14	-1	-3	-12	0	-3	5	-15	35	3	-7	-6	23	-7	-6	-7	18
225(1,2)	1	1	2	0	-10	0	0	0	-10	-10	5	20	-5	0	10	5	-10	-5
225(1,3)	1	1	-1	3	3	-75	-8	20	-10	-10	-12	-1	3	-2	-6	3	8	-6
225(1,4)	1	1	-1	-3	3	-60	12	0	-10	-10	-7	-7	4	3	13	-1	8	-2
225(1,5)	1	1	2	0	10	0	5	-25	15	-5	0	-5	0	0	0	0	10	5
225(1,6)	1	1	-1	3	3	45	-3	5	15	5	3	-16	-12	-7	14	3	8	9
225(1,7)	1	1	-1	-3	8	30	-3	15	5	5	-7	8	4	3	-2	14	-7	-2
225(1,8)	1	1	2	0	0	0	-5	5	5	0	5	0	5	-5	-15	-15	5	0
225(1,9)	1	1	-1	3	-7	15	-3	-15	-25	5	8	-16	-2	-12	4	-7	8	4
225(1,10)	1	1	-1	-3	-2	-30	2	-10	0	-20	3	-2	-1	3	3	-6	-17	-7
225(1,11)	1	1	2	0	0	0	0	20	0	20	0	5	0	-10	-10	0	-10	0
225(1,12)	1	1	-1	3	8	60	12	0	-10	-10	-7	-1	-2	3	-11	8	8	4
225(1,13)	1	1	-1	-3	3	-15	-8	-10	20	-10	3	-7	-6	13	3	-6	-7	3
225(2,4)	1	1	2	0	0	0	-5	5	5	0	-10	0	-5	15	15	5	0	0
225(2,5)	1	1	-1	3	-7	-15	-3	-25	-5	15	-7	4	-17	3	-16	8	-2	19
225(2,6)	1	1	-1	-3	-7	-15	-3	-15	-25	5	8	4	-12	-2	-1	8	-3	0
225(2,7)	1	1	2	0	10	0	10	0	-10	0	-10	0	5	20	0	5	0	5
225(2,8)	1	1	-1	3	3	15	7	5	5	3	-1	3	-2	9	-12	-7	-6	0
225(2,9)	1	1	-1	-3	3	-15	7	5	5	3	9	-6	-2	-12	9	-7	3	0
225(2,10)	1	1	2	0	-10	0	0	-10	10	0	-10	-5	-5	0	5	10	-5	-5
225(2,11)	1	1	-1	3	8	-30	-3	15	5	5	-7	-1	-2	3	-11	-7	-7	4
225(2,12)	1	1	-1	-3	-2	60	7	15	5	15	8	3	-1	-7	3	-16	3	-7
225(3,6)	1	1	2	0	-18	0	1	5	5	-25	12	-1	7	-8	-6	2	9	0
225(3,7)	1	1	-1	3	3	15	-8	-10	20	-10	3	14	3	13	9	3	-7	-6
225(3,8)	1	1	-1	-3	-7	15	-3	-25	-5	15	-7	-2	19	3	8	-1	-2	-17
225(3,9)	1	1	2	0	2	0	6	0	-10	20	2	-1	4	12	4	-1	2	4
225(3,10)	1	1	-1	3	-2	-60	7	15	5	15	8	-6	-7	-7	9	8	3	-1
225(3,11)	1	1	-1	-3	3	75	-8	20	-10	-10	-12	-7	-6	-2	3	9	8	3
225(4,8)	1	1	2	0	-10	0	0	0	-10	-10	5	-10	-5	0	-5	-10	-10	-6
225(4,9)	1	1	-1	3	-2	30	2	-10	0	-20	3	19	-7	3	-6	3	-17	-1
225(4,10)	1	1	-1	-3	3	-45	-3	5	15	5	3	8	9	-7	-7	-6	8	-12
225(5,10)	1	1	2	0	30	0	-15	15	-15	-15	30	0	15	0	0	-15	0	15

TABLE 23: $\text{IND } 2 = 0 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 3 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	30	31	32	33	34	35	36	37
225(0, 0)	1	-44	2	0	0	0	21	15	-15	-15	18	-3	-45	-12	-3	0	-12	27
225(0, 1)	1	-14	-1	3	-2	-30	2	-10	30	10	3	24	13	-22	-6	3	3	-26
225(0, 2)	1	-14	-1	-3	-6	-30	-3	5	-5	-15	13	-2	24	3	-17	-26	-2	3
225(0, 3)	1	-14	2	0	10	-30	1	15	35	15	-2	-3	-5	8	2	-5	-12	7
225(0, 4)	1	-14	-1	3	8	0	-3	5	-15	35	3	4	8	13	14	3	-17	-16
225(0, 5)	1	-14	-1	-2	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	2	0	10	30	-4	20	0	-20	-12	-3	-5	8	-3	18	18	7
225(0, 7)	1	-14	-1	3	-12	60	-3	5	-5	-15	13	4	3	3	4	-17	-2	-6
225(0, 8)	1	-14	-1	-3	4	60	7	-15	5	-15	13	3	4	-7	8	4	3	12
225(0, 9)	1	-14	2	0	-10	30	-9	-25	15	5	-12	7	-10	-2	-18	18	-2	2
225(0, 10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	-3	4	0	2	-10	30	10	3	3	4	8	3	-6	3	12
225(0, 12)	1	-14	2	0	-30	-30	-9	-25	-35	15	-2	-8	-15	-12	7	-5	-2	-3
225(0, 13)	1	-14	-1	3	-2	-30	7	-15	5	-15	-17	-6	13	-7	14	13	3	-26
225(0, 14)	1	-14	-1	-3	14	-30	-3	5	-15	35	3	-17	14	13	-7	-4	13	8
225(1, 2)	1	1	2	0	7	15	0	0	-10	-10	12	16	-8	17	11	-3	-23	1
225(1, 3)	1	1	-1	3	3	75	-8	20	-10	-10	-7	9	3	-7	-1	8	3	-6
225(1, 4)	1	1	-1	-3	-11	45	12	0	-10	-10	-12	-2	4	8	8	9	12	-2
225(1, 5)	1	1	2	0	-8	30	5	-25	15	-5	-3	-9	7	2	6	-3	12	1
225(1, 6)	1	1	-1	3	-7	-45	-3	5	15	5	3	-11	-7	-2	14	3	13	14
225(1, 7)	1	1	-1	-3	-11	-45	-3	15	5	5	3	-2	4	-7	8	9	-2	-2
225(1, 8)	1	1	2	0	-3	-15	-5	5	5	5	-13	6	-3	2	-19	2	-3	6
225(1, 9)	1	1	-1	3	13	-15	-3	-15	-25	5	3	-11	-2	-7	-1	-12	13	4
225(1, 10)	1	1	-1	-3	4	0	2	-10	0	-20	3	-12	-11	-7	2	-6	-12	-2
225(1, 11)	1	1	2	0	2	30	0	20	0	20	-3	1	2	-8	-4	-3	-8	-4
225(1, 12)	1	1	-1	3	-2	-60	12	0	-10	-10	3	4	-2	-7	-16	3	-2	4
225(1, 13)	1	1	-1	-3	-6	30	-8	-10	20	-10	-7	-12	-6	8	-7	-1	3	3
225(2, 4)	1	1	2	0	-3	-15	-5	5	5	5	17	-9	-3	-13	11	2	12	6
225(2, 5)	1	1	-1	3	3	15	-3	-25	-5	15	-2	4	-12	3	-11	13	-2	24
225(2, 6)	1	1	-1	-3	4	0	-3	-15	-25	5	3	13	4	-7	-7	-6	-2	-2
225(2, 7)	1	1	2	0	-8	-30	10	0	-10	0	-8	6	7	17	-4	7	-3	1
225(2, 8)	1	1	-1	3	3	-15	7	5	5	5	-7	-6	3	8	14	-7	3	-6
225(2, 9)	1	1	-1	-3	-6	30	7	5	5	5	8	3	-6	-7	-7	-1	-12	3
225(2, 10)	1	1	2	0	12	-30	0	-10	10	0	-8	1	-3	-3	1	7	7	-9
225(2, 11)	1	1	-1	3	-2	30	-3	15	5	5	-12	-11	-2	8	-1	3	-2	4
225(2, 12)	1	1	-1	-3	4	-30	7	15	5	15	-2	3	-11	-7	-7	-11	3	-2
225(3, 6)	1	1	2	0	15	-15	1	5	5	-25	8	-3	15	-7	2	-10	3	-3
225(3, 7)	1	1	-1	3	3	-15	-8	-10	20	-10	8	9	3	8	-1	-7	-12	-6
225(3, 8)	1	1	-1	-3	9	15	-3	-25	-5	15	-2	-2	9	3	13	4	-2	-12
225(3, 9)	1	1	2	0	-5	15	6	0	-10	20	3	7	10	8	3	0	-2	-8
225(3, 10)	1	1	-1	3	-2	60	7	15	5	15	13	-6	-2	-7	-1	-2	3	4
225(3, 11)	1	1	-1	-3	-6	-60	-8	20	-10	-10	-7	2	-6	8	8	14	3	2
225(4, 8)	1	1	2	0	7	15	0	0	-10	-10	-3	-14	-8	-13	-4	-3	7	1
225(4, 9)	1	1	-1	3	-2	-30	2	-10	0	-20	3	9	-2	8	-6	3	-12	4
225(4, 10)	1	1	-1	-3	-1	15	-3	5	15	5	3	13	-1	-3	-7	-6	-2	-7
225(5, 10)	1	1	2	0	-18	0	-15	15	-15	-15	27	6	27	-3	6	-18	-3	-9

TABLE 24: $INB\ 2 = 0\ (MOD\ 3),\ IND\ 2 = 1\ (MOD\ 5),\ INB\ 3 = 3\ (MOD\ 5),\ IND\ 5 = 1\ (MOD\ 3),\ C = -1\ (MOD\ 5)$

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	2	0	-24	0	21	15	-15	-15	30	9	51	0	9	-24	0	-21
225(0, 1) =	1	-14	-1	3	-2	-30	2	-10	30	10	3	4	-7	18	-6	3	-17	14
225(0, 2) =	1	-14	-1	-3	14	30	-3	5	-5	-15	-7	-2	4	3	23	14	-2	-17
225(0, 3) =	1	-14	2	0	-14	-30	1	15	35	15	-10	9	11	20	-6	11	0	-1
225(0, 4) =	1	-14	-1	3	-12	-60	-3	5	-15	35	3	-16	-12	-7	14	3	23	24
225(0, 5) =	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	2	0	-14	30	-4	20	0	-20	0	-11	11	0	9	-9	10	-1
225(0, 7) =	1	-14	-1	3	8	0	-3	5	-5	-15	-7	4	-17	3	-16	23	-2	34
225(0, 8) =	1	-14	-1	-3	4	-60	7	-15	5	-15	-7	3	-16	-7	-12	-16	3	-7
225(0, 9) =	1	-14	2	0	6	30	-9	-25	15	5	0	-1	6	-10	-1	-9	-10	-6
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	4	0	2	-10	30	10	3	-17	-16	-12	3	-6	-17	-7
225(0,12) =	1	-14	2	0	26	-30	-9	-25	-35	15	-10	4	1	0	-1	11	10	-11
225(0,13) =	1	-14	-1	3	-2	90	7	-15	5	-15	23	-6	-7	-7	-6	-7	3	14
225(0,14) =	1	-14	-1	-3	-6	30	-2	5	-15	35	3	23	-6	-7	-7	-6	-7	-12
225(1, 2) =	1	1	2	0	-1	15	0	0	-10	-10	-4	-10	4	-9	-5	-1	11	-5
225(1, 3) =	1	1	-1	3	3	-45	-8	20	-10	-10	3	-1	3	13	9	-12	-7	-6
225(1, 4) =	1	1	-1	-3	-1	-45	12	0	-10	-10	8	6	4	-12	-2	-1	-7	-2
225(1, 5) =	1	1	2	0	4	30	5	-25	15	-5	-9	-5	-1	6	0	9	16	5
225(1, 6) =	1	1	-1	3	3	-15	-3	5	15	5	3	-1	3	8	14	3	-7	-6
225(1, 7) =	1	1	-1	-3	-1	45	-2	15	5	5	-7	8	4	3	-2	-1	8	-2
225(1, 8) =	1	1	2	0	9	-15	-5	5	5	5	21	-10	9	-14	15	-6	11	0
225(1, 9) =	1	1	-1	3	7	-15	-3	-15	-25	5	-7	-1	-2	3	-11	8	-7	4
225(1,10) =	1	1	-1	-3	4	0	2	-10	0	-20	3	-2	-1	3	3	-6	-2	8
225(1,11) =	1	1	2	0	-6	30	0	20	0	20	-9	5	-6	-4	-10	9	-4	0
225(1,12) =	1	1	-1	3	8	30	12	0	-10	-10	-7	-16	-2	3	4	-7	8	4
225(1,13) =	1	1	-1	-3	-6	-30	-8	-10	20	-10	3	8	-6	-2	3	9	-7	3
225(2, 4) =	1	1	2	0	9	-15	-5	5	5	5	-9	5	9	1	-15	-6	-4	0
225(2, 5) =	1	1	-1	3	-7	45	-3	-25	-5	15	8	4	-2	3	-1	-7	-2	4
225(2, 6) =	1	1	-1	-3	-16	0	-3	-15	-25	5	-7	-7	4	3	13	14	8	-2
225(2, 7) =	1	1	2	0	4	-30	10	0	-10	0	-4	0	-1	11	0	-1	-9	5
225(2, 8) =	1	1	-1	3	3	45	7	5	5	5	3	14	3	-2	-6	3	-7	-6
225(2, 9) =	1	1	-1	-3	-6	-30	7	5	5	5	-12	-7	-6	13	3	9	8	3
225(2,10) =	1	1	2	0	-16	-30	0	-10	10	0	-4	-5	-11	-9	5	-1	1	-5
225(2,11) =	1	1	-1	3	8	-60	-2	15	5	5	8	-1	-2	-12	-11	-7	8	4
225(2,12) =	1	1	-1	-3	4	30	7	15	5	15	8	3	-1	-7	3	-1	3	8
225(3, 6) =	1	1	2	0	-9	-15	1	5	5	-25	0	-1	-9	-5	-6	6	5	9
225(3, 7) =	1	1	-1	3	3	45	-8	-10	20	-10	-12	-1	3	-2	9	3	8	-6
225(3, 8) =	1	1	-1	-3	-1	-15	-3	-25	-5	15	8	-2	19	3	-7	-16	-2	-2
225(3, 9) =	1	1	2	0	11	15	6	0	-10	20	5	-1	-14	0	4	-4	-10	4
225(3,10) =	1	1	-1	3	-2	0	7	15	5	15	-7	-6	8	-7	9	0	3	-16
225(3,11) =	1	1	-1	-3	-6	60	-8	20	-10	-10	3	-7	-6	-2	-12	-6	-7	3
225(4, 8) =	1	1	2	0	-1	15	0	0	-10	-10	11	20	4	21	10	-1	-19	-5
225(4, 9) =	1	1	-1	3	-2	30	2	-10	0	-20	3	19	8	-12	-6	3	-2	-16
225(4,10) =	1	1	-1	-3	9	-15	-3	5	15	5	3	-7	9	8	-7	-6	8	3
225(5,10) =	1	1	2	0	-6	0	-15	15	-15	-15	21	0	-21	-9	0	-6	-9	15

TABLE 25: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	I	J	A	L	C	D	X	U	V	W	DO	E1	E2	E3	E4	E5	E6	E7
225(0, 0)	1	-44	2	0	36	0	-9	45	15	15	36	27	-3	6	-3	-18	-54	-3
225(0, 1)	1	-14	-1	3	-12	0	2	10	-10	-10	-17	24	13	-2	-6	13	3	-24
225(0, 2)	1	-14	-1	-3	0	60	-13	-25	5	-5	3	-22	14	13	13	-6	8	-7
225(0, 3)	1	-14	2	0	16	0	1	15	-25	-5	6	7	-3	6	3	-3	-14	-3
225(0, 4)	1	-14	-1	3	-2	90	7	15	15	5	13	4	8	3	14	13	13	14
225(0, 5)	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	24	3	3	3
225(0, 6)	1	-14	2	0	-24	0	-4	-20	20	-40	-14	-3	7	16	-3	7	6	7
225(0, 7)	1	-14	-1	3	8	-60	-13	-25	5	-5	3	14	-7	13	4	3	8	14
225(0, 8)	1	-14	-1	-3	-2	30	7	-15	5	25	3	-17	-6	-27	8	-6	13	3
225(0, 9)	1	-14	2	0	16	0	1	-15	-15	35	-14	7	2	6	-13	7	-14	2
225(0, 10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	-3	-12	0	2	10	-10	-10	-17	-27	-26	-2	3	4	3	12
225(0, 12)	1	-14	2	0	-4	0	11	-25	5	-5	6	2	-13	-14	7	-3	-4	-13
225(0, 13)	1	-14	-1	3	-2	-30	7	-15	5	25	3	4	3	-27	-16	3	13	-6
225(0, 14)	1	-14	-1	-3	-2	-90	7	15	15	5	13	-17	14	3	-7	-26	13	8
225(1, 2)	1	1	2	0	-12	0	0	-10	-10	0	9	6	-19	3	11	11	-12	11
225(1, 3)	1	1	-1	3	13	-15	-3	-5	15	-25	-12	4	8	-2	-1	3	-2	-16
225(1, 4)	1	1	-1	-3	7	-45	-3	5	5	15	-7	2	-1	3	-7	-1	3	8
225(1, 5)	1	1	2	0	18	0	5	-5	5	5	-2	-9	1	-2	6	1	18	1
225(1, 6)	1	1	-1	3	-2	0	-8	0	0	20	-2	-11	-7	3	14	-2	-2	-1
225(1, 7)	1	1	-1	-3	3	45	-3	5	-25	-15	9	7	14	-12	8	-1	3	-7
225(1, 8)	1	1	2	0	-2	0	0	10	0	-10	3	1	-4	-2	-19	6	-2	11
225(1, 9)	1	1	-1	3	3	45	12	-10	-10	0	-7	-6	-7	3	-1	-7	3	-1
225(1, 10)	1	1	-1	-3	3	-45	2	-20	20	-13	13	3	4	-2	3	-11	-12	-2
225(1, 11)	1	1	2	0	-2	0	-5	15	15	5	-2	1	-4	-12	-4	1	-3	-2
225(1, 12)	1	1	-1	3	3	45	-3	5	5	15	-7	-6	8	3	-1	8	3	-1
225(1, 13)	1	1	-1	-3	-2	60	-2	-5	-15	5	3	-2	-1	13	-7	-6	-2	8
225(2, 4)	1	1	2	0	-2	0	0	10	0	-10	3	1	11	-2	11	-9	-2	-4
225(2, 5)	1	1	-1	3	-7	-15	-2	-10	-10	10	3	-1	-7	-2	-11	3	-7	14
225(2, 6)	1	1	-1	-3	3	-45	12	-10	-10	0	-7	3	-1	3	8	14	3	-7
225(2, 7)	1	1	2	0	-2	0	10	0	20	10	-12	1	6	18	-4	6	-2	6
225(2, 8)	1	1	-1	3	-2	30	-2	25	15	5	3	4	-7	-2	-1	-12	-2	-1
225(2, 9)	1	1	-1	-3	-2	-30	-3	25	15	5	3	-2	-1	-2	8	9	-2	-7
225(2, 10)	1	1	2	0	3	0	-10	-10	10	-12	-4	-4	-2	1	6	8	-4	-4
225(2, 11)	1	1	-1	3	3	-45	-3	5	-25	-15	8	-6	-7	-12	-14	-7	3	14
225(2, 12)	1	1	-1	-3	-2	30	7	15	5	-5	3	13	-6	3	-7	-6	-2	3
225(3, 6)	1	1	2	0	-14	0	-9	-5	15	5	6	-8	2	-14	2	-3	16	2
225(3, 7)	1	1	-1	3	-2	-60	-1	-5	-15	5	3	4	8	13	14	3	-2	-1
225(3, 8)	1	1	-1	-3	-7	15	-1	-10	-10	10	3	8	14	-3	-2	-6	-7	-7
225(3, 9)	1	1	2	0	6	0	6	20	-10	0	-4	-3	2	6	2	2	6	2
225(3, 10)	1	1	-1	3	-2	-30	7	15	5	-5	3	-11	3	3	14	3	-2	-6
225(3, 11)	1	1	-1	-3	13	15	-3	-5	15	-25	-12	-2	-16	-3	-7	9	-2	6
225(4, 8)	1	1	2	0	-12	0	0	-10	-10	0	8	6	11	5	-4	-19	12	-19
225(4, 9)	1	1	-1	3	3	45	-2	-20	20	-10	13	3	-2	-6	2	-12	4	4
225(4, 10)	1	1	-1	-3	-2	0	0	0	0	20	-2	13	-1	3	-7	4	-2	-7
225(5, 10)	1	1	2	0	18	0	0	0	-30	-30	18	-9	6	-12	6	-9	18	6

TABLE 26: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	I	C	D	K	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	2	0	12	0	-9	45	15	15	12	-21	9	-18	9	-6	42	9
225(0, 1)	1	-14	-1	3	8	60	3	10	-10	-10	23	4	-7	-2	-6	-7	-17	14
225(0, 2)	1	-14	-1	-3	-12	0	-13	-25	5	-5	0	18	14	-7	-7	-6	-12	-7
225(0, 3)	1	-14	-2	0	-8	0	1	15	-25	-5	-18	-1	0	22	-6	9	2	9
225(0, 4)	1	-14	-1	3	-2	-30	7	15	15	5	-7	-16	-12	3	14	-7	-7	-6
225(0, 5)	1	-14	-1	-3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	2	0	32	0	-4	-20	20	-40	2	-11	-1	-8	9	-1	22	-1
225(0, 7)	1	-14	-1	3	-12	0	-13	-25	5	-5	3	-6	-7	-7	-16	3	-12	14
225(0, 8)	1	-14	-1	-3	-3	30	7	-15	5	25	3	23	-6	13	-12	-6	-7	3
225(0, 9)	1	-14	2	0	-8	0	1	-15	-15	35	2	-1	-6	-18	-1	1	2	-6
225(0, 10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	-3	8	-60	2	10	-10	-10	23	13	14	-2	3	-16	-17	-7
225(0, 12)	1	-14	0	0	12	0	11	25	5	-5	-18	-6	-1	2	-1	9	12	-1
225(0, 13)	1	-14	-1	3	-2	-30	7	-15	5	25	3	-14	3	13	24	3	-7	-6
225(0, 14)	1	-14	-1	-3	-2	30	7	15	15	5	-7	23	-6	3	-7	14	-7	-12
225(1, 2)	1	1	2	0	0	0	0	-10	-10	0	0	0	15	5	-5	-15	0	-15
225(1, 3)	1	1	-1	3	-7	-15	-3	-5	15	-25	8	4	-2	8	9	-7	-2	4
225(1, 4)	1	1	-1	-3	15	5	-3	5	5	15	0	3	9	-7	13	9	3	-12
225(1, 5)	1	1	2	0	-10	0	5	-5	5	5	-10	-5	5	10	0	5	10	5
225(1, 6)	1	1	-1	3	-2	60	-8	0	0	20	0	-1	3	3	14	8	8	9
225(1, 7)	1	1	-1	-3	3	-75	-3	0	-25	-15	-12	3	-6	8	-2	9	3	3
225(1, 8)	1	1	2	0	-10	0	0	10	0	-10	5	-5	10	-15	-10	10	10	-5
225(1, 9)	1	1	-1	3	3	-15	12	-10	-10	0	3	-6	3	-7	-11	3	3	9
225(1, 10)	1	1	-1	-3	-7	-15	2	-20	20	-10	-7	-17	-16	-2	3	-1	-2	8
225(1, 11)	1	1	2	0	10	0	-5	15	15	5	-10	5	0	-10	5	-10	0	0
225(1, 12)	1	1	-1	3	3	-15	-3	5	5	15	3	-6	-12	-7	-11	-12	3	9
225(1, 13)	1	1	-1	-3	3	-30	-3	-5	-15	-5	-7	-2	-11	-7	3	14	-2	-2
225(1, 14)	1	1	2	0	-10	0	0	10	0	-10	5	-5	-5	-10	-15	5	10	10
225(2, 4)	1	1	-1	3	3	-45	2	-10	-10	10	3	0	-7	8	-1	3	3	14
225(2, 5)	1	1	-1	-3	3	15	12	-10	-10	0	3	3	9	-7	-2	-6	3	3
225(2, 6)	1	1	2	0	10	0	10	0	20	10	0	5	0	10	0	0	-10	0
225(2, 7)	1	1	-1	3	8	-60	-3	25	15	5	-7	4	13	8	9	8	-2	-11
225(2, 8)	1	1	-1	-3	0	0	-10	-10	10	5	-7	-2	-11	8	-12	-1	-2	13
225(2, 9)	1	1	-1	3	8	60	-3	25	15	5	-7	-2	-11	8	-12	-1	-2	13
225(2, 10)	1	1	2	0	0	0	-10	-10	10	0	0	-10	-10	5	0	0	0	-10
225(2, 11)	1	1	-1	3	3	75	-3	5	-25	-15	-12	-6	2	8	4	3	3	-6
225(2, 12)	1	1	-1	-3	-2	30	7	15	5	-5	3	-7	-6	-17	3	-6	8	-3
225(3, 6)	1	1	2	0	2	0	0	-5	15	5	2	4	2	-6	-1	-8	4	4
225(3, 7)	1	1	-1	3	0	30	-3	-5	-15	5	-7	4	-2	-7	-6	-7	-2	-11
225(3, 8)	1	1	-1	-3	3	45	2	-10	-10	10	3	-12	14	8	8	-6	3	-7
225(3, 9)	1	1	2	0	-18	0	0	20	-10	0	12	9	-6	2	4	-6	-18	-6
225(3, 10)	1	1	-1	3	-2	-30	7	15	5	-5	3	-1	3	-17	-6	3	8	-6
225(3, 11)	1	1	-1	-3	-7	15	-3	-5	15	-25	8	-2	4	8	3	-1	-2	-2
225(4, 8)	1	1	2	0	0	0	-10	-10	0	0	0	-15	5	10	15	0	15	0
225(4, 9)	1	1	-1	3	-7	15	2	-20	20	-10	-7	19	3	-2	-6	8	-2	-16
225(4, 10)	1	1	-1	-3	-2	-60	-8	0	0	20	8	-7	9	3	-7	-16	8	3
225(5, 10)	1	1	2	0	30	0	0	0	-30	-30	15	0	0	0	0	-15	-30	0

TABLE 27: IND 2 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0)	1	-44	2	0	0	0	-9	45	15	15	10	27	15	-12	-3	0	18	-3
225(0, 1)	1	-14	-1	3	-12	-60	0	10	-10	-10	13	-6	13	-2	-6	-17	3	4
225(0, 2)	1	-14	-1	-3	14	30	-13	-25	5	-5	3	8	14	13	13	-6	-22	-7
225(0, 3)	1	-14	2	0	10	-30	1	15	-25	-5	-12	7	15	10	2	15	-2	-3
225(0, 4)	1	-14	-1	3	-2	30	7	15	15	5	-17	-26	-22	3	14	13	13	14
225(0, 5)	1	-14	-1	-3	24	0	-3	15	15	-15	-12	3	-6	0	3	24	3	3
225(0, 6)	1	-14	2	0	-30	30	-4	-20	20	-40	-2	-3	-5	-2	-3	-5	10	7
225(0, 7)	1	-14	-1	3	8	0	-13	-25	5	-5	3	-16	-7	-17	4	3	0	14
225(0, 8)	1	-14	-1	-3	4	0	7	-15	5	25	3	13	-4	0	-22	-6	-17	3
225(0, 9)	1	-14	2	0	10	30	1	-15	-15	35	-2	7	-10	-12	-13	-5	-2	2
225(0,10)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	0	-6	-12	3	-6
225(0,11)	1	-14	-1	-3	-6	30	2	10	-10	-10	13	3	4	-2	3	-26	-27	-17
225(0,12)	1	-14	2	0	-10	-30	11	-25	5	-5	-12	2	5	-2	7	15	8	-13
225(0,13)	1	-14	-1	3	-2	30	7	-15	5	25	3	-26	3	3	14	3	13	-6
225(0,14)	1	-14	-1	-3	4	-60	7	15	15	5	13	13	-16	3	-7	4	-17	8
225(1, 2)	1	1	2	0	-3	15	0	-10	-10	0	-13	0	2	-3	-4	2	-3	-19
225(1, 3)	1	1	-1	3	13	15	-3	-5	15	-25	3	4	0	13	-1	-12	-2	-1
225(1, 4)	1	1	-1	-3	-6	-30	-3	5	5	15	8	3	-1	-12	0	-1	3	-7
225(1, 5)	1	1	0	0	12	30	5	-5	5	5	-8	-9	7	7	6	7	12	1
225(1, 6)	1	1	-1	3	-2	-60	-8	0	0	20	13	4	8	3	14	-2	-2	-1
225(1, 7)	1	1	-1	-3	-6	60	-3	5	-25	-15	-7	3	-1	3	-7	14	3	8
225(1, 8)	1	1	2	0	7	-15	0	10	0	-10	-3	1	2	7	11	-3	7	-4
225(1, 9)	1	1	-1	3	3	15	12	-10	-10	0	0	-6	8	-12	-1	-7	3	-1
225(1,10)	1	1	-1	-3	9	-15	2	-30	20	-10	-2	-12	-11	-2	3	4	3	13
225(1,11)	1	1	0	0	-8	30	-5	15	15	5	-8	1	2	-3	-4	7	-8	-4
225(1,12)	1	1	-1	3	3	15	-3	5	5	15	-7	-6	-7	3	-16	-7	3	14
225(1,13)	1	1	-1	-3	-11	45	-3	-5	-15	0	-2	-16	-2	8	9	-2	8	0
225(2, 4)	1	1	0	7	-15	0	10	0	-10	12	1	2	-23	-19	-3	7	11	0
225(2, 5)	1	1	-1	3	-7	45	2	-10	-10	10	3	14	-7	13	-11	3	-7	16
225(2, 6)	1	1	-1	-3	-6	-30	12	-10	-10	0	-7	3	14	3	8	-1	3	-7
225(2, 7)	1	1	0	0	-8	-30	10	0	20	10	-3	1	-3	12	-4	-3	-8	6
225(2, 8)	1	1	-1	3	-2	60	-3	25	15	5	3	4	8	-2	14	3	-2	-16
225(2, 9)	1	1	-1	-3	-11	-45	-3	25	15	5	-12	-2	-1	13	-7	9	-2	8
225(2,10)	1	1	2	0	2	-30	-10	-10	-10	10	-3	-4	-13	-8	1	-3	2	-4
225(2,11)	1	1	-1	3	3	-75	-3	5	-25	-15	-7	-6	-7	3	-1	0	3	-1
225(2,12)	1	1	-1	-3	4	0	7	15	5	-5	0	-2	-6	-12	8	-6	13	3
225(3, 6)	1	1	0	0	-5	-15	-9	-5	15	5	3	-8	5	-2	2	0	-2	2
225(3, 7)	1	1	-1	3	-2	-30	-3	-5	-15	5	-12	4	-7	-2	-1	3	-2	-1
225(3, 8)	1	1	-1	-3	-1	-15	2	-10	-10	10	3	-7	14	-2	-2	-6	8	-7
225(3, 9)	1	1	0	0	15	15	6	20	-10	0	6	-3	-10	3	2	-10	-12	2
225(3,10)	1	1	-1	0	-2	30	7	15	5	-5	3	4	3	-12	-1	3	-2	6
225(3,11)	1	1	-1	-3	4	0	-3	-5	15	-25	3	-2	-1	-2	-7	-6	-2	-7
225(4, 8)	1	1	2	0	-3	15	0	-10	-10	0	17	6	2	12	11	2	3	11
225(4, 9)	1	1	-1	3	2	-15	2	-20	20	-10	-2	24	-2	-2	-6	13	-12	-11
225(4,10)	1	1	-1	-3	4	30	-8	0	0	20	-2	-2	14	3	-7	-11	13	-7
225(5,10)	1	1	2	0	-10	0	0	0	-30	-30	27	-9	-3	-3	6	-18	-18	6

TABLE 28: IND 0 = 0 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
225(0,0) =	1	-44	2	0	-24	0	-9	45	15	15	30	-21	-9	0	3	-24	-30	9
225(0,1) =	1	-14	-1	0	8	0	2	10	-10	-10	-7	34	-7	-2	-5	23	-17	-16
225(0,2) =	1	-14	-1	-3	-6	-30	-13	-25	5	-5	0	-12	14	-7	-7	-6	18	-7
225(0,3) =	1	-14	-2	0	-14	-30	1	15	-25	-5	0	-1	-9	10	-6	-9	10	9
225(0,4) =	1	-14	-2	3	-2	-90	7	15	15	5	23	14	18	3	14	-7	-7	-6
225(0,5) =	1	-14	-1	-3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0,6) =	1	-14	-2	0	26	30	-4	-20	20	-40	-10	-11	11	10	9	11	10	-1
225(0,7) =	1	-14	-1	3	-12	60	-13	-25	5	-5	3	24	-7	23	-16	3	-12	14
225(0,8) =	1	-14	-1	-3	4	0	7	-15	5	25	0	-7	-6	-17	18	-6	23	3
225(0,9) =	1	-14	2	0	-14	30	1	-15	-15	35	-10	-1	6	0	-1	11	-10	-6
225(0,10) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	-3	14	-30	2	10	-10	-10	-7	-17	-16	-2	3	14	13	23
225(0,12) =	1	-14	2	0	6	-30	11	-25	5	-5	0	-6	-19	-10	-1	-9	0	-1
225(0,13) =	1	-14	-1	3	-2	30	7	-15	5	25	3	14	3	-17	-6	3	-7	-6
225(0,14) =	1	-14	-1	-3	4	60	7	15	15	5	-7	-7	24	3	-7	-16	23	-12
225(1,2) =	1	1	2	0	9	15	0	-10	-10	0	21	0	-6	11	10	-6	-9	15
225(1,3) =	1	1	-1	3	-7	15	-3	-5	15	-25	-7	4	-2	-7	9	8	-2	-11
225(1,4) =	1	1	-1	-3	-5	30	-3	5	5	15	-12	3	9	8	-2	9	3	3
225(1,5) =	1	1	2	0	-16	30	5	-5	5	5	-4	-5	-1	1	0	-1	16	5
225(1,6) =	1	1	-1	3	-2	0	-8	0	0	20	-7	-16	-12	3	14	8	8	9
225(1,7) =	1	1	-1	-3	-6	-60	-3	5	-25	-15	3	9	-7	13	-6	3	-12	-12
225(1,8) =	1	1	2	0	-1	-15	0	10	0	-10	11	-5	4	-19	-15	-1	1	10
225(1,9) =	1	1	-1	3	3	-45	12	-10	-10	0	-12	-6	-12	8	-11	3	3	9
225(1,10) =	1	1	-1	-3	-1	15	-2	-20	20	-10	8	-2	-1	-2	3	-16	-17	-7
225(1,11) =	1	1	2	0	4	30	-5	15	15	5	-4	5	-5	-9	-10	-1	-4	0
225(1,12) =	1	1	-1	3	3	-45	-3	5	5	15	3	-6	3	-7	4	3	3	-6
225(1,13) =	1	1	-1	-3	-1	-45	-3	-5	-15	5	-7	-2	4	8	-12	-1	-2	-2
225(2,4) =	1	1	2	0	-1	-15	0	10	0	-10	-4	-5	4	11	15	-1	1	-5
225(2,5) =	1	1	-1	3	3	15	2	-10	-10	10	3	-6	-7	-7	-1	3	3	14
225(2,6) =	1	1	-1	-3	-6	30	12	-10	-10	0	3	-6	-7	-2	9	3	3	3
225(2,7) =	1	1	2	0	4	-30	10	0	20	10	-9	5	7	16	0	9	-4	0
225(2,8) =	1	1	-1	3	8	-30	-3	25	15	5	-7	4	-2	8	-6	-7	-2	4
225(2,9) =	1	1	-1	-3	-1	45	-3	25	15	5	8	-2	-11	-7	3	-1	-2	-2
225(2,10) =	1	1	2	0	-6	-30	-10	-10	-10	10	-9	0	-1	-4	5	9	6	-10
225(2,11) =	1	1	-1	3	3	45	-3	5	-25	-15	3	-6	3	-7	-11	-12	3	9
225(2,12) =	1	1	-1	-3	4	0	7	15	5	-5	3	8	-6	-2	-12	-6	-7	3
225(3,6) =	1	1	2	0	11	-15	-9	-5	15	5	5	4	1	-10	-6	-4	10	4
225(3,7) =	1	1	-1	3	8	60	-3	-5	-15	5	8	4	13	8	9	-7	-2	-11
225(3,8) =	1	1	-1	-3	9	15	2	-10	-10	10	3	3	14	3	8	-6	-12	-7
225(3,9) =	1	1	2	0	-9	15	6	20	-10	0	0	7	6	5	4	6	0	-6
225(3,10) =	1	1	-1	3	-2	30	7	15	5	-5	3	-16	3	-2	9	3	8	-6
225(3,11) =	1	1	-1	-3	-16	0	-3	-5	15	-25	-7	-2	-11	9	3	14	-3	13
225(4,8) =	1	1	2	0	9	15	0	-10	-10	0	-9	0	-6	-4	-5	-6	-9	-15
225(4,9) =	1	1	-1	3	-7	-45	2	-20	20	-10	8	4	8	-2	-6	-7	-2	-1
225(4,10) =	1	1	-1	-3	4	-30	-8	0	0	20	8	8	-6	3	-7	-1	-7	3
225(5,10) =	1	1	2	0	-6	0	0	-30	-30	21	15	9	-9	0	-6	6	0	0

TABLE 29: IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = C (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	DO	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	-1	-3	-24	0	36	0	0	0	-24	-3	-3	6	-3	12	6	-3
225(0, 1)	1	-14	2	0	-2	-30	-2	5	35	25	13	-5	3	-2	4	-17	3	-6
225(0, 2)	1	-14	-1	3	-2	-30	-3	35	-5	-25	13	-2	-6	-17	3	4	-2	3
225(0, 3)	1	-14	-1	3	16	0	-9	-5	35	5	-14	-3	7	6	-8	7	6	7
225(0, 4)	1	-14	2	0	-2	-30	-3	-5	-35	25	13	4	-2	3	-6	-17	-17	4
225(0, 5)	1	-14	-1	3	-12	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	3	16	0	-9	35	5	-5	-14	-3	3	16	7	7	6	-3
225(0, 7)	1	-14	2	0	-2	30	-3	35	-5	-25	13	4	3	-17	-6	-17	-2	-6
225(0, 8)	1	-14	-1	3	-2	-30	-3	-35	5	-25	13	3	4	3	-2	4	3	13
225(0, 9)	1	-14	-1	3	16	0	-9	-35	-5	-5	-14	7	-0	6	-3	7	-14	-8
225(0, 10)	1	-14	2	0	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	1	-14	-1	3	-2	30	-3	5	35	25	13	3	-6	-3	13	4	3	3
225(0, 12)	1	-14	-1	3	16	0	-9	5	-35	5	-14	-8	-3	-14	-3	7	16	-3
225(0, 13)	1	-14	2	0	-2	30	-3	-35	5	-25	13	-6	13	3	4	-17	3	4
225(0, 14)	1	-14	-1	3	30	-3	-5	-35	25	13	13	4	3	3	4	-17	-2	-2
225(1, 2)	1	1	-1	-3	-2	0	0	0	0	-20	-2	16	4	3	-14	1	-2	-9
225(1, 3)	1	1	2	0	-2	0	-3	15	-15	5	-2	-6	-2	13	9	-2	3	4
225(1, 4)	1	1	-1	3	13	-45	12	0	0	-20	-2	13	9	3	13	4	-2	-12
225(1, 5)	1	1	-1	-3	-2	0	0	-10	20	10	-2	-9	6	-2	1	1	10	6
225(1, 6)	1	1	2	0	-2	60	-3	-5	-5	-5	-11	-2	3	24	13	13	4	4
225(1, 7)	1	1	-1	3	-2	0	-3	15	15	-5	-2	-2	9	3	-2	4	-2	3
225(1, 8)	1	1	-1	-3	-2	0	0	0	0	20	-2	6	-14	-2	-9	1	3	16
225(1, 9)	1	1	2	0	-2	0	-3	-15	-15	-5	-2	-11	3	-12	4	-2	13	-6
225(1, 10)	1	1	-1	3	-2	-60	-3	5	5	-5	-2	-12	-6	-2	-2	-11	-12	3
225(1, 11)	1	1	-1	-3	-2	0	0	10	-20	10	-2	1	-12	-9	1	-2	1	1
225(1, 12)	1	1	2	0	13	45	12	0	0	-20	-2	-11	-12	3	-11	-2	-2	9
225(1, 13)	1	1	-1	3	-2	0	-3	-15	15	5	-2	3	-11	-2	3	4	-12	-2
225(2, 4)	1	1	-1	-3	-2	0	0	0	0	20	-2	-9	16	-2	0	1	3	-14
225(2, 5)	1	1	2	0	-2	-60	-3	5	-5	-5	-2	4	-12	13	-6	13	-2	24
225(2, 6)	1	1	-1	3	-2	0	-3	-15	-15	-5	-2	-2	-6	-12	-2	4	13	3
225(2, 7)	1	1	-1	-3	-2	0	-20	-10	-10	-2	6	1	18	1	1	-12	1	1
225(2, 8)	1	1	2	0	13	-45	12	0	0	20	-2	9	13	-2	7	-2	3	-11
225(2, 9)	1	1	-1	3	13	45	12	0	0	20	-2	-12	-11	-2	-12	4	3	13
225(2, 10)	1	1	-1	-3	-2	0	0	20	10	-10	-2	1	-9	-2	6	1	-2	-9
225(2, 11)	1	1	2	0	-2	0	-3	15	15	-5	-2	4	3	3	-11	-2	-2	9
225(2, 12)	1	1	-1	3	-2	60	-3	-5	5	-5	-2	3	-11	-12	-2	-11	3	-2
225(3, 6)	1	1	-1	-3	-14	0	6	0	0	-10	16	-3	7	-14	-3	-8	6	7
225(3, 7)	1	1	2	0	-2	0	-3	-15	15	5	-2	9	-2	-2	-6	-2	-12	-11
225(3, 8)	1	1	-1	3	-2	60	-3	5	-5	5	-2	24	13	3	-11	-2	-12	-3
225(3, 9)	1	1	-1	-3	-14	0	6	0	0	10	16	7	-3	6	7	-8	-14	-3
225(3, 10)	1	1	2	0	-2	-60	-3	-5	5	5	-2	-6	-2	-12	4	13	3	-11
225(3, 11)	1	1	-1	3	-2	0	-3	15	-15	5	-2	3	4	13	3	4	3	-2
225(4, 8)	1	1	-1	-3	-2	0	0	0	0	-20	-2	-14	-9	3	16	1	-2	6
225(4, 9)	1	1	2	0	-2	60	-3	5	5	-5	-2	24	3	-3	-11	13	-13	-6
225(4, 10)	1	1	-1	3	-2	-60	-3	-5	-5	-5	-2	-2	4	3	-12	-11	13	-2
225(5, 10)	1	1	-1	-3	48	0	0	0	0	48	6	6	-12	6	-24	-12	-12	6

TABLE 31: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	P	l	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	-1	-3	-60	0	36	0	0	48	-3	15	-12	-3	-60	-12	-3	
225(0, 1)	1	-14	2	0	-2	-90	-3	5	35	25	13	24	3	-2	4	13	-27	-6
225(0, 2)	1	-14	-1	3	4	-60	-3	35	-5	-25	-17	-2	24	13	3	4	-2	-27
225(0, 3)	1	-14	-1	-3	10	-30	-9	-5	35	5	-2	-3	-5	18	-8	-5	13	7
225(0, 4)	1	-14	2	0	-2	-90	-3	-5	-35	25	13	4	-2	3	24	13	4	
225(0, 5)	1	-14	-1	3	24	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	-3	10	30	-9	35	5	-5	-2	-3	15	-2	7	-5	10	-3
225(0, 7)	1	-14	2	0	-2	90	-3	35	-5	-25	13	4	3	13	-6	13	-2	24
225(0, 8)	1	-14	-1	3	4	-60	-3	-35	5	-25	-17	3	-26	3	-2	4	3	13
225(0, 9)	1	-14	-1	-3	10	30	-9	-35	-5	-5	-2	7	10	-12	-3	-5	-2	-8
225(0, 10)	1	-14	2	0	-2	12	0	0	0	0	-12	0	-6	0	-6	-12	3	-6
225(0, 11)	1	-14	-1	3	4	60	-3	5	35	25	-17	-27	-6	-2	13	4	3	3
225(0, 12)	1	-14	-1	-3	10	-30	-9	5	-35	5	-2	-8	-15	-2	-3	-5	-2	-3
225(0, 13)	1	-14	2	0	-2	90	-3	-35	5	-25	13	-6	-17	-27	4	13	3	4
225(0, 14)	1	-14	-1	3	4	60	-3	-5	-35	25	-17	13	4	3	-27	4	13	-2
225(1, 2)	1	1	-1	-3	7	15	0	0	0	-20	7	-14	-3	12	16	-8	7	6
225(1, 3)	1	1	2	0	-2	30	-3	15	-15	5	-2	9	-3	-2	9	-2	-12	-11
225(1, 4)	1	1	-1	3	4	-30	12	0	0	-20	-2	-2	0	-12	-2	4	13	3
225(1, 5)	1	1	-1	-3	-8	30	0	-10	20	10	-8	-9	-3	7	1	7	12	6
225(1, 6)	1	1	2	0	-2	0	-3	-5	-5	-5	-2	-11	-2	3	9	-2	-2	4
225(1, 7)	1	1	-1	3	-11	15	-3	15	15	-5	-2	13	-6	3	-2	4	-2	3
225(1, 8)	1	1	-1	-3	7	-15	0	0	0	20	7	-9	7	-23	6	-8	12	-14
225(1, 9)	1	1	2	0	-2	-30	-3	-15	-15	-5	-2	-11	3	3	-11	-2	-2	9
225(1, 10)	1	1	-1	3	4	-30	-3	5	5	-5	13	3	-6	-2	-2	-11	-12	3
225(1, 11)	1	1	-1	-3	-8	30	0	10	-20	10	-8	1	-8	-3	-9	7	-8	1
225(1, 12)	1	1	2	0	13	15	12	0	0	-20	-2	4	3	3	4	-2	-2	-6
225(1, 13)	1	1	-1	3	-11	-15	-3	-15	15	5	-2	3	4	-2	-12	4	3	-2
225(2, 4)	1	1	-1	-3	7	-15	0	0	0	20	7	6	7	7	-9	-8	-3	16
225(2, 5)	1	1	2	0	-2	0	-3	5	-5	5	-2	4	-12	-2	-6	-2	-2	9
225(2, 6)	1	1	-1	3	-11	15	-3	-15	-15	-5	-2	-2	9	3	13	4	-2	-12
225(2, 7)	1	1	-1	-3	-8	-30	0	-20	-10	-10	-8	6	7	12	1	7	-3	1
225(2, 8)	1	1	2	0	13	-15	12	0	0	20	-2	-6	-2	-2	-6	-2	3	4
225(2, 9)	1	1	-1	3	4	30	12	0	0	20	-2	3	-11	13	3	4	-12	-2
225(2, 10)	1	1	-1	-3	-8	-30	0	20	10	-10	-8	1	-3	-8	6	7	7	-9
225(2, 11)	1	1	2	0	-2	-30	-3	15	15	-5	-2	-11	-12	-12	-11	-2	13	9
225(2, 12)	1	1	-1	3	4	30	-3	-5	5	5	13	3	4	-12	-2	-11	3	7
225(3, 6)	1	1	-1	-3	-5	-15	6	0	0	-10	-2	-3	-5	-2	-3	10	3	-2
225(3, 7)	1	1	2	0	-2	30	-3	-15	15	5	-2	9	13	13	9	-2	3	-11
225(3, 8)	1	1	-1	3	4	30	-3	5	-5	5	13	-2	9	-2	3	-11	-2	3
225(3, 9)	1	1	-1	-3	-5	15	6	0	0	10	-2	7	0	3	7	10	-2	-3
225(3, 10)	1	1	2	0	-2	0	-3	-5	5	5	-2	-6	13	3	4	-2	3	-11
225(3, 11)	1	1	-1	3	-11	-15	-3	15	-15	5	-2	-12	-11	-2	3	4	3	13
225(4, 8)	1	1	-1	-3	7	15	0	0	0	-20	7	16	-3	-3	-14	-8	-23	-9
225(4, 9)	1	1	2	0	-2	0	-3	5	-5	-2	9	3	-2	-11	-2	3	-6	-6
225(4, 10)	1	1	-1	3	4	-30	-3	-5	-5	-5	13	-2	4	3	3	-11	-2	-2
225(5, 10)	1	1	-1	-3	12	0	0	0	0	0	12	6	-3	-3	6	12	-3	6

TABLE 32 : $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = -1 \pmod{5}$

	Γ	1	A	D	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	36	0	0	0	9	-9	0	9	36	0	9	
225(0, 1) =	1	-14	2	0	-2	30	-3	5	35	25	-7	4	3	-2	-16	-7	13	-6
225(0, 3) =	1	-14	-1	3	4	60	-3	35	-5	-25	23	-2	4	-7	3	-16	-2	13
225(0, 3) =	1	-14	-1	-3	-14	-30	-9	-5	35	5	-10	9	11	10	4	11	0	-1
225(0, 4) =	1	-14	2	0	-2	30	-3	-5	-35	25	-7	-16	-2	3	4	-7	-7	4
225(0, 5) =	1	-14	-1	3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	-1	-3	-14	30	-9	35	5	-5	-10	-11	-9	10	-1	11	10	9
225(0, 7) =	1	-14	2	0	-2	-30	-3	35	-5	-25	-7	4	-17	-7	-6	-7	-2	4
225(0, 8) =	1	-14	-1	3	4	60	-3	35	5	-25	23	3	14	-17	-2	-16	3	-7
225(0, 9) =	1	-14	-1	-3	-14	30	-9	-35	-5	-5	-10	-1	-14	0	-11	11	-10	4
225(0,10) =	1	-14	2	0	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	-4
225(0,11) =	1	-14	-1	3	4	-60	-3	5	35	25	23	13	-6	-2	-7	-16	-17	3
225(0,12) =	1	-14	-1	-3	-14	-30	-9	5	-35	5	-10	4	-1	10	9	11	10	-11
225(0,13) =	1	-14	2	0	-2	-30	-3	-35	5	-25	-7	-6	23	13	4	-7	3	-16
225(0,14) =	1	-14	-1	3	4	-60	-3	-5	-35	25	23	-7	4	3	13	-16	-7	-2
225(1, 2) =	1	1	-1	-3	-1	15	0	0	0	-20	1	20	-1	-4	-10	4	-19	-10
225(1, 3) =	1	1	2	0	8	0	-3	15	-15	5	-2	-1	9	8	-1	-2	8	-1
225(1, 4) =	1	1	-1	3	-16	30	12	0	0	-20	-2	8	-1	8	8	4	-7	-7
225(1, 5) =	1	1	-1	-3	4	30	0	-10	20	10	-4	-5	9	1	5	-1	16	0
225(1, 6) =	1	1	2	0	-2	-60	-3	-5	-5	8	-1	-2	3	19	8	8	4	-7
225(1, 7) =	1	1	-1	3	-1	-15	-3	15	15	-5	-2	-7	14	-7	8	4	8	-7
225(1, 8) =	1	1	-1	-3	-1	-15	0	0	0	20	1	5	-1	11	-10	4	-4	20
225(1, 9) =	1	1	2	0	8	0	-3	-15	-15	-5	-2	-1	-7	-7	-1	-2	8	-1
225(1,10) =	1	1	-1	3	4	30	-3	5	5	-5	-7	-17	-6	-2	8	-1	-2	3
225(1,11) =	1	1	-1	-3	4	30	0	10	-20	10	-4	5	4	-9	-5	-1	-4	-5
225(1,12) =	1	1	2	0	-7	-45	12	0	0	-20	-2	-16	-7	-7	-16	-2	8	14
225(1,13) =	1	1	-1	3	-1	15	-3	-15	15	5	-2	-7	-16	8	8	4	-7	8
225(2, 4) =	1	1	-1	-3	-1	-15	0	0	0	20	1	-10	-1	-19	5	4	11	-10
225(2, 5) =	1	1	2	0	-2	60	-3	5	-5	5	8	4	-2	8	-6	8	-2	19
225(2, 6) =	1	1	-1	3	-1	-15	-3	-15	-15	-5	-2	8	-1	-7	-7	4	8	8
225(2, 7) =	1	1	-1	-3	4	-30	0	-20	-10	-10	-4	0	-1	16	-5	-1	-9	5
225(2, 8) =	1	1	2	0	-7	45	12	0	0	20	-2	14	8	8	14	-2	-7	-16
225(2, 9) =	1	1	-1	3	-16	-30	12	0	0	20	-2	-7	-1	-7	-7	4	8	8
225(2,10) =	1	1	-1	-3	4	-30	0	20	10	-10	-4	-5	-11	-4	0	-1	-1	-5
225(2,11) =	1	1	2	0	9	0	-3	15	15	-5	-2	-1	8	8	-1	-2	-7	-1
225(2,12) =	1	1	-1	3	4	-30	-3	-5	5	5	-7	3	-16	-2	-2	-1	3	8
225(3, 6) =	1	1	-1	-3	11	-15	6	0	0	-10	10	-1	11	-10	-1	-14	5	-1
225(3, 7) =	1	1	2	0	8	0	-3	-15	15	5	-2	-1	-7	-7	-1	-2	-7	-1
225(3, 8) =	1	1	-1	3	4	-30	-3	5	-5	5	-7	-2	19	0	3	-1	-2	-17
225(3, 9) =	1	1	-1	-3	11	15	6	0	0	10	10	-1	-4	5	-1	-14	-10	-1
225(3,10) =	1	1	2	0	-2	60	-3	-5	5	5	8	-6	-7	-17	4	8	3	-1
225(3,11) =	1	1	-1	3	-1	15	-3	15	-15	5	-2	8	-1	8	-7	4	-7	-7
225(4, 8) =	1	1	-1	-3	-1	15	0	0	0	-20	1	-10	-1	11	20	4	11	5
225(4, 9) =	1	1	2	0	-2	-60	-3	5	5	-5	8	19	3	-2	-1	8	-17	-6
225(4,10) =	1	1	-1	3	4	30	-3	-5	-5	-5	-7	8	4	3	-17	-1	8	-3
225(5,10) =	1	1	-1	-3	-36	0	0	0	0	0	36	0	9	-9	0	-36	-9	8

TABLE 33 : IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 2 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	-60	0	36	0	0	0	48	15	-3	-12	15	12	-12	15
225(0, 1) =	1	-14	2	0	4	-60	-3	5	35	25	-17	24	3	-2	-24	13	3	-6
225(0, 2) =	1	-14	-1	3	-2	-90	-3	35	-5	-25	13	-2	24	13	3	-26	-2	3
225(0, 3) =	1	-14	-1	-3	10	30	-9	-5	35	5	-2	15	7	18	10	7	-12	-5
225(0, 4) =	1	-14	2	0	4	-60	-3	-5	-35	25	-17	-26	-2	3	24	13	13	4
225(0, 5) =	1	-14	-1	3	-12	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	10	-30	-9	35	5	-5	-2	-15	-3	-2	-5	7	18	15
225(0, 7) =	1	-14	2	0	4	60	-3	35	-5	-25	-17	4	-27	13	-6	13	-2	24
225(0, 8) =	1	-14	-1	3	-2	-90	-3	-35	5	-25	13	3	4	-27	-2	-26	3	-17
225(0, 9) =	1	-14	-1	-3	10	-30	-9	-35	-5	-5	-2	-5	-8	-12	-15	7	-2	10
225(0,10) =	1	-14	2	0	24	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	90	-3	5	35	25	13	3	-6	-2	-17	-26	-27	3
225(0,12) =	1	-14	-1	-3	10	30	-9	5	-35	5	-2	10	-3	-2	15	7	-2	-15
225(0,13) =	1	-14	2	0	4	60	-3	-35	5	-25	-17	-6	13	3	4	13	3	-26
225(0,14) =	1	-14	-1	3	-2	90	-3	-5	-35	25	13	-17	4	3	3	-26	13	-2
225(1, 2) =	1	1	-1	-3	7	-15	0	0	0	-20	7	7	-9	-3	7	1	-23	-3
225(1, 3) =	1	1	2	0	-11	15	-3	15	-15	5	-2	9	13	-2	-6	-2	3	-11
225(1, 4) =	1	1	-1	3	13	-15	12	0	0	-20	-2	-2	-6	3	-2	4	-2	3
225(1, 5) =	1	1	-1	-3	-8	-30	0	-10	20	10	-8	-3	6	7	7	1	12	-8
225(1, 6) =	1	1	2	0	4	30	-3	-5	-5	-5	13	4	-2	3	9	-2	-2	4
225(1, 7) =	1	1	-1	3	-2	30	-3	15	15	-5	-2	-2	9	-12	13	4	13	-12
225(1, 8) =	1	1	-1	-3	7	15	0	0	0	20	7	-3	16	7	-3	1	-3	7
225(1, 9) =	1	1	2	0	-11	-15	-3	-15	-15	-5	-2	4	-12	3	-11	-2	-2	9
225(1,10) =	1	1	-1	3	-2	0	-3	5	5	-5	-2	-12	-6	-2	13	4	3	3
225(1,11) =	1	1	-1	-3	-8	-30	0	10	-20	10	-8	7	1	-3	-3	1	-8	-8
225(1,12) =	1	1	2	0	4	30	12	0	0	-20	-2	-11	3	-12	-11	-2	13	9
225(1,13) =	1	1	-1	3	-2	-30	-3	-15	15	5	-2	-12	-11	13	3	4	3	13
225(2, 4) =	1	1	-1	-3	7	15	0	0	0	20	7	-3	-14	-23	-3	1	12	7
225(2, 5) =	1	1	2	0	4	-30	-3	5	-5	5	13	4	3	-2	-6	-2	-2	9
225(2, 6) =	1	1	-1	3	-2	30	-3	-15	-15	-5	-2	13	9	3	-2	4	-2	3
225(2, 7) =	1	1	-1	-3	-8	30	0	-20	-10	-10	-8	-3	1	12	-8	1	-3	7
225(2, 8) =	1	1	2	0	4	-30	12	0	0	20	-2	9	-2	13	9	-2	-12	-11
225(2, 9) =	1	1	-1	3	13	15	12	0	0	20	-2	3	4	-2	3	4	3	-2
225(2,10) =	1	1	-1	-3	-8	30	0	20	10	-10	-8	-8	-9	-8	-3	1	7	-8
225(2,11) =	1	1	2	0	-11	-15	-3	15	15	-5	-2	-11	3	3	4	-2	-2	-6
225(2,12) =	1	1	-1	3	-2	0	-3	-5	5	5	-2	3	-11	3	-2	4	3	13
225(3, 6) =	1	1	-1	-3	-5	15	6	0	0	-10	-2	0	7	-2	0	-8	3	-5
225(3, 7) =	1	1	2	0	-11	15	-3	-15	15	5	-2	-6	-2	-2	9	-2	3	4
225(3, 8) =	1	1	-1	3	-2	0	-3	5	-5	5	-2	-2	9	-2	3	4	-2	-12
225(3, 9) =	1	1	-1	-3	-5	-15	6	0	0	10	-2	-5	-3	3	-5	-8	-2	0
225(3,10) =	1	1	2	0	4	-30	-3	-5	5	5	13	-6	-2	-12	4	-2	3	4
225(3,11) =	1	1	-1	3	-2	-30	-3	15	-15	5	-2	3	-11	-2	-12	4	-12	-2
225(4, 8) =	1	1	-1	-3	7	-15	0	0	0	-20	7	7	6	12	7	1	7	-3
225(4, 9) =	1	1	2	0	4	30	-3	5	5	-5	13	9	3	-2	4	-2	-12	-6
225(4,10) =	1	1	-1	3	-2	0	-3	-5	-5	-5	-2	13	4	3	-12	4	-2	-2
225(5,10) =	1	1	-1	-3	12	0	0	0	0	0	12	-3	6	-3	-3	-24	-3	-3

TABLE 34: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 0 \pmod{5}$, $\text{IND } 3 = 0 \pmod{5}$, $\text{IND } 5 = 2 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	36	0	0	0	-9	9	0	-9	-36	0	-9	
225(0, 1) =	1	-14	2	0	4	60	-3	5	35	25	23	4	3	-2	14	-7	-17	-6
225(0, 2) =	1	-14	-1	3	-2	30	-3	35	-5	-25	-7	-2	4	-7	3	14	-2	-17
225(0, 3) =	1	-14	-1	-3	-14	30	-9	-5	35	5	-10	-9	-1	10	-14	-1	0	11
225(0, 4) =	1	-14	2	0	4	60	-3	-5	-35	25	23	14	-2	3	4	-7	-7	4
225(0, 5) =	1	-14	-1	3	-12	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	-1	-3	-14	-30	-9	35	5	-5	-10	1	9	10	11	-1	10	-9
225(0, 7) =	1	-14	2	0	4	-60	-3	35	-5	-25	23	4	13	-7	-6	-7	-2	4
225(0, 8) =	1	-14	-1	3	-2	30	-3	-35	5	-25	-7	3	-16	13	-2	14	3	23
225(0, 9) =	1	-14	-1	-3	-14	-30	-9	-35	-5	-5	-10	11	4	0	1	-1	-10	-14
225(0,10) =	1	-14	2	0	24	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	3
225(0,11) =	1	-14	-1	3	-2	-30	-3	5	35	25	-7	-17	-6	-2	23	14	13	3
225(0,12) =	1	-14	-1	-3	-14	30	-9	5	-35	5	-10	-14	-11	-10	-9	-1	10	1
225(0,13) =	1	-14	2	0	4	-60	-3	-35	5	-25	23	-6	-7	-17	4	-7	3	14
225(0,14) =	1	-14	-1	3	-2	-30	-3	-5	-35	25	-7	23	4	3	-17	14	-7	-2
225(1, 2) =	1	1	-1	-3	-1	-15	0	0	0	-20	1	-1	5	11	-1	-5	11	-1
225(1, 3) =	1	1	2	0	-1	-15	-3	15	-15	5	-2	-1	-7	8	14	-2	-7	-1
225(1, 4) =	1	1	-1	3	-7	45	12	0	0	-20	-2	8	14	-7	8	4	8	-7
225(1, 5) =	1	1	-1	-3	4	-30	0	-10	20	10	-4	-11	0	1	-1	5	16	9
225(1, 6) =	1	1	2	0	4	-30	-3	-5	-5	-5	-7	-16	-2	3	19	8	8	4
225(1, 7) =	1	1	-1	3	8	0	-3	15	15	-5	-2	8	-1	8	-7	4	-7	8
225(1, 8) =	1	1	-1	-3	-1	15	0	0	0	20	1	-1	-10	-19	-1	-5	11	-1
225(1, 9) =	1	1	2	0	-1	15	-3	-15	-15	-5	-2	-16	8	-7	-1	-2	8	-1
225(1,10) =	1	1	-1	3	-2	60	-3	5	5	-5	8	-2	-6	-2	-7	-16	-17	3
225(1,11) =	1	1	-1	-3	4	-30	0	10	-20	10	-4	-1	-5	-9	-11	5	-4	4
225(1,12) =	1	1	2	0	-16	-30	12	0	0	-20	-2	-1	-7	8	-1	-2	-7	-1
225(1,13) =	1	1	-1	3	8	0	-3	-15	15	5	-2	8	-1	-7	-7	4	-7	-7
225(2, 4) =	1	1	-1	-3	-1	15	0	0	0	20	1	-1	20	11	-1	-5	-4	-1
225(2, 5) =	1	1	2	0	4	30	-3	5	-5	5	-7	4	-17	8	-6	8	-2	19
225(2, 6) =	1	1	-1	3	8	0	-3	-15	-15	-5	-2	-7	-1	-7	8	4	8	-7
225(2, 7) =	1	1	-1	-3	4	30	0	-20	-10	-10	-4	9	5	16	4	5	-9	-1
225(2, 8) =	1	1	2	0	-16	30	12	0	0	20	-2	-1	8	-7	-1	-2	8	-1
225(2, 9) =	1	1	-1	3	-7	-45	12	0	0	20	-2	-7	-16	8	-7	4	-7	8
225(2,10) =	1	1	-1	-3	4	30	0	20	10	-10	-4	4	-5	-4	9	5	1	-11
225(2,11) =	1	1	2	0	-1	15	-3	15	15	-5	-2	-1	-7	-7	-16	-2	8	14
225(2,12) =	1	1	-1	3	-2	-60	-3	-5	5	8	3	-1	-17	-2	-16	3	-7	3
225(3, 6) =	1	1	-1	-3	11	15	6	0	0	-10	10	-4	-1	-10	-4	4	5	11
225(3, 7) =	1	1	2	0	-1	-15	-3	-15	15	5	-2	14	8	8	-1	-2	-7	-16
225(3, 8) =	1	1	-1	3	-2	-60	-3	5	-5	5	8	-2	19	8	3	-16	-2	-2
225(3, 9) =	1	1	-1	-3	11	-15	6	0	0	10	10	11	-1	5	11	4	-10	-4
225(3,10) =	1	1	2	0	4	30	-3	-5	5	5	-7	-6	8	-2	4	8	3	-16
225(3,11) =	1	1	-1	3	8	0	-3	15	-15	5	-2	-7	-1	8	8	4	8	8
225(4, 8) =	1	1	-1	-3	-1	-15	0	0	0	-20	1	-1	-10	-4	-1	-5	-19	-1
225(4, 9) =	1	1	2	0	4	-30	-3	5	5	-5	-7	19	3	-2	-16	8	-2	-6
225(4,10) =	1	1	-1	3	-2	60	-3	-5	-5	-5	8	-7	4	3	-2	-16	8	-2
225(5,10) =	1	1	-1	-3	-36	0	0	0	0	0	36	9	0	-9	9	0	-9	9

TABLE 35: IND 1 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	F	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	6	30	30	30	36	-3	-3	6	27	-18	6	-3
225(0, 1) =	1	-14	2	0	-2	90	-3	25	-5	5	13	14	3	-22	4	13	-7	-6
225(0, 2) =	1	-14	-1	3	-2	30	-13	5	5	-15	3	9	24	3	-17	-6	8	3
225(0, 3) =	1	-14	-1	-3	-4	0	-9	-5	-25	-15	6	7	7	26	2	-3	-14	7
225(0, 4) =	1	-14	2	0	-12	0	7	5	-5	-5	-17	-6	-2	13	24	13	3	4
225(0, 5) =	1	-14	-1	3	-12	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	16	0	-9	-5	25	-25	-14	-13	-3	-4	7	7	26	-3
225(0, 7) =	1	-14	2	0	-2	-30	-13	5	5	-15	3	-16	3	3	4	3	8	24
225(0, 8) =	1	-14	-1	3	8	60	-3	-25	5	15	3	13	-26	-7	-22	-6	-17	13
225(0, 9) =	1	-14	-1	-3	-24	0	1	-25	-35	25	-14	-3	-8	-14	-3	7	6	-8
225(0, 10) =	1	-14	2	0	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0, 11) =	1	-14	-1	3	-2	-90	-3	25	-5	5	13	-7	-6	-22	-17	-26	-7	3
225(0, 12) =	1	-14	-1	-3	16	0	11	5	5	-15	6	2	-3	6	7	-3	-4	-3
225(0, 13) =	1	-14	2	0	8	-60	-3	-35	5	15	3	4	13	-7	14	3	-17	-26
225(0, 14) =	1	-14	-1	3	-12	0	7	5	-5	-5	-17	3	4	13	-27	4	3	-2
225(1, 2) =	1	1	-1	-3	-12	0	0	-10	0	-10	8	-4	-9	8	6	-19	-7	6
225(1, 3) =	1	1	2	0	-2	-60	2	-10	10	-10	3	14	-2	-7	4	3	-7	-11
225(1, 4) =	1	1	-1	3	3	-45	-3	5	15	5	-7	-7	9	-7	3	-1	8	-12
225(1, 5) =	1	1	-1	-3	-2	0	0	10	10	20	-2	-4	6	8	1	1	8	6
225(1, 6) =	1	1	2	0	3	45	-8	-10	-20	10	13	-6	-2	-2	9	-2	3	4
225(1, 7) =	1	1	-1	3	3	-45	-3	5	-15	-25	-7	8	-6	8	3	14	-7	3
225(1, 8) =	1	1	-1	-3	-2	0	5	5	-5	5	3	11	16	-7	1	-9	8	-14
225(1, 9) =	1	1	2	0	3	-45	12	-10	0	-10	8	-16	3	-7	-6	-7	8	9
225(1, 10) =	1	1	-1	3	-2	0	-3	-5	25	5	-2	-7	-6	8	13	4	-7	3
225(1, 11) =	1	1	-1	-3	18	0	-5	5	-5	-5	-2	6	1	-2	-9	1	-12	1
225(1, 12) =	1	1	2	0	3	45	-3	5	15	5	-7	-1	-12	-7	-6	8	8	9
225(1, 13) =	1	1	-1	3	13	15	2	-10	-20	20	-12	-7	4	9	-3	9	8	-2
225(2, 4) =	1	1	-1	-3	-2	0	5	-5	5	3	-19	-14	-7	1	6	8	16	16
225(2, 5) =	1	1	2	0	-2	-30	2	20	-10	0	3	14	-12	3	-11	3	-7	9
225(2, 6) =	1	1	-1	3	3	45	12	-10	0	-10	8	8	9	-7	3	-1	8	3
225(2, 7) =	1	1	-1	-3	8	0	0	-20	20	0	-12	1	1	3	-4	6	-2	1
225(2, 8) =	1	1	2	0	-2	30	2	20	10	20	3	-1	13	8	4	-12	-7	-11
225(2, 9) =	1	1	-1	3	-2	-30	2	20	10	20	3	8	-11	8	-2	9	-7	13
225(2, 10) =	1	1	-1	-3	-2	0	-10	20	-10	0	-12	-4	-9	-12	1	6	8	-9
225(2, 11) =	1	1	2	0	3	45	-3	5	-15	-25	-7	-1	3	8	-6	-7	-7	-6
225(2, 12) =	1	1	-1	3	-7	15	-3	-5	5	-15	3	-2	4	-7	8	-6	13	-2
225(3, 6) =	1	1	-1	-3	-14	0	-4	-10	10	20	6	2	7	-4	-8	-3	-4	7
225(3, 7) =	1	1	2	0	13	-15	2	-10	-20	20	-12	-1	-2	8	4	3	8	4
225(3, 8) =	1	1	-1	3	-2	30	2	20	-10	0	3	-7	9	3	13	-6	-7	-12
225(3, 9) =	1	1	-1	-3	6	0	6	20	0	-10	-4	2	-3	-4	-3	2	-4	-3
225(3, 10) =	1	1	2	0	-7	-15	-3	-5	5	-15	3	-11	-2	-7	-1	3	13	4
225(3, 11) =	1	1	-1	3	-2	60	2	-10	10	-10	3	-7	-11	-7	-2	-6	-7	-2
225(4, 8) =	1	1	-1	-3	-12	0	0	-10	0	-10	8	11	6	8	6	11	-7	-9
225(4, 9) =	1	1	2	0	-2	0	-3	-5	25	5	-2	14	3	8	-11	-2	-7	-6
225(4, 10) =	1	1	-1	3	3	-45	-8	-10	-20	10	13	3	4	-2	3	-11	3	-2
225(5, 10) =	1	1	-1	-3	18	0	15	-15	-15	-15	18	6	6	-12	-9	-9	-12	6

TABLE 36: IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	F	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	12	0	6	30	30	30	12	9	9	-18	-21	-6	-18	9
225(0, 1) =	1	-14	2	0	-2	-30	-3	25	-5	5	-7	14	3	18	-16	-7	-7	-6
225(0, 2) =	1	-14	-1	3	-2	30	-13	5	5	-15	3	-12	4	3	23	-6	-12	-17
225(0, 3) =	1	-14	-1	-3	12	0	-9	-5	-25	-15	-18	-1	-1	2	-6	9	2	-1
225(0, 4) =	1	-14	2	0	8	60	7	5	-5	-5	23	-6	-2	-7	4	-7	3	4
225(0, 5) =	1	-14	-1	3	-12	0	12	0	0	0	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-8	0	-9	-5	25	-25	2	-1	9	12	-1	-1	2	9
225(0, 7) =	1	-14	2	0	-2	-30	-13	5	5	-15	3	24	-17	3	-16	3	-12	4
225(0, 8) =	1	-14	-1	3	-12	0	-3	-35	5	15	3	-7	14	-7	18	-6	23	-7
225(0, 9) =	1	-14	-1	-3	32	0	1	-25	-35	25	2	9	4	2	-11	-1	-18	4
225(0,10) =	1	-14	2	0	-12	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	30	-3	25	-5	5	-7	-7	-6	18	23	14	-7	3
225(0,12) =	1	-14	-1	-3	-8	0	11	5	5	-15	-18	-6	-11	-18	-1	9	12	-11
225(0,13) =	1	-14	2	0	-12	0	-3	-35	5	15	3	-16	-7	-7	-6	3	23	14
225(0,14) =	1	-14	-1	3	8	-60	7	5	-5	-5	23	3	4	-7	13	-16	3	-2
225(1, 2) =	1	1	-1	-3	0	0	0	-10	0	-10	0	10	5	0	0	15	-5	-10
225(1, 3) =	1	1	2	0	8	30	2	-10	10	-10	-7	-6	8	13	4	-7	3	-1
225(1, 4) =	1	1	-1	3	3	15	-3	5	15	5	3	13	-1	3	3	9	-2	8
225(1, 5) =	1	1	-1	-3	10	0	0	10	10	20	-10	-10	0	0	5	5	20	0
225(1, 6) =	1	1	2	0	-7	15	-8	-10	-20	10	-7	-6	-2	8	1	8	3	4
225(1, 7) =	1	1	-1	3	3	15	-3	5	-15	-25	3	-2	14	-12	3	-6	13	-7
225(1, 8) =	1	1	-1	-3	-10	0	5	5	-5	5	-15	-10	-5	-5	5	0	20	0
225(1, 9) =	1	1	2	0	3	75	12	-10	0	-10	-12	4	-7	3	-6	3	-2	-1
225(1,10) =	1	1	-1	3	-2	-60	-3	-5	25	5	8	-7	-6	-12	-7	-16	-7	3
225(1,11) =	1	1	-1	-3	-10	0	-5	5	-5	-5	-10	0	-5	-10	-5	0	0	-5
225(1,12) =	1	1	2	0	3	-15	-3	5	15	5	3	-11	8	3	-6	-12	-2	-1
225(1,13) =	1	1	-1	3	-7	15	2	-10	-20	20	8	3	-16	-2	-2	-1	-12	8
225(2, 4) =	1	1	-1	-3	-10	0	5	5	-5	5	15	20	-5	-5	-10	0	-10	0
225(2, 5) =	1	1	2	0	-2	-30	2	20	-10	0	3	-6	-2	3	-1	3	3	19
225(2, 6) =	1	1	-1	3	3	-75	12	-10	0	-10	-12	-2	-1	3	3	9	-2	-7
225(2, 7) =	1	1	-1	-3	0	0	0	-20	20	0	0	5	5	20	0	0	-10	5
225(2, 8) =	1	1	2	0	3	-60	2	20	10	20	-7	7	-7	-2	4	8	3	-1
225(2, 9) =	1	1	-1	3	3	60	2	20	10	20	-7	-12	-1	-2	-2	-1	3	-7
225(2,10) =	1	1	-1	-3	10	0	-10	20	-10	0	0	0	-5	0	5	0	0	-5
225(2,11) =	1	1	2	0	3	-15	-3	5	-15	-25	3	-11	-7	-12	-6	3	13	14
225(2,12) =	1	1	-1	3	3	45	-3	-5	5	-15	3	8	-16	-7	-12	-6	-7	8
225(3, 6) =	1	1	-1	-3	2	0	-4	-10	10	20	2	-6	-1	-8	4	-1	12	-1
225(3, 7) =	1	1	2	0	-7	-15	2	-10	-20	20	8	9	8	-2	4	-7	-12	-16
225(3, 8) =	1	1	-1	3	-2	30	2	20	-10	0	3	3	19	3	-7	-6	3	-2
225(3, 9) =	1	1	-1	-3	-18	0	6	20	0	-10	12	4	-1	12	9	-6	-8	-1
225(3,10) =	1	1	2	0	3	-45	-3	-5	5	-15	3	-1	8	-7	9	3	-7	-16
225(3,11) =	1	1	-1	3	3	-30	2	-10	10	-10	-7	3	-1	13	-2	14	3	8
225(4, 8) =	1	1	-1	-3	0	0	0	-10	0	-10	0	-5	-10	0	0	-15	-5	5
225(4, 9) =	1	1	2	0	-2	60	-3	-5	25	5	8	14	3	-12	-1	8	-7	-6
225(4,10) =	1	1	-1	3	-7	-15	-8	-10	-20	10	-7	3	4	8	-17	-1	3	-2
225(5,10) =	1	1	-1	-3	30	0	15	-15	-15	-15	30	0	0	0	15	-15	0	0

TABLE 37: IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	I	A	D	C	E	X	M	V	W	B0	B1	B2	B3	B4	B5	B6	B7	
225(0, 0)	1	-44	-1	-3	0	0	6	30	30	30	18	-3	15	-12	27	0	-12	-3
225(0, 1)	1	-14	2	0	-2	30	-3	25	-5	5	-17	14	3	8	-26	13	-7	-6
225(0, 2)	1	-14	-1	3	4	0	-13	5	5	-15	3	-22	-6	3	13	-6	0	3
225(0, 3)	1	-14	-1	-3	10	-30	-9	-5	-25	-15	-12	7	-5	8	2	15	-2	7
225(0, 4)	1	-14	2	0	-12	-60	7	5	-5	-5	13	-6	-2	-17	-6	-17	3	4
225(0, 5)	1	-14	-1	3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	-1	-3	10	30	-9	-5	25	-25	-2	-13	15	0	7	-5	0	-3
225(0, 7)	1	-14	2	0	-2	30	-13	5	5	-15	3	14	-27	3	-26	3	-22	24
225(0, 8)	1	-14	-1	3	14	30	-3	-35	5	15	3	13	4	-7	8	-6	13	-17
225(0, 9)	1	-14	-1	-3	-30	30	1	-25	-35	25	-2	-3	10	-2	-3	-5	-12	-8
225(0, 10)	1	-14	2	0	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	-6
225(0, 11)	1	-14	-1	3	4	-60	-3	25	-5	5	13	-7	-6	8	13	4	-7	3
225(0, 12)	1	-14	-1	-3	10	-30	11	5	5	-15	-12	2	-15	-12	7	15	0	-3
225(0, 13)	1	-14	2	0	0	0	-3	-35	5	15	3	4	13	-7	-16	3	13	4
225(0, 14)	1	-14	-1	3	-3	30	7	5	-5	-5	13	3	4	13	3	-26	3	-2
225(1, 2)	1	1	-1	-3	3	15	0	-10	0	-10	17	11	-3	-13	6	2	-13	-9
225(1, 3)	1	1	2	0	-2	-30	2	-10	10	-10	-12	-1	13	0	4	3	0	-11
225(1, 4)	1	1	-1	3	-6	-30	-3	5	15	5	8	9	8	0	3	-1	-7	3
225(1, 5)	1	1	1	-3	-8	30	0	10	10	20	-8	-4	-3	2	1	7	17	6
225(1, 6)	1	1	2	0	3	-15	-8	-10	-20	10	-2	-6	-2	13	24	13	3	4
225(1, 7)	1	1	-1	3	-6	-30	-3	5	-15	-25	-7	8	9	-7	3	-1	8	-12
225(1, 8)	1	1	-1	-3	7	-15	5	5	-5	5	-19	7	-13	1	-3	17	16	16
225(1, 9)	1	1	2	0	5	-75	12	-10	0	-10	-7	-1	-12	0	-6	0	-7	9
225(1, 10)	1	1	-1	3	4	30	-3	-5	25	5	-2	-7	-6	-7	-2	-11	-7	3
225(1, 11)	1	1	-1	-3	12	30	-5	5	-5	-8	6	-8	-8	-9	7	-3	1	1
225(1, 12)	1	1	2	0	15	-3	5	15	5	-7	-16	3	-7	-6	-7	0	-6	-6
225(1, 13)	1	1	-1	3	4	0	2	-10	-20	20	3	-7	-11	8	-2	-6	-7	13
225(2, 4)	1	1	-1	-3	7	-15	5	5	-5	5	-3	11	7	2	1	-3	-13	-14
225(2, 5)	1	1	2	0	-2	30	2	20	-10	0	3	-1	3	4	3	0	8	9
225(2, 6)	1	1	-1	3	-6	60	12	-10	0	-10	-7	-7	-6	-7	3	14	8	3
225(2, 7)	1	1	-1	-3	2	-30	0	-20	20	0	-3	1	7	17	-4	-3	-8	1
225(2, 8)	1	1	2	0	-2	60	2	20	10	20	3	14	-2	8	4	3	-7	4
225(2, 9)	1	1	-1	3	-11	-45	2	20	10	20	-12	-7	-11	-7	-2	9	0	-2
225(2, 10)	1	1	-1	-3	-8	-30	-10	20	-10	0	-3	-4	-3	-3	1	-3	2	-9
225(2, 11)	1	1	2	0	3	15	-3	5	-15	-25	8	-1	5	-7	-6	-7	8	9
225(2, 12)	1	1	-1	3	-1	-15	-3	-5	5	-15	3	-2	-11	-7	-7	-6	-2	13
225(3, 6)	1	1	-1	-3	-5	-15	-4	-10	10	20	3	2	-5	-7	-8	0	8	7
225(3, 7)	1	1	2	0	13	15	2	-10	-20	20	3	-1	-2	-7	4	-12	-7	-11
225(3, 8)	1	1	-1	3	4	0	2	20	-10	0	3	8	24	3	-2	-6	-7	-12
225(3, 9)	1	1	-1	-3	15	15	6	20	0	-10	8	2	0	8	-3	-10	-7	-3
225(3, 10)	1	1	2	0	-7	45	-3	-5	5	-15	3	-11	-2	-7	14	3	-2	-11
225(3, 11)	1	1	-1	3	-11	45	2	-10	10	-10	3	3	4	8	-2	9	-7	-2
225(4, 8)	1	1	-1	-3	-3	15	0	-10	0	-10	-13	-4	-3	17	6	2	2	6
225(4, 9)	1	1	2	0	-2	-60	-3	-5	25	5	13	14	3	-7	4	-2	-7	-6
225(4, 10)	1	1	-1	3	9	-15	-8	-10	-20	10	-2	3	4	-2	-12	4	3	-2
225(5, 10)	1	1	-1	-3	-16	0	15	-15	-15	-15	27	6	-3	-3	-9	-18	-3	6

TABLE 33 : IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	-24	0	6	30	30	30	30	0	-9	0	-21	-24	0	9
225(0, 1) =	1	-14	2	0	-2	-90	-3	25	-5	5	23	14	3	-12	14	-7	-7	-6
225(0, 2) =	1	-14	-1	3	4	0	-13	5	5	-15	3	18	34	3	-7	-6	-12	-17
225(0, 3) =	1	-14	-1	-3	6	-30	-9	-5	-25	-15	0	-1	11	20	-6	-9	-10	-1
225(0, 4) =	1	-14	2	0	8	0	7	5	-5	-5	-7	-6	-2	23	34	23	3	4
225(0, 5) =	1	-14	-1	3	24	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	-1	-3	-14	30	-9	-5	25	-25	-10	-1	-9	0	-1	11	20	9
225(0, 7) =	1	-14	2	0	-2	30	-13	5	5	-15	3	-6	13	3	14	3	18	4
225(0, 8) =	1	-14	-1	3	-6	-30	-3	-35	5	15	3	-7	-16	-7	-12	-6	-7	23
225(0, 9) =	1	-14	-1	-3	26	30	1	-25	-35	25	-10	9	-14	-10	-11	11	0	4
225(0,10) =	1	-14	2	0	-12	0	12	0	0	-12	-6	3	3	-6	-12	3	-6	3
225(0,11) =	1	-14	-1	3	4	60	-3	25	-5	5	-7	-7	-6	-12	-7	-16	-7	3
225(0,12) =	1	-14	-1	-3	-14	-30	11	5	5	-15	0	-6	1	0	-1	-9	0	-11
225(0,13) =	1	-14	2	0	-12	60	-3	-35	5	15	3	-16	-7	-7	24	3	-7	-16
225(0,14) =	1	-14	-1	3	14	-30	7	5	-5	-5	-7	3	4	-7	-17	14	3	-2
225(1, 2) =	1	1	-1	-3	9	15	0	-10	0	-10	-9	-5	-1	21	0	-6	1	5
225(1, 3) =	1	1	2	0	8	60	2	-10	10	-10	8	9	-7	-2	4	-7	-12	-1
225(1, 4) =	1	1	-1	3	-6	30	-3	5	15	5	-12	-2	-1	-12	3	9	13	-7
225(1, 5) =	1	1	-1	-3	4	30	0	10	10	20	-4	-10	9	6	5	-1	11	0
225(1, 6) =	1	1	2	0	-7	-45	-8	-10	20	10	8	-6	-2	-7	4	-7	3	4
225(1, 7) =	1	1	-1	3	-6	30	-3	5	-15	-25	3	-2	-1	3	3	9	-2	8
225(1, 8) =	1	1	-1	-3	-1	-15	5	5	-5	5	-4	15	-1	1	-5	-1	-9	-10
225(1, 9) =	1	1	2	0	3	45	12	-10	0	-10	3	-11	0	-12	-6	-12	13	-1
225(1,10) =	1	1	-1	3	4	-30	-3	-5	25	5	8	-7	-6	3	8	-1	-7	3
225(1,11) =	1	1	-1	-3	-16	30	-5	5	-5	-4	0	4	-4	-5	-1	-9	-5	3
225(1,12) =	1	1	2	0	3	-45	-3	5	15	5	3	4	-7	3	-6	3	-2	14
225(1,13) =	1	1	-1	3	-16	0	2	-10	-20	20	-7	3	-1	-2	-2	14	3	-7
225(2, 4) =	1	1	-1	-3	-1	-15	5	5	-5	5	11	-15	-1	-14	-5	-1	21	20
225(2, 5) =	1	1	2	0	-2	30	2	20	-10	0	3	9	-17	2	-16	3	-12	19
225(2, 6) =	1	1	-1	3	-6	-60	12	-10	0	-10	3	13	14	3	3	-6	-2	-7
225(2, 7) =	1	1	-1	-3	-6	-30	0	-20	20	0	-9	5	-1	11	0	9	-4	5
225(2, 8) =	1	1	2	0	8	-30	2	20	10	20	-7	-6	8	-2	4	-7	3	-16
225(2, 9) =	1	1	-1	3	-1	45	2	20	10	20	8	3	-1	13	-2	-1	-12	8
225(2,10) =	1	1	-1	-3	4	-30	-10	20	-10	0	-9	0	-11	-9	5	9	6	-5
225(2,11) =	1	1	2	0	3	-45	-3	5	-15	-12	-11	-7	3	-6	3	-2	-1	3
225(2,12) =	1	1	-1	3	7	15	-3	-5	5	-15	3	8	-1	-7	3	-6	8	-7
225(3, 6) =	1	1	-1	-3	11	-15	-4	-10	10	20	5	-6	11	-5	4	-4	0	-1
225(3, 7) =	1	1	2	0	-7	15	2	-10	-20	20	-7	9	8	13	4	8	3	-1
225(3, 8) =	1	1	-1	3	4	0	2	20	-10	0	3	-12	4	3	8	-6	3	-2
225(3, 9) =	1	1	-1	-3	-9	15	6	20	0	-10	0	4	-4	0	9	6	-5	-1
225(3,10) =	1	1	2	0	3	15	-3	-5	5	-15	3	-1	8	-7	-6	3	8	-1
225(3,11) =	1	1	-1	3	-1	-45	2	-10	10	-10	-7	-12	-16	-2	-2	-1	3	8
225(4, 8) =	1	1	-1	-3	9	15	0	-10	0	-10	21	10	-1	-9	0	-6	-14	-10
225(4, 9) =	1	1	2	0	-2	0	-3	-5	25	5	-7	14	3	3	-16	8	-7	-6
225(4,10) =	1	1	-1	3	-1	15	-8	-10	-20	10	8	3	4	8	-2	-16	3	-2
225(5,10) =	1	1	-1	-3	-6	0	15	-15	-15	-15	21	0	9	-9	15	-6	-9	0

TABLE 39: IND 2 = 1 (MOD 3), IND 2 = 0 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 2 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	Y0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	0	0	6	30	30	30	18	15	-3	-12	-45	-10	-12	15
225(0, 1) =	1	-14	2	0	4	60	-3	25	-5	5	13	14	3	8	4	-17	-7	-6
225(0, 2) =	1	-14	-1	3	-2	-30	-13	5	5	-15	3	6	24	3	13	-6	-22	-27
225(0, 3) =	1	-14	-1	-3	-10	30	-9	-5	-25	-15	-12	-5	7	8	-10	-3	-2	-5
225(0, 4) =	1	-14	2	0	-6	-30	7	5	-5	13	-6	-2	13	24	13	3	4	
225(0, 5) =	1	-14	-1	3	-12	0	12	0	0	-12	3	-6	3	3	24	3	3	
225(0, 6) =	1	-14	-1	-3	10	-30	-9	-5	25	-25	-2	5	-3	8	-5	7	8	15
225(0, 7) =	1	-14	2	0	4	0	-13	5	5	-15	3	14	3	3	4	3	8	-6
225(0, 8) =	1	-14	-1	3	8	0	-3	-35	5	15	3	-17	4	-7	8	-6	13	13
225(0, 9) =	1	-14	-1	-3	-30	-30	1	-25	-35	25	-2	15	-8	-2	-15	7	-12	10
225(0,10) =	1	-14	2	0	24	0	12	0	0	-12	-6	3	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	-30	-3	25	-5	5	-17	-7	-6	8	13	4	-7	3
225(0,12) =	1	-14	-1	-3	10	30	11	5	5	-15	-12	-10	-3	-12	-5	-3	8	-15
225(0,13) =	1	-14	2	0	14	-30	-3	-35	5	15	3	-26	-17	-7	14	3	13	4
225(0,14) =	1	-14	-1	3	-12	60	7	5	-5	-5	13	3	4	-17	3	4	3	-2
225(1, 2) =	1	1	-1	-3	-3	-15	0	-10	0	-10	-13	2	6	17	-3	11	2	-3
225(1, 3) =	1	1	2	0	-11	-45	2	-10	10	-10	3	-1	-2	8	4	-12	-7	4
225(1, 4) =	1	1	-1	3	3	-15	-3	5	15	5	-7	8	-6	-7	3	14	8	3
225(1, 5) =	1	1	-1	-3	-8	-30	0	10	10	20	-8	-13	6	2	7	1	17	-3
225(1, 6) =	1	1	2	0	9	15	-8	-10	-20	10	-2	-6	-2	-2	9	-2	3	4
225(1, 7) =	1	1	-1	3	3	-15	-3	5	-15	-25	8	-7	9	-7	3	-1	8	3
225(1, 8) =	1	1	-1	-3	7	15	5	5	-5	5	-3	2	-14	2	-8	6	-13	7
225(1, 9) =	1	1	2	0	-6	-60	12	-10	0	-10	-7	-1	3	-7	-6	-7	8	-6
225(1,10) =	1	1	-1	3	-2	60	-3	-5	25	5	13	-7	-6	-7	-2	-11	-7	3
225(1,11) =	1	1	-1	-3	12	-30	-5	5	-5	-8	-3	1	-8	-3	1	-3	-8	
225(1,12) =	1	1	2	0	-6	30	-3	5	15	5	8	-1	3	8	-6	-7	-7	9
225(1,13) =	1	1	-1	3	13	-15	2	-10	-20	20	3	8	-11	-7	-2	9	-7	-2
225(2, 4) =	1	1	-1	-3	7	15	5	5	-5	5	12	2	-16	-13	-8	-9	17	7
225(2, 5) =	1	1	2	0	4	0	2	20	-10	0	3	-1	-12	3	-11	3	-7	24
225(2, 6) =	1	1	-1	3	3	75	12	-10	0	-10	-7	8	9	8	3	-1	-7	-12
225(2, 7) =	1	1	-1	-3	2	30	0	-20	20	0	-3	7	1	17	2	6	-8	7
225(2, 8) =	1	1	2	0	-11	45	2	20	10	20	-12	-1	-2	-7	4	3	8	-11
225(2, 9) =	1	1	-1	3	-2	-60	3	20	10	20	3	-7	4	8	-2	-6	-7	-2
225(2,10) =	1	1	-1	-3	-8	30	-10	20	-10	0	-3	2	-9	-3	7	6	2	-3
225(2,11) =	1	1	2	0	-6	30	-3	5	-15	-25	-7	-16	-12	-7	-6	8	8	9
225(2,12) =	1	1	-1	3	-7	-45	-3	-5	5	-15	3	13	-11	-7	-7	-6	-2	-2
225(3, 6) =	1	1	-1	-3	-5	15	-4	-10	10	20	3	-10	7	-7	10	-3	8	-5
225(3, 7) =	1	1	2	0	4	0	2	-10	-20	20	3	14	13	8	4	3	-7	-11
225(3, 8) =	1	1	-1	3	-2	-30	2	30	-10	0	3	-7	9	3	-2	-6	8	3
225(3, 9) =	1	1	-1	-3	15	-15	6	20	0	-10	9	5	-3	8	15	2	-7	0
225(3,10) =	1	1	2	0	-1	15	-3	-5	5	-15	3	4	13	-7	-1	3	-2	-11
225(3,11) =	1	1	-1	3	-2	30	2	-10	10	-10	-12	-7	-11	8	-2	9	8	13
225(4, 8) =	1	1	-1	-3	-3	-15	0	-10	0	-10	17	2	-9	-13	-3	-19	-13	-3
225(4, 9) =	1	1	2	0	4	-30	-3	-5	25	5	-2	14	3	-7	-11	13	-7	-6
225(4,10) =	1	1	-1	3	3	15	-8	-10	-20	10	-2	3	4	13	-12	-11	3	-2
225(5,10) =	1	1	-1	-3	-18	0	15	-15	-15	-15	27	-3	6	-3	27	-9	-3	-3

TABLE 40 : $IND\ 2 = 1\ (MOD\ 3)$, $IND\ 2 = 0\ (MOD\ 5)$, $IND\ 3 = 1\ (MOD\ 5)$, $IND\ 5 = 2\ (MOD\ 3)$, $C = -1\ (MOD\ 5)$

	P	1	A	B	C	D	X	L	V	W	DO	D1	D2	D3	D4	D5	D6	D7
225(0,0)	1	-44	-1	-3	-24	0	6	30	30	30	30	-9	9	0	51	-6	0	-9
225(0,1)	1	-14	2	0	4	-60	-3	25	-5	5	-7	14	3	-12	-16	23	-7	-6
225(0,2)	1	-14	-1	3	-2	-30	-13	5	-5	-15	3	-12	4	3	-7	-6	18	13
225(0,3)	1	-14	-1	-3	6	30	-9	-5	-25	-15	0	11	-1	20	6	9	-10	11
225(0,4)	1	-14	2	0	14	30	7	5	-5	-5	-7	-6	-2	-7	4	-7	3	4
225(0,5)	1	-14	-1	3	-12	0	12	0	0	-12	3	-6	3	3	24	3	3	3
225(0,6)	1	-14	-1	-3	-14	-30	-9	-5	25	-25	-10	-19	9	0	11	-1	20	-9
225(0,7)	1	-14	2	0	4	0	-13	5	5	-15	3	-6	-17	3	-16	3	-12	34
225(0,8)	1	-14	-1	3	-12	-60	-3	-35	5	15	3	23	-16	-7	-12	-6	-7	-7
225(0,9)	1	-14	-1	-3	26	-30	1	-25	-35	25	-10	-9	4	-10	1	-1	0	-14
225(0,10)	1	-14	2	0	24	0	12	0	0	0	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-2	90	-3	25	-5	5	23	-7	-6	-12	-7	-16	-7	3
225(0,12)	1	-14	-1	-3	-14	30	11	5	5	-15	0	6	-11	0	11	9	0	1
225(0,13)	1	-14	2	0	-6	30	-3	-35	5	15	3	14	23	-7	-6	3	-7	-16
225(0,14)	1	-14	-1	3	8	0	7	5	-5	-5	-7	3	4	23	-17	-16	3	-2
225(1,2)	1	1	-1	-3	9	-15	0	-10	0	-10	21	4	-10	-9	9	-15	-14	-1
225(1,3)	1	1	2	0	-1	45	2	-10	10	-10	-7	9	3	-2	4	8	3	-16
225(1,4)	1	1	-1	3	3	45	-3	5	15	5	3	-2	14	3	3	-6	-2	-7
225(1,5)	1	1	-1	-3	4	-30	0	10	10	20	-4	-1	0	6	-1	5	11	9
225(1,6)	1	1	2	0	-1	-15	-8	-10	-20	10	8	-6	-2	8	19	8	3	4
225(1,7)	1	1	-1	3	3	45	-3	5	-15	-25	-12	13	-1	3	3	9	-2	-7
225(1,8)	1	1	-1	-3	-1	15	5	5	-5	5	11	-6	20	-14	4	-10	21	-1
225(1,9)	1	1	2	0	-6	60	12	-10	0	-10	3	-11	-7	3	-6	3	-2	14
225(1,10)	1	1	-1	3	-2	0	-3	-5	25	5	-7	-7	-6	3	8	-1	-7	3
225(1,11)	1	1	-1	-3	-16	-30	-5	5	-5	-4	9	-5	-4	-11	5	-9	4	4
225(1,12)	1	1	2	0	-6	-30	-3	5	15	5	-12	-11	-7	-12	-6	3	13	-1
225(1,13)	1	1	-1	3	-7	-15	2	-10	-20	20	-7	-12	-1	13	-2	-1	3	8
225(2,4)	1	1	-1	-3	-1	15	5	5	-5	5	-4	-6	-10	1	4	5	-9	-1
225(2,5)	1	1	2	0	4	0	2	20	-10	0	3	9	-2	3	-1	3	3	4
225(2,6)	1	1	-1	3	3	-45	12	-10	0	-10	3	-2	-1	-12	3	9	13	8
225(2,7)	1	1	-1	-3	-6	30	0	-20	20	0	-9	-1	5	11	-6	0	-4	-1
225(2,8)	1	1	2	0	-1	-45	2	20	10	20	8	9	8	13	4	-7	-12	-1
225(2,9)	1	1	-1	3	8	30	2	20	10	20	-7	3	-16	-2	-2	14	3	8
225(2,10)	1	1	-1	-3	4	30	-10	20	-10	0	-9	-6	-5	-9	-1	0	6	-11
225(2,11)	1	1	2	0	-6	-30	-3	5	-15	-25	3	4	8	3	-6	-12	-2	-1
225(2,12)	1	1	-1	3	3	-15	-3	-5	5	-15	3	-7	-1	-7	3	-6	8	8
225(3,6)	1	1	-1	-3	11	15	-4	-10	10	20	5	6	-1	-5	-14	-1	0	11
225(3,7)	1	1	2	0	-16	0	2	-10	-20	20	-7	-6	-7	-2	4	-7	3	-1
225(3,8)	1	1	-1	3	-2	-30	2	20	-10	0	3	3	19	3	8	-6	-12	-17
225(3,9)	1	1	-1	-3	-9	-15	6	20	0	-10	0	1	-1	0	-9	-6	-5	-4
225(3,10)	1	1	2	0	9	-15	-3	-5	5	-15	3	-16	-7	-7	9	3	8	-1
225(3,11)	1	1	-1	3	8	-60	2	-10	10	8	3	-1	-2	-2	-1	-12	-7	7
225(4,8)	1	1	-1	-3	9	-15	0	-10	0	-10	-9	4	5	21	9	15	1	-1
225(4,9)	1	1	2	0	4	30	-3	-5	25	5	8	14	3	3	-1	-7	-7	-6
225(4,10)	1	1	-1	3	-7	45	-8	-10	-20	10	8	3	4	-7	-2	-1	3	-2
225(5,10)	1	1	-1	-3	-6	0	15	-15	-15	-15	21	9	0	-9	-21	-15	-9	9

TABLE 41: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	S	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0) =	1	-44	-1	-3	-24	0	-9	45	-45	-45	-24	-3	-3	6	-3	12	6	-3
225(0, 1) =	1	-14	2	0	-2	-30	2	-10	30	-30	13	-6	3	-2	4	-17	3	-6
225(0, 2) =	1	-14	-1	3	-2	-30	-3	-35	-25	5	13	-2	-6	-17	3	4	-2	3
225(0, 3) =	1	-14	-1	-3	16	0	11	-15	25	-15	-14	-3	7	6	-8	7	6	7
225(0, 4) =	1	-14	2	0	-2	-30	-13	15	15	25	13	4	-2	3	-6	-17	-17	4
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	16	0	-4	-40	0	0	-14	-3	3	16	7	7	6	-3
225(0, 7) =	1	-14	2	0	-2	30	-3	-35	-25	5	13	4	3	-17	-6	-17	-2	-6
225(0, 8) =	1	-14	-1	3	-2	-30	17	15	-5	15	13	3	4	3	-2	4	3	13
225(0, 9) =	1	-14	-1	-3	16	0	11	15	15	25	-14	7	-8	6	-3	7	-14	-8
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	30	2	-10	30	-30	13	3	-6	-2	13	4	3	3
225(0,12) =	1	-14	-1	-3	16	0	-9	-5	5	35	-14	-8	-3	-14	-3	7	16	-3
225(0,13) =	1	-14	2	0	-2	30	17	15	-5	15	13	-6	13	3	4	-17	3	4
225(0,14) =	1	-14	-1	3	-2	30	-13	15	15	25	13	13	4	3	3	4	-17	-2
225(1, 2) =	1	1	-1	-3	-2	0	5	-5	-15	5	-2	16	6	3	-14	1	-2	-9
225(1, 3) =	1	1	2	0	-2	0	-8	-10	0	10	-2	-6	-2	13	9	-2	3	4
225(1, 4) =	1	1	-1	3	13	-45	2	10	-30	-10	-2	13	0	3	13	4	-2	-12
225(1, 5) =	1	1	-1	-3	-2	0	5	15	-15	-2	-9	6	-2	1	1	18	6	4
225(1, 6) =	1	1	2	0	-2	60	2	0	10	-2	-11	-2	3	24	13	13	4	4
225(1, 7) =	1	1	-1	3	-2	0	2	-20	0	-10	-2	-2	9	3	-2	4	-2	3
225(1, 8) =	1	1	-1	-3	-2	0	-5	5	15	-5	-2	6	-14	-2	-9	1	3	16
225(1, 9) =	1	1	2	0	-2	0	2	10	0	20	-2	-11	3	-12	4	-2	13	-6
225(1,10) =	1	1	-1	3	-2	-60	2	-10	0	0	-2	-12	-6	-2	-2	-11	-12	3
225(1,11) =	1	1	-1	-3	-2	0	-10	0	10	-2	1	1	-12	3	-11	-2	-2	1
225(1,12) =	1	1	2	0	13	45	2	10	-30	-10	-2	-11	-12	3	-11	-2	-2	9
225(1,13) =	1	1	-1	3	-2	0	7	5	15	-5	-2	3	-11	-2	3	4	-12	-2
225(2, 4) =	1	1	-1	-3	-2	0	-5	5	15	-5	-2	-9	16	-2	6	1	3	-14
225(2, 5) =	1	1	2	0	-2	-60	-3	-5	5	-5	-2	4	-12	13	-6	13	-2	24
225(2, 6) =	1	1	-1	3	-2	0	2	10	0	20	-2	-2	-6	-12	-2	4	13	3
225(2, 7) =	1	1	-1	-3	-2	0	5	15	-5	15	-2	6	1	18	1	1	-12	1
225(2, 8) =	1	1	2	0	13	-45	-8	20	0	-20	-2	9	13	-2	9	-2	3	-11
225(2, 9) =	1	1	-1	3	13	45	-8	20	0	-20	-2	-12	-11	-2	-12	4	3	13
225(2,10) =	1	1	-1	-3	-2	0	0	-20	-10	-10	-2	1	-9	-2	6	1	-2	-9
225(2,11) =	1	1	2	0	-2	0	2	-20	0	-10	-2	4	3	3	-11	-2	-2	9
225(2,12) =	1	1	-1	3	-2	60	2	0	10	0	-2	3	-11	-2	-11	3	-2	3
225(3, 6) =	1	1	-1	-3	-14	0	1	5	-15	-5	16	-3	7	-14	-3	-8	6	7
225(3, 7) =	1	1	2	0	-2	0	7	5	15	-5	-2	9	-2	-2	-6	-2	-12	-11
225(3, 8) =	1	1	-1	3	-2	60	-3	-5	5	-5	-2	-2	24	13	3	-11	-2	-12
225(3, 9) =	1	1	-1	-3	-14	0	-4	10	0	-10	16	7	-3	6	7	-8	-14	-3
225(3,10) =	1	1	2	0	-2	-60	2	0	10	0	-2	-6	-2	-12	4	13	3	-11
225(3,11) =	1	1	-1	3	-3	0	-8	-10	0	10	-2	3	4	13	3	4	3	-2
225(4, 8) =	1	1	-1	-3	-3	0	5	-5	-15	5	-2	-14	-9	3	16	1	-2	6
225(4, 9) =	1	1	2	0	-2	60	2	-10	0	0	-2	24	3	-2	-11	13	-12	-6
225(4,10) =	1	1	-1	3	-2	-60	2	0	0	0	-2	-2	4	3	-12	-11	13	-2
225(5,10) =	1	1	-1	-3	48	0	0	0	0	0	48	6	6	-12	6	-24	-12	6

TABLE 43 : IND 2 = 1 (MOD 3), IND 3 = 1 (MOD 5), IND 4 = 3 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	-60	0	-9	45	-45	48	-3	15	-12	-3	-60	-12	-3	
225(0, 1) =	1	-14	2	0	-2	-90	2	-10	30	-30	13	24	3	-2	4	13	-27	-6
225(0, 2) =	1	-14	-1	3	4	-60	-3	-35	-25	5	-17	-2	24	13	3	4	-2	-27
225(0, 3) =	1	-14	-1	-3	10	-30	11	-15	25	-15	-2	-3	-5	18	-8	-5	-12	7
225(0, 4) =	1	-14	2	0	-2	-90	-13	15	15	25	13	4	-2	3	24	13	13	4
225(0, 5) =	1	-14	-1	3	24	0	-3	15	-15	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	-1	-3	10	30	-4	-40	0	0	-3	15	-2	7	-5	18	-3	-3
225(0, 7) =	1	-14	2	0	-2	90	-3	-35	-25	5	13	4	3	13	-6	13	-2	24
225(0, 8) =	1	-14	-1	3	4	-60	17	15	-5	15	-17	3	-26	3	-2	4	3	13
225(0, 9) =	1	-14	-1	-3	10	30	11	15	15	25	-2	7	10	-12	-3	-5	-2	-8
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-12	-6	3	3	-6	-12	3	-6	3
225(0,11) =	1	-14	-1	3	4	60	2	-10	30	-30	-17	-27	-6	-2	13	4	3	3
225(0,12) =	1	-14	-1	-3	10	-30	-9	-5	5	35	-2	-8	-15	-2	-3	-5	-2	-3
225(0,13) =	1	-14	2	0	-2	90	17	15	-5	15	13	-6	-17	-27	4	13	3	4
225(0,14) =	1	-14	-1	3	4	60	-13	15	15	25	-17	13	4	3	-27	4	13	-2
225(1, 2) =	1	1	-1	-3	7	15	5	-5	-15	5	7	-14	-3	12	16	-8	7	6
225(1, 3) =	1	1	2	0	-2	30	-8	-10	0	10	-2	9	-2	-2	9	-2	-12	-11
225(1, 4) =	1	1	-1	3	4	-30	2	10	-30	-10	-2	-2	9	-12	-2	4	13	3
225(1, 5) =	1	1	-1	-3	-8	30	5	5	15	-15	-8	-9	-3	7	1	7	12	6
225(1, 6) =	1	1	2	0	-2	0	2	0	0	10	-2	-11	-2	3	3	-2	-2	3
225(1, 7) =	1	1	-1	3	-11	15	2	-20	0	-10	-2	13	-6	3	-2	4	-2	4
225(1, 8) =	1	1	-1	-3	7	-15	-5	5	15	-5	7	-9	7	-23	6	-8	12	-14
225(1, 9) =	1	1	2	0	-2	-30	2	10	0	20	-2	-11	3	3	-11	-2	-2	9
225(1,10) =	1	1	-1	3	4	-30	2	-10	0	0	13	3	-6	-2	-2	-11	-12	3
225(1,11) =	1	1	-1	-3	-8	30	-10	0	0	10	-8	1	-8	-3	-9	7	-8	1
225(1,12) =	1	1	2	0	13	15	2	10	-30	-10	-2	4	3	3	4	-2	-2	-6
225(1,13) =	1	1	-1	3	-11	-15	7	5	15	-5	-2	3	4	-2	-12	4	3	-2
225(2, 4) =	1	1	-1	-3	7	-15	-5	5	15	-5	7	6	7	7	-9	-8	-3	16
225(2, 5) =	1	1	2	0	-2	0	-3	-5	5	5	-2	4	-12	-2	-6	-2	-2	9
225(2, 6) =	1	1	-1	3	-11	15	2	10	0	20	-2	-2	9	3	13	4	-2	-12
225(2, 7) =	1	1	-1	-3	-8	-30	5	15	-5	15	-8	6	7	12	1	7	-3	1
225(2, 8) =	1	1	2	0	13	-15	-8	20	0	-20	-2	-6	-2	-2	-6	-2	3	4
225(2, 9) =	1	1	-1	3	4	30	-8	20	0	-20	-2	3	-11	13	3	4	-12	-2
225(2,10) =	1	1	-1	-3	-8	-30	0	-20	-10	-10	-8	1	-3	-8	6	7	7	-9
225(2,11) =	1	1	2	0	-2	-30	2	-20	0	-10	-2	-11	-12	-12	-11	-2	13	9
225(2,12) =	1	1	-1	3	4	30	2	0	10	0	13	3	4	-12	-2	-11	3	-2
225(3, 6) =	1	1	-1	-3	-5	-15	1	5	-15	-5	-2	3	-5	-2	-3	10	3	7
225(3, 7) =	1	1	2	0	-2	30	7	5	15	-5	-3	9	13	13	9	-2	3	-11
225(3, 8) =	1	1	-1	3	4	30	-3	-5	5	13	-2	9	-2	3	-11	-2	3	3
225(3, 9) =	1	1	-1	-3	-5	15	-4	10	0	-10	-2	7	0	3	7	10	-2	-3
225(3,10) =	1	1	2	0	-2	0	2	0	10	0	-2	-6	13	2	4	-2	3	-11
225(3,11) =	1	1	-1	3	-11	-15	-8	-10	0	10	-2	-12	-11	-2	3	4	3	13
225(4, 8) =	1	1	-1	-3	7	15	5	-5	-15	5	7	16	-3	-3	-14	-8	-23	-9
225(4, 9) =	1	1	2	0	-2	0	2	-10	0	0	-2	9	3	-2	-11	-2	3	-6
225(4,10) =	1	1	-1	3	4	-30	2	0	0	10	13	-2	4	3	3	-11	-2	-2
225(5,10) =	1	1	-1	-3	12	0	0	0	0	0	12	6	-3	-3	6	12	-3	6

TABLE 44: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	F	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	-9	45	-45	-45	0	9	-9	0	9	36	0	9
225(0, 1) =	1	-14	2	0	-2	30	2	-10	30	-30	-7	4	3	-2	-16	-7	13	-6
225(0, 2) =	1	-14	-1	3	4	60	-3	-35	-25	5	23	-2	4	-7	3	-16	-2	13
225(0, 3) =	1	-14	-1	-3	-14	-30	11	-15	25	-15	-10	9	11	10	4	11	0	-1
225(0, 4) =	1	-14	2	0	-2	30	-13	15	15	25	-7	-16	-2	3	4	-7	-7	4
225(0, 5) =	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-14	30	4	-40	0	0	-10	-11	-9	10	-1	11	10	9
225(0, 7) =	1	-14	2	0	-2	-30	-3	-35	-25	5	-7	4	-17	-7	-6	-7	-2	4
225(0, 8) =	1	-14	-1	3	4	60	17	15	-5	15	23	3	14	-17	-2	-16	3	-7
225(0, 9) =	1	-14	-1	-3	-14	30	11	15	15	25	-10	-1	-14	0	-11	11	-10	4
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	4	-60	2	-10	30	-30	23	13	-6	-2	-7	-16	-17	3
225(0,12) =	1	-14	-1	-3	-14	-30	-9	-5	5	35	-10	4	1	-10	9	11	10	-11
225(0,13) =	1	-14	2	0	-2	-30	17	15	-5	15	-7	-6	23	13	4	-7	3	-16
225(0,14) =	1	-14	-1	3	4	-60	-13	15	15	25	23	-7	4	3	13	-16	-7	-2
225(1, 2) =	1	1	-1	-3	-1	15	5	-5	-15	5	1	20	-1	-4	-10	4	-19	-10
225(1, 3) =	1	1	2	0	8	0	-8	-10	0	10	-2	-1	8	8	-1	-2	8	-1
225(1, 4) =	1	1	-1	3	-16	30	2	10	-30	-10	-2	8	-1	8	8	4	-7	-7
225(1, 5) =	1	1	-1	-3	4	30	5	5	15	-15	-4	-5	9	1	5	-1	16	0
225(1, 6) =	1	1	2	0	-2	-60	2	0	0	10	8	-1	-2	3	19	8	8	4
225(1, 7) =	1	1	-1	3	-1	-15	2	-20	0	-10	-2	-7	14	-7	8	4	8	-7
225(1, 8) =	1	1	-1	-3	-1	-15	-5	5	15	-5	1	5	-1	11	-10	4	-4	20
225(1, 9) =	1	1	2	0	8	0	2	10	0	20	-2	-1	-7	-7	-1	-2	8	-1
225(1,10) =	1	1	-1	3	4	30	2	-10	0	0	-7	-17	-6	-2	8	-1	-2	3
225(1,11) =	1	1	-1	-3	4	30	-10	0	0	10	-4	5	4	-9	-5	-1	-4	-5
225(1,12) =	1	1	2	0	-7	-45	2	10	-30	-10	-2	-16	-7	-7	-16	-2	8	14
225(1,13) =	1	1	-1	3	-1	15	7	5	15	-5	-2	-7	-16	8	8	4	-7	8
225(2, 4) =	1	1	-1	-3	-1	-15	-5	5	15	-5	1	-10	-1	-19	5	4	11	-10
225(2, 5) =	1	1	2	0	-2	60	-3	-5	5	5	0	4	-2	8	-6	8	-2	19
225(2, 6) =	1	1	-1	3	-1	-15	2	10	0	20	-2	8	-1	-7	-7	4	8	0
225(2, 7) =	1	1	-1	-3	4	-30	5	15	-5	15	-4	0	-1	16	-5	-1	-9	8
225(2, 8) =	1	1	2	0	-7	45	-8	20	0	-20	-2	14	8	8	14	-2	-7	-16
225(2, 9) =	1	1	-1	3	-16	-30	-8	20	0	-20	-2	-7	-1	-7	-7	4	8	8
225(2,10) =	1	1	-1	-3	4	-30	0	-20	-10	-10	-4	-5	-11	-4	0	-1	1	-5
225(2,11) =	1	1	2	0	8	0	2	-20	0	-10	-2	-1	8	8	-1	-2	-7	-1
225(2,12) =	1	1	-1	3	4	-30	2	0	10	0	-7	3	-16	-2	-2	-1	3	8
225(3, 6) =	1	1	-1	-3	11	-15	1	5	-15	-5	10	-1	11	-10	-1	-14	5	-1
225(3, 7) =	1	1	2	0	8	0	7	5	15	-5	-2	-1	-7	-7	-1	-2	-7	-1
225(3, 8) =	1	1	-1	3	4	-30	-3	-5	5	5	-7	-2	19	8	3	-1	-2	-17
225(3, 9) =	1	1	-1	-3	11	15	-4	10	0	-10	10	-1	-4	5	-1	-14	-10	-1
225(3,10) =	1	1	2	0	-2	60	2	0	10	0	8	-6	-7	-17	4	8	3	-1
225(3,11) =	1	1	-1	3	-1	15	-8	-10	0	10	-2	6	-1	8	-7	4	-7	-7
225(4, 8) =	1	1	-1	-3	-1	15	5	-5	-15	5	1	-10	-1	11	20	4	11	5
225(4, 9) =	1	1	2	0	-2	-60	2	-10	0	0	8	19	3	-2	-1	8	-17	-6
225(4,10) =	1	1	-1	3	4	30	2	0	0	10	-7	8	4	3	-17	-1	8	-2
225(5,10) =	1	1	-1	-3	-36	0	0	0	0	0	36	0	9	-9	0	-36	-9	0

TABLE 45: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 0 (MOD 5), IND 5 = 2 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	-60	0	-9	45	-45	-45	48	15	-3	-12	15	12	-12	15
225(0, 1) =	1	-14	2	0	4	-60	2	-10	30	-30	-17	24	3	-2	-26	13	3	-6
225(0, 2) =	1	-14	-1	3	-2	-90	-3	-35	-25	5	13	-2	24	13	3	-26	-2	3
225(0, 3) =	1	-14	-1	-3	10	30	11	-15	25	-15	-2	15	7	10	10	7	-12	-5
225(0, 4) =	1	-14	2	0	4	-60	-13	15	15	25	-17	-26	-2	3	24	13	13	4
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	10	-30	-4	-40	0	0	-2	-15	-3	-2	-5	7	18	15
225(0, 7) =	1	-14	2	0	4	60	-3	-35	-25	5	-17	4	-27	13	-6	13	-2	24
225(0, 8) =	1	-14	-1	3	-2	-90	17	15	-5	15	13	3	4	-27	-2	-26	3	-17
225(0, 9) =	1	-14	-1	-3	10	-30	11	15	15	25	-2	-5	-8	-12	-15	7	-2	10
225(0,10) =	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	2	-2	90	2	-10	30	-30	13	3	-6	-2	-17	-26	-27	3
225(0,12) =	1	-14	-1	-3	10	30	-9	-5	5	35	-2	10	-3	-2	15	7	-2	-15
225(0,13) =	1	-14	2	0	4	60	17	15	-5	15	-17	-6	13	3	4	13	3	-26
225(0,14) =	1	-14	-1	3	-2	90	-13	15	15	25	13	-17	4	3	3	-26	13	-2
225(1, 2) =	1	1	-1	-3	7	-15	5	-5	-15	5	7	7	-9	-3	7	1	-23	-3
225(1, 3) =	1	1	2	0	-11	15	-8	-10	0	10	-2	9	13	-2	-6	-2	3	-11
225(1, 4) =	1	1	-1	3	13	-15	2	10	-30	-10	-2	-2	-6	3	-2	4	-2	3
225(1, 5) =	1	1	-1	-3	-8	-30	5	5	15	-15	-8	-3	6	7	7	1	12	-3
225(1, 6) =	1	1	2	0	4	30	2	0	0	10	13	4	-2	3	9	-2	-2	4
225(1, 7) =	1	1	-1	3	-2	30	2	-20	0	-10	-2	-2	9	-12	13	4	13	-12
225(1, 8) =	1	1	-1	-3	7	15	-5	5	15	-5	7	-3	16	7	-3	1	-3	7
225(1, 9) =	1	1	2	0	-11	-15	2	10	0	20	-2	4	-12	3	-11	-3	-2	9
225(1,10) =	1	1	-1	3	-2	0	2	-10	0	0	-2	-12	-6	-2	13	4	3	3
225(1,11) =	1	1	-1	-3	-8	-30	-10	0	0	10	-8	7	1	-3	-3	1	-8	-8
225(1,12) =	1	1	2	0	4	30	2	10	-30	-10	-2	-11	3	-12	-11	-2	13	9
225(1,13) =	1	1	-1	3	-2	-30	7	5	15	-5	-2	-12	-11	13	3	4	3	13
225(2, 4) =	1	1	-1	-3	7	15	-5	5	15	-5	7	-3	-14	-23	-3	1	12	7
225(2, 5) =	1	1	2	0	4	-30	-3	-5	5	13	4	3	-2	-6	-2	-2	9	3
225(2, 6) =	1	1	-1	3	-2	30	2	10	0	20	-2	13	9	3	-2	4	-2	3
225(2, 7) =	1	1	-1	-3	-8	30	5	15	-5	15	-8	-3	1	12	-8	1	-3	7
225(2, 8) =	1	1	2	0	1	-30	-8	20	0	-20	-2	7	-2	13	9	-2	-12	-11
225(2, 9) =	1	1	-1	3	13	15	-8	20	0	-20	-2	3	4	-2	3	4	3	-2
225(2,10) =	1	1	-1	-3	-8	30	0	-10	-10	-8	-8	-9	-8	-3	1	7	-3	3
225(2,11) =	1	1	2	0	-11	-15	2	-20	0	-10	-2	-11	3	3	4	-2	-2	-6
225(2,12) =	1	1	-1	3	-2	0	0	10	0	-2	3	-11	3	-2	4	3	13	3
225(3, 6) =	1	1	-1	-3	-5	15	1	5	-15	-5	-2	0	7	-2	0	-8	3	-5
225(3, 7) =	1	1	0	0	-11	15	7	5	15	-5	-2	-6	-2	-2	9	-2	3	4
225(3, 8) =	1	1	-1	3	-2	0	-3	-3	5	5	-2	-2	0	-2	3	4	-2	-12
225(3, 9) =	1	1	-1	-3	-5	-15	-4	10	0	-10	-2	-5	-3	3	-5	-8	-2	0
225(3,10) =	1	1	2	0	4	-30	2	0	10	0	13	-6	-2	-12	4	-2	3	4
225(3,11) =	1	1	-1	3	-2	-30	-8	-10	0	10	-2	3	-11	-2	-12	4	-12	-2
225(4, 8) =	1	1	-1	-3	7	-15	5	-5	-15	5	7	6	12	7	1	7	-3	3
225(4, 9) =	1	1	2	0	4	30	2	-10	0	0	13	9	3	-2	4	-2	-12	-6
225(4,10) =	1	1	-1	3	-2	0	2	0	0	10	-2	13	4	3	-12	4	-2	-2
225(5,10) =	1	1	-1	-3	12	0	0	0	0	0	12	-3	6	-3	-3	-24	-3	-3

TABLE 46: $IND\ 2 = 1\ (MOD\ 3),\ IND\ 2 = 1\ (MOD\ 5),\ IND\ 3 = 0\ (MOD\ 5),\ IND\ 5 = 2\ (MOD\ 3),\ C = -1\ (MOD\ 5)$

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	-9	45	-45	-45	0	-9	9	0	-9	-36	0	-9
225(0, 1) =	1	-14	2	0	4	60	2	-10	30	-30	23	4	3	-2	14	-7	-7	-6
225(0, 2) =	1	-14	-1	0	-2	30	-3	-35	-25	5	-7	-2	4	-7	3	14	-2	-17
225(0, 3) =	1	-14	-1	-3	-14	30	11	-15	25	-15	-10	-9	-1	10	-14	-1	0	11
225(0, 4) =	1	-14	2	0	4	60	-13	15	15	25	23	14	-2	3	4	-7	-7	4
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-14	-30	-4	-40	0	0	-10	1	9	10	11	-1	10	-9
225(0, 7) =	1	-14	2	0	4	-60	-3	-35	-25	5	23	4	13	-7	-6	-7	-2	4
225(0, 8) =	1	-14	-1	3	-2	30	17	15	-5	15	-7	3	-16	13	-2	14	3	23
225(0, 9) =	1	-14	-1	-3	-14	-30	11	15	15	25	-10	11	4	0	1	-1	-10	-14
225(0,10) =	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	0	-2	-30	2	-10	30	-30	-7	-17	-6	-2	23	14	13	3
225(0,12) =	1	-14	-1	-3	-14	30	-9	-5	5	35	-10	-14	-11	-10	-9	-1	10	1
225(0,13) =	1	-14	2	0	4	-60	17	15	-5	15	23	-6	-7	-17	4	-7	3	14
225(0,14) =	1	-14	-1	3	-2	-30	-13	15	15	25	-7	23	4	3	-17	14	-7	-2
225(1, 2) =	1	1	-1	-3	-1	-15	5	-5	-15	5	1	-1	5	11	-1	-5	11	-1
225(1, 3) =	1	1	2	0	-1	-15	-8	-10	0	10	-2	-1	-7	8	14	-2	-7	-1
225(1, 4) =	1	1	-1	3	-7	45	2	10	-30	-10	-2	8	14	-7	8	4	8	-7
225(1, 5) =	1	1	-1	-3	4	-30	5	5	15	-15	-4	-11	0	1	-1	5	16	9
225(1, 6) =	1	1	2	0	4	-30	2	0	0	10	-7	-16	-2	3	19	8	8	4
225(1, 7) =	1	1	-1	0	8	0	-2	-20	0	-10	-2	8	-1	8	-7	4	-7	8
225(1, 8) =	1	1	-1	-3	-1	15	-5	5	15	-5	1	-1	-10	-19	-1	-5	11	-1
225(1, 9) =	1	1	2	0	-1	15	2	10	0	20	-2	-16	8	-7	-1	-2	8	-1
225(1,10) =	1	1	-1	3	-2	60	-2	-10	0	0	8	-2	-6	-2	-7	-16	-17	3
225(1,11) =	1	1	-1	-3	4	-30	-10	0	0	10	-4	-1	-5	-9	-11	5	-4	4
225(1,12) =	1	1	2	0	-16	-20	2	10	-30	-10	-2	-1	-7	8	-1	-2	-7	-1
225(1,13) =	1	1	-1	3	8	0	7	5	15	-5	-2	8	-1	-7	-7	4	-7	-7
225(2, 4) =	1	1	-1	-3	-1	15	-5	5	15	-5	1	-1	20	11	-1	-5	-4	-1
225(2, 5) =	1	1	2	0	4	30	-3	-5	5	5	-7	4	-17	8	-6	8	-2	19
225(2, 6) =	1	1	-1	3	8	0	2	10	0	20	-2	-7	-1	-7	8	4	8	-7
225(2, 7) =	1	1	-1	-3	4	30	5	15	-5	15	-4	9	5	16	4	5	-9	-1
225(2, 8) =	1	1	2	0	-16	30	-8	20	0	-20	-2	-1	8	-7	-1	-2	8	-1
225(2, 9) =	1	1	-1	3	-7	-45	-8	20	0	-20	-2	-7	-16	9	-7	4	-7	8
225(2,10) =	1	1	-1	-3	4	30	0	-20	-10	-10	-4	4	-5	-4	9	5	1	-11
225(2,11) =	1	1	2	0	-1	15	2	-20	0	-10	-2	-1	-7	-7	-16	-2	8	14
225(2,12) =	1	1	-1	3	-2	-60	2	0	0	0	8	3	-1	-17	-2	-16	3	-7
225(3, 6) =	1	1	-1	-3	11	15	1	5	-15	-5	10	-4	-1	-10	-4	4	5	11
225(3, 7) =	1	1	2	0	-1	-15	7	5	15	-5	-2	14	8	9	-1	-2	-7	-16
225(3, 8) =	1	1	-1	3	-2	-60	-3	-5	5	5	8	-2	19	8	3	-16	-2	-2
225(3, 9) =	1	1	-1	-3	11	-15	-4	10	0	-10	10	11	-1	5	11	4	-10	-4
225(3,10) =	1	1	2	0	4	30	2	0	10	0	-7	-6	8	-2	4	8	3	-16
225(3,11) =	1	1	-1	3	8	0	-8	-10	0	10	-2	-7	-1	3	8	4	8	8
225(4, 8) =	1	1	-1	-3	-1	-15	5	-5	-15	5	1	-1	-10	-4	-1	-5	-19	-1
225(4, 9) =	1	1	2	0	4	-30	2	-10	0	0	-7	19	3	-2	-16	8	-2	-6
225(4,10) =	1	1	-1	3	-2	60	2	0	0	10	8	-7	4	3	-2	-16	8	-2
225(5,10) =	1	1	-1	-3	-36	0	0	0	0	0	36	9	0	-9	9	0	-9	9

TABLE 47: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	I	C	D	X	U	V	W	RO	R1	R2	R3	R4	R5	R6	R7
225(0, 0) =	1	-44	-1	-3	36	0	-9	-15	15	-45	36	-3	-3	6	27	-18	6	-3
225(0, 1) =	1	-14	2	0	-2	90	-8	-20	0	13	14	3	-22	4	13	-7	-6	
225(0, 2) =	1	-14	-1	3	-3	30	7	-25	5	15	3	8	24	3	-17	-6	8	3
225(0, 3) =	1	-14	-1	-3	-4	0	1	-5	-5	35	6	7	7	26	2	-3	-14	7
225(0, 4) =	1	-14	2	0	-12	0	-3	5	-15	-5	-17	-6	-2	13	24	13	3	4
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-12	3	-6	3	3	24	3	3	3
225(0, 6) =	1	-14	-1	-3	16	0	16	-20	0	0	-14	-13	-3	-4	7	7	26	-3
225(0, 7) =	1	-14	2	0	-2	-30	7	-25	5	15	3	-16	3	3	4	3	8	24
225(0, 8) =	1	-14	-1	3	8	60	7	25	25	5	3	13	-26	-7	-22	-6	-17	13
225(0, 9) =	1	-14	-1	-3	-24	0	-9	35	15	25	-14	-3	-8	-14	-3	7	6	-8
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-12	-6	3	3	-6	-12	3	-6	
225(0,11) =	1	-14	-1	3	-2	-90	-8	-20	0	0	13	-7	-6	-22	-17	-26	-7	3
225(0,12) =	1	-14	-1	-3	16	0	1	5	-25	-15	6	2	-3	6	7	-3	-4	-3
225(0,13) =	1	-14	2	0	8	-60	7	25	25	5	3	4	13	-7	14	3	-17	-26
225(0,14) =	1	-14	-1	3	-12	0	-3	5	-15	-5	-17	3	4	13	-27	4	3	-2
225(1, 2) =	1	1	-1	-3	-12	0	5	5	-5	5	8	-4	-9	8	6	-19	-7	6
225(1, 3) =	1	1	2	0	-2	-60	7	5	-5	-5	3	14	-2	-7	4	3	-7	-11
225(1, 4) =	1	1	-1	3	3	-45	2	-10	10	-10	-7	-7	9	-7	3	-1	8	-12
225(1, 5) =	1	1	-1	-3	-2	0	-5	-5	15	-15	-2	-4	6	8	1	1	8	6
225(1, 6) =	1	1	2	0	3	45	-3	5	15	25	13	-6	-2	-2	9	-2	3	4
225(1, 7) =	1	1	-1	3	3	-45	2	-10	-20	20	-7	8	-6	8	3	14	-7	3
225(1, 8) =	1	1	-1	-3	-2	0	-5	5	5	-5	3	11	16	-7	1	-9	8	-14
225(1, 9) =	1	1	2	0	3	-45	2	20	-20	-10	8	-16	3	-7	-6	-7	8	9
225(1,10) =	1	1	-1	3	-2	0	7	-5	15	-15	-2	-7	-6	8	13	4	-7	3
225(1,11) =	1	1	-1	-3	18	0	0	-10	0	10	-2	6	1	-2	-9	1	-12	1
225(1,12) =	1	1	2	0	3	45	2	-10	10	-10	-7	-1	-12	-7	-6	8	8	9
225(1,13) =	1	1	-1	3	13	15	-8	20	10	10	-12	-7	4	8	-2	9	8	-2
225(2, 4) =	1	1	-1	-3	-2	0	-5	5	-5	-5	3	-19	-14	-7	1	6	8	16
225(2, 5) =	1	1	2	0	-2	-30	-9	-10	-10	0	3	14	-12	3	-11	3	-7	9
225(2, 6) =	1	1	-1	3	3	45	2	20	-20	-10	8	9	9	-7	3	-1	8	3
225(2, 7) =	1	1	-1	-3	8	0	10	10	10	-10	-12	1	1	8	-4	6	-2	1
225(2, 8) =	1	1	2	0	-2	30	-3	-10	10	-20	3	-1	13	8	4	-12	-7	-11
225(2, 9) =	1	1	-1	3	-2	-30	-8	-10	10	-20	3	8	-11	8	-2	9	-7	13
225(2,10) =	1	1	-1	-3	-2	0	-5	-25	5	15	-12	-4	7	-12	1	6	8	-9
225(2,11) =	1	1	2	0	3	45	2	-10	-20	20	-7	-1	8	-6	-7	-7	-6	
225(2,12) =	1	1	-1	3	-7	15	7	-5	-5	5	3	-2	4	-7	8	-6	13	-2
225(3, 6) =	1	1	-1	-3	-14	0	1	5	25	-5	6	2	7	-4	-8	-3	-4	7
225(3, 7) =	1	1	2	0	13	-15	-9	20	10	10	-12	-1	-2	6	4	3	8	4
225(3, 8) =	1	1	-1	3	-2	30	-3	-10	-10	0	3	-7	9	3	13	-6	-7	-12
225(3, 9) =	1	1	-1	-3	6	0	-4	-10	-20	-10	4	2	-3	-4	-3	2	-4	-3
225(3,10) =	1	1	2	0	-7	-15	7	-5	-5	5	3	-11	-2	-7	-1	3	13	4
225(3,11) =	1	1	-1	3	-2	60	7	5	-5	-5	3	-7	-11	-7	-2	-6	-7	-2
225(4, 9) =	1	1	-1	-3	-12	0	5	5	-5	5	8	11	6	8	6	11	-7	-9
225(4, 9) =	1	1	2	0	-2	0	7	-5	15	-15	-2	14	3	8	-11	-2	-7	-6
225(4,10) =	1	1	-1	3	3	-45	-3	5	15	25	13	3	4	-2	3	-11	3	-2
225(5,10) =	1	1	-1	-3	18	0	0	30	-30	0	18	6	6	-12	-9	-9	-12	6

TABLE 48 : IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	12	0	-9	-15	15	-45	12	9	9	-18	-21	-6	-18	9
225(0, 1) =	1	-14	2	0	-2	-30	-9	-20	0	0	-7	14	3	18	-16	-7	-7	-6
225(0, 2) =	1	-14	-1	3	-2	30	7	-25	5	15	3	-12	4	3	23	-6	-12	-17
225(0, 3) =	1	-14	-1	-3	12	0	1	-5	-5	35	-18	-1	-1	2	-6	9	2	-1
225(0, 4) =	1	-14	2	0	8	60	-3	5	-15	-5	23	-6	-2	-7	4	-7	3	4
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-8	0	16	-20	0	0	2	-1	9	12	-1	-1	2	9
225(0, 7) =	1	-14	2	0	-2	-30	7	-25	5	15	3	24	-17	3	-16	3	-12	4
225(0, 8) =	1	-14	-1	3	-12	0	7	25	25	5	3	-7	14	-7	18	-6	23	-7
225(0, 9) =	1	-14	-1	-3	32	0	-9	35	15	25	2	9	4	2	-11	-1	-18	4
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	30	-8	-20	0	0	-7	-7	-6	18	23	14	-7	3
225(0,12) =	1	-14	-1	-3	-8	0	1	5	-25	-15	-18	-6	-11	-18	-1	9	12	-11
225(0,13) =	1	-14	2	0	-12	0	7	25	25	5	3	-16	-7	-7	-6	3	23	14
225(0,14) =	1	-14	-1	3	8	-60	-3	5	-15	-5	23	3	4	-7	13	-16	3	-2
225(1, 2) =	1	1	-1	-3	0	0	5	5	-5	5	0	10	5	0	0	15	-5	-10
225(1, 3) =	1	1	2	0	8	30	7	5	-5	-5	-7	-6	8	13	4	-7	3	-1
225(1, 4) =	1	1	-1	3	3	15	2	-10	10	-10	3	13	-1	3	3	9	-2	8
225(1, 5) =	1	1	-1	-3	10	0	-5	-5	15	-15	-10	-10	0	0	5	5	20	0
225(1, 6) =	1	1	2	0	-7	15	-3	5	15	25	-7	-6	-2	8	19	8	3	4
225(1, 7) =	1	1	-1	3	3	15	2	-10	-20	20	3	-2	14	-12	3	-6	13	-7
225(1, 8) =	1	1	-1	-3	-10	0	-5	-5	-5	-5	-5	-15	-10	-5	-5	5	0	20
225(1, 9) =	1	1	2	0	3	75	2	20	-20	-10	-12	4	-7	3	-6	3	-2	-1
225(1,10) =	1	1	-1	3	-2	-60	7	-5	15	-15	8	-7	-6	-12	-7	-16	-7	3
225(1,11) =	1	1	-1	-3	-10	0	0	-10	0	-10	-10	0	-5	-10	-5	5	0	-5
225(1,12) =	1	1	2	0	3	-15	2	-10	10	-10	3	-11	8	3	-6	-12	-2	-1
225(1,13) =	1	1	-1	3	-7	15	-8	20	10	10	8	3	-16	-2	-2	-1	-12	8
225(2, 4) =	1	1	-1	-3	-10	0	-5	-5	-5	-5	5	15	20	-5	-5	-10	6	-10
225(2, 5) =	1	1	2	0	-2	-30	-8	-10	-10	0	3	-6	-2	3	-1	3	3	19
225(2, 6) =	1	1	-1	3	3	-75	2	20	-20	-10	-12	-2	-1	3	3	9	-2	-7
225(2, 7) =	1	1	-1	-3	0	0	10	10	10	-10	0	5	5	20	0	0	-10	5
225(2, 8) =	1	1	2	0	8	-60	-8	-10	10	-20	-7	9	-7	-2	4	8	3	-1
225(2, 9) =	1	1	-1	3	8	60	-8	-10	10	-20	-7	-12	-1	-2	-2	-1	3	-7
225(2,10) =	1	1	-1	-3	10	0	-5	-25	5	15	0	0	-5	0	5	0	0	-5
225(2,11) =	1	1	2	0	3	-15	2	-10	-20	20	3	-11	-7	-12	-6	3	13	14
225(2,12) =	1	1	-1	3	3	45	7	-5	-5	5	3	8	-16	-7	-12	-6	-7	8
225(3, 6) =	1	1	-1	-3	2	0	1	5	25	-5	2	-6	-1	-8	4	-1	12	-1
225(3, 7) =	1	1	2	0	-7	-15	-8	20	10	10	8	9	8	-2	4	-7	-12	-16
225(3, 8) =	1	1	-1	3	-2	30	-8	-10	-10	0	3	19	3	-7	-6	3	-2	3
225(3, 9) =	1	1	-1	-3	-18	0	-4	-10	-20	-10	12	4	-1	12	9	-6	-8	-1
225(3,10) =	1	1	2	0	3	-45	7	-5	-5	5	3	-1	8	-7	9	3	-7	-16
225(3,11) =	1	1	-1	3	8	-30	7	5	-5	-5	-7	3	-1	13	-2	14	3	8
225(4, 8) =	1	1	-1	-3	0	0	5	5	5	0	-5	-10	0	0	-15	-5	5	5
225(4, 9) =	1	1	2	0	-2	60	7	-5	15	-15	8	14	3	-12	-1	8	-7	-6
225(4,10) =	1	1	-1	3	-7	-15	-3	5	15	25	-7	3	4	8	17	-1	3	-2
225(5,10) =	1	1	-1	-3	30	0	0	30	-30	0	30	0	0	0	15	-15	0	0

TABLE 49: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	U	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	0	0	-9	-15	15	-45	18	-3	15	-12	27	0	-12	-3
225(0, 1) =	1	-14	2	0	-2	30	-8	-20	0	-17	14	3	8	-26	13	-7	-6	
225(0, 2) =	1	-14	-1	3	4	0	7	-25	5	15	3	-22	-6	3	13	-6	0	3
225(0, 3) =	1	-14	-1	-3	-10	-30	1	-5	-5	35	-12	7	-5	8	2	15	-2	7
225(0, 4) =	1	-14	2	0	-12	-60	-3	5	-15	-5	12	-6	-2	-17	-6	-17	3	4
225(0, 5) =	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	10	30	16	-20	0	0	-2	-13	15	8	7	-5	8	-3
225(0, 7) =	1	-14	2	0	-2	30	7	-25	5	15	3	14	-27	3	-24	3	-22	34
225(0, 8) =	1	-14	-1	3	14	30	7	25	25	5	3	13	4	-7	8	-6	13	-17
225(0, 9) =	1	-14	-1	-3	-30	30	-9	35	15	25	-2	-3	10	-2	-3	-5	-13	-8
225(0, 10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11) =	1	-14	-1	3	4	-60	-8	-20	0	0	13	-7	-6	8	13	4	-7	3
225(0, 12) =	1	-14	-1	-3	10	-30	1	5	-25	-15	-12	2	-15	-12	7	15	8	-3
225(0, 13) =	1	-14	2	0	8	0	7	25	25	5	3	4	13	-7	-16	3	13	4
225(0, 14) =	1	-14	-1	3	-6	30	-3	5	-15	-5	13	3	4	13	3	-26	3	-2
225(1, 2) =	1	1	-1	-3	-3	15	5	5	-5	5	17	11	-3	-13	6	2	-13	-9
225(1, 3) =	1	1	2	0	-2	-30	7	5	-5	-5	-12	-1	13	8	4	3	8	-11
225(1, 4) =	1	1	-1	3	-6	-30	2	-10	10	-10	8	8	9	8	3	-1	-7	3
225(1, 5) =	1	1	-1	-3	-8	30	-5	-5	15	-15	-8	-4	-3	2	1	7	17	6
225(1, 6) =	1	1	2	0	3	-15	-3	5	15	25	-2	-6	-2	13	24	13	3	4
225(1, 7) =	1	1	-1	3	-6	-30	2	-10	-20	20	-7	8	9	-7	3	-1	8	-12
225(1, 8) =	1	1	-1	-3	7	-15	-5	5	-5	-5	12	-19	7	-13	1	-3	17	16
225(1, 9) =	1	1	2	0	3	-75	2	20	-20	-10	-7	-1	-12	8	-6	8	-7	9
225(1, 10) =	1	1	-1	3	4	30	7	-5	15	-15	-2	-7	-6	-7	-2	-11	-7	3
225(1, 11) =	1	1	-1	-3	12	30	0	-10	0	10	-8	6	-8	-8	-9	7	-3	1
225(1, 12) =	1	1	2	0	3	15	2	-10	10	-10	-7	-16	3	-7	-6	-7	8	-6
225(1, 13) =	1	1	-1	3	4	0	-8	20	10	10	3	-7	-11	8	-2	-6	-7	13
225(2, 4) =	1	1	-1	-3	7	-15	-5	5	-5	-3	-3	11	7	2	1	-3	-13	-14
225(2, 5) =	1	1	2	0	-2	30	-8	-10	-10	0	3	-1	3	3	4	3	8	9
225(2, 6) =	1	1	-1	3	-6	60	2	20	-20	-10	-7	-7	-6	-7	3	14	8	3
225(2, 7) =	1	1	-1	-3	2	-30	10	10	10	-10	-3	1	7	17	-4	-3	-8	1
225(2, 8) =	1	1	2	0	-2	60	-8	-10	10	-20	3	14	-2	8	4	3	-7	4
225(2, 9) =	1	1	-1	3	-11	-45	-8	-10	10	-20	-12	-7	-11	-7	-2	9	8	-2
225(2, 10) =	1	1	-1	-3	-8	-30	-5	-25	5	15	-3	-4	-3	-3	1	-3	2	-9
225(2, 11) =	1	1	2	0	3	15	2	-10	-20	20	8	-1	3	-7	-6	-7	8	9
225(2, 12) =	1	1	-1	3	-1	-15	7	-5	-5	5	3	-2	-11	-7	-7	-6	-2	13
225(3, 6) =	1	1	-1	-3	-5	-15	1	5	25	-5	3	2	-5	-7	-8	8	7	
225(3, 7) =	1	1	2	0	13	15	-8	20	10	10	3	-1	-2	-7	4	-12	-7	-11
225(3, 8) =	1	1	-1	3	4	0	-8	-10	-10	0	3	8	24	3	-2	-6	-7	-13
225(3, 9) =	1	1	-1	-3	15	15	-4	-10	-20	-10	8	2	0	8	-3	-10	-7	-3
225(3, 10) =	1	1	2	0	-7	45	7	-5	-5	5	3	-11	-2	-7	14	3	-2	-11
225(3, 11) =	1	1	-1	3	-11	45	7	5	-5	-5	3	8	4	8	-2	9	-7	-2
225(4, 8) =	1	1	-1	-3	-3	15	5	5	-5	5	-13	-4	-3	17	6	2	2	6
225(4, 9) =	1	1	2	0	-2	-60	7	-5	15	-15	13	14	3	-7	4	-3	-7	-6
225(4, 10) =	1	1	-1	3	9	-15	-3	5	15	25	-2	3	4	-2	-12	4	3	-2
225(5, 10) =	1	1	-1	-3	-18	0	0	30	-30	0	27	6	-3	-3	-9	-10	-3	6

TABLE 50C IND 2 = 1 (MOD 3), IND 3 = 1 (MOD 5), IND 5 = 1 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	U	20	21	22	23	24	25	26	27
225(0, 0)	1	-44	-1	-3	-24	0	-9	-15	15	-45	30	9	-9	0	-21	-24	0	9
225(0, 1)	1	-14	2	0	-2	-90	-8	-20	0	0	23	14	3	-12	14	-7	-7	-6
225(0, 2)	1	-14	-1	3	4	0	7	-25	5	15	3	18	34	3	-7	-6	-12	-17
225(0, 3)	1	-14	-1	-3	6	-30	1	-5	-5	35	0	-1	11	20	-6	-9	-10	-1
225(0, 4)	1	-14	2	0	8	0	-3	5	-15	-5	-7	-6	-3	23	34	23	3	4
225(0, 5)	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	-3	-14	30	16	-20	0	0	-10	-1	-9	0	-1	11	20	9
225(0, 7)	1	-14	2	0	-2	30	7	-25	5	15	3	-6	13	3	14	3	18	6
225(0, 8)	1	-14	-1	3	-6	-30	7	25	25	5	3	-7	-16	-7	-12	-6	-7	23
225(0, 9)	1	-14	-1	-3	26	30	-9	35	15	25	-10	9	-14	-10	-11	11	0	4
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	4	60	-9	-20	0	0	-7	-7	-6	-12	-7	-16	-7	3
225(0,12)	1	-14	-1	-3	-14	-30	1	5	-25	-15	0	-6	1	0	-1	-9	0	-11
225(0,13)	1	-14	2	0	-12	60	7	25	25	5	3	-16	-7	-7	24	3	-7	-16
225(0,14)	1	-14	-1	3	14	-30	-3	5	-15	-5	-7	3	4	-7	-17	14	3	-2
225(1, 2)	1	1	-1	-3	9	15	5	5	-5	5	-9	-5	-1	21	0	-6	1	5
225(1, 3)	1	1	2	0	8	60	7	5	-5	-5	8	9	-7	-2	4	-7	-12	-1
225(1, 4)	1	1	-1	3	-6	30	2	-10	10	-10	-12	-2	-1	-12	3	9	13	-7
225(1, 5)	1	1	-1	-3	4	30	-5	-5	15	-15	-4	-10	9	6	5	-1	11	0
225(1, 6)	1	1	2	0	-7	-45	-3	5	15	25	0	-6	-2	-7	4	-7	3	4
225(1, 7)	1	1	-1	3	-6	30	2	-10	-20	20	3	-2	-1	3	2	9	-2	8
225(1, 8)	1	1	-1	-3	-1	-15	-5	5	-5	-5	-4	15	-1	1	-5	-1	-9	-10
225(1, 9)	1	1	2	0	3	45	2	20	-20	-10	3	-11	8	-12	-6	-12	13	-1
225(1,10)	1	1	-1	3	4	-30	7	-5	15	-15	8	-7	-6	3	8	-1	-7	3
225(1,11)	1	1	-1	-3	-16	30	0	-10	0	10	-4	0	4	-4	-5	-1	-9	-8
225(1,12)	1	1	2	0	3	-45	2	-10	10	-10	3	4	-7	3	-6	3	-2	16
225(1,13)	1	1	-1	3	-16	0	-8	20	10	10	-7	3	-1	-2	-2	14	3	-7
225(2, 4)	1	1	-1	-3	-1	-15	-5	5	-5	-5	11	-15	-1	-14	-5	-1	21	20
225(2, 5)	1	1	2	0	-2	30	-8	-10	-10	0	3	9	-17	3	-16	3	-12	19
225(2, 6)	1	1	-1	3	-6	-60	2	20	-20	-10	3	13	14	3	3	-6	-2	-7
225(2, 7)	1	1	-1	-3	-6	-30	10	10	10	-10	-9	5	-1	11	0	9	-4	5
225(2, 8)	1	1	2	0	8	-30	-8	-10	10	-20	-7	-6	8	-2	4	-7	3	-16
225(2, 9)	1	1	-1	3	-1	45	-8	-10	10	-20	8	3	-1	13	-2	-1	-12	8
225(2,10)	1	1	-1	-3	4	-30	-5	-25	5	15	-9	0	-11	-9	5	9	6	-5
225(2,11)	1	1	2	0	3	-45	2	-10	-20	20	-12	-11	-7	3	-6	3	-2	-1
225(2,12)	1	1	-1	3	9	15	7	-5	-5	5	3	8	-1	-7	3	-6	8	-7
225(3, 6)	1	1	-1	-3	11	-15	1	5	25	-5	5	-6	11	-5	4	-4	0	-1
225(3, 7)	1	1	2	0	-7	15	-8	20	10	10	-7	9	8	13	4	8	3	-1
225(3, 8)	1	1	-1	3	4	0	-8	-10	-10	0	3	-12	4	3	2	-6	3	-2
225(3, 9)	1	1	-1	-3	-9	15	-4	-10	-20	-10	0	4	-4	0	9	6	-5	-1
225(3,10)	1	1	2	0	3	15	7	-5	-5	5	3	-1	8	-7	-6	3	8	-1
225(3,11)	1	1	-1	3	-1	-45	7	5	-5	-5	-7	-12	-16	-2	-2	-1	3	8
225(4, 8)	1	1	-1	-3	9	15	5	5	-5	5	21	10	-1	-9	0	-6	-14	-10
225(4, 9)	1	1	2	0	-2	0	7	-5	15	-15	-7	14	3	3	-16	8	-7	-6
225(4,10)	1	1	-1	3	-1	15	-3	5	15	25	8	3	4	8	-2	-16	3	-2
225(5,10)	1	1	-1	-3	-6	0	0	30	-30	0	21	0	9	-9	15	-6	-9	0

TABLE 51: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 1 \pmod{5}$, $\text{IND } 5 = 2 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0)	1	-44	-1	-3	0	0	-9	-15	15	-45	18	15	-3	-12	-45	-18	-12	15
225(0, 1)	1	-14	2	0	4	60	-8	-20	0	0	13	14	3	0	4	-17	-7	-6
225(0, 2)	1	-14	-1	3	-2	-30	7	-25	5	15	3	8	24	3	13	-6	-22	-27
225(0, 3)	1	-14	-1	-3	-10	30	1	-5	-5	35	-12	-5	7	8	-10	-3	-2	-5
225(0, 4)	1	-14	2	0	-6	-30	-3	5	-15	-5	13	-6	-2	13	24	13	3	4
225(0, 5)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	-3	10	-30	16	-20	0	0	-2	5	-3	8	-5	7	8	18
225(0, 7)	1	-14	2	0	4	0	7	-25	3	15	3	14	3	3	4	3	8	-6
225(0, 8)	1	-14	-1	3	8	0	7	25	25	5	3	-17	4	-7	8	-6	13	13
225(0, 9)	1	-14	-1	-3	-30	-30	-9	35	15	25	-2	15	-8	-2	-15	7	-12	10
225(0,10)	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-2	-30	-8	-20	0	0	-17	-7	-6	8	13	4	-7	3
225(0,12)	1	-14	-1	-3	10	30	1	5	-25	-15	-12	-10	-3	-12	-5	-3	8	-15
225(0,13)	1	-14	2	0	14	-30	7	25	25	5	3	-26	-17	-7	14	3	13	4
225(0,14)	1	-14	-1	3	-12	60	-3	5	-15	-5	13	3	4	-17	3	4	3	-3
225(1, 2)	1	1	-1	-3	-3	-13	5	5	-5	5	-13	2	6	17	-3	11	2	-3
225(1, 3)	1	1	2	0	-11	-45	7	5	-5	-5	3	-1	-2	8	4	-12	-7	4
225(1, 4)	1	1	-1	3	3	-15	2	-10	-10	-7	0	-6	-7	3	14	8	3	3
225(1, 5)	1	1	-1	-3	-8	-30	-5	-5	15	-15	-8	-13	6	2	7	1	17	-3
225(1, 6)	1	1	2	0	9	15	-3	5	15	25	-2	-6	-2	-2	9	-2	3	4
225(1, 7)	1	1	-1	3	3	-15	2	-10	-20	20	8	-7	9	-7	2	-1	8	3
225(1, 8)	1	1	-1	-3	7	15	-5	5	-5	-5	-3	2	-14	2	-8	6	-13	7
225(1, 9)	1	1	2	0	-6	-60	2	20	-20	-10	-7	-1	3	-7	-6	-7	8	-6
225(1,10)	1	1	-1	3	-2	60	7	-5	15	-15	13	-7	-6	-7	-2	-11	-7	3
225(1,11)	1	1	-1	-3	12	-30	0	-10	0	10	-8	-3	1	-8	-3	1	-8	-8
225(1,12)	1	1	2	0	-6	30	2	-10	10	-10	8	-1	3	8	-6	-7	-7	9
225(1,13)	1	1	-1	3	13	-15	-8	20	10	10	3	8	-11	-7	-2	9	-7	-3
225(2, 4)	1	1	-1	-3	7	15	-5	5	-5	12	2	16	-13	-8	-9	17	7	7
225(2, 5)	1	1	2	0	4	0	-8	-10	-10	0	3	-1	-12	3	-11	3	-7	24
225(2, 6)	1	1	-1	3	3	75	2	20	-20	-10	-7	8	9	0	3	-1	-7	-12
225(2, 7)	1	1	-1	-3	2	30	10	10	10	-10	-3	7	1	17	2	6	-8	7
225(2, 8)	1	1	2	0	-11	45	-8	-10	10	-20	-12	-1	-2	-7	4	3	8	-11
225(2, 9)	1	1	-1	3	-2	-60	-8	-10	10	-20	3	-7	4	8	-2	-6	-7	-3
225(2,10)	1	1	-1	-3	-8	30	-5	-25	5	15	-3	2	-9	-3	7	6	3	9
225(2,11)	1	1	2	0	-6	30	2	-10	-20	20	-7	-16	-12	-7	-6	8	8	-3
225(2,12)	1	1	-1	3	-7	-45	7	-5	-5	5	3	13	-11	-7	-7	-6	-2	-2
225(3, 6)	1	1	-1	-3	-5	15	1	5	25	-5	3	-10	7	-7	10	-3	8	-5
225(3, 7)	1	1	2	0	4	0	-8	20	10	10	3	14	13	8	4	3	-7	-11
225(3, 8)	1	1	-1	3	-2	-30	-8	-10	-10	0	3	-7	9	3	-2	-6	0	3
225(3, 9)	1	1	-1	-3	15	-15	-4	-10	-20	-10	8	5	-3	8	15	2	-7	8
225(3,10)	1	1	2	0	-1	15	7	-5	-5	5	3	4	13	-7	-1	3	-2	-11
225(3,11)	1	1	-1	3	-2	30	7	5	-5	-5	-12	-7	-11	8	-2	9	8	13
225(4, 8)	1	1	-1	-3	-3	-15	5	5	-5	5	17	2	-9	-13	-3	-19	-13	-3
225(4, 9)	1	1	2	0	4	-30	7	-5	15	-15	-2	14	3	-7	-11	13	-7	-6
225(4,10)	1	1	-1	3	3	15	-3	5	15	25	-2	3	4	13	-12	-11	3	-3
225(5,10)	1	1	-1	-3	-18	0	0	30	-30	0	27	-3	4	-3	27	-9	-3	-3

TABLE 52: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 1 \pmod{5}$, $\text{IND } 5 = 2 \pmod{3}$, $C = -1 \pmod{5}$

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7	
225(0, 0)	=	1	-44	-1	-3	-24	0	-9	-15	15	-45	30	-9	9	0	51	-6	0	-9
225(0, 1)	=	1	-14	2	0	4	-60	-8	-20	0	0	-7	14	3	-12	-16	23	-7	-6
225(0, 2)	=	1	-14	-1	3	-2	-30	7	-25	5	15	3	-11	4	3	-7	-6	10	13
225(0, 3)	=	1	-14	-1	-3	6	30	1	-5	-5	35	0	11	-1	20	6	9	-10	11
225(0, 4)	=	1	-14	2	0	14	30	-3	5	-15	-5	-7	-6	-2	-7	4	-7	3	4
225(0, 5)	=	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-4	3	3	24	3	3
225(0, 6)	=	1	-14	-1	-3	-14	-30	16	-20	0	0	-10	-19	9	0	11	-1	20	34
225(0, 7)	=	1	-14	2	0	4	0	7	-25	5	15	3	-6	-17	3	-16	3	-12	-9
225(0, 8)	=	1	-14	-1	3	-12	-60	7	25	25	5	3	23	-16	-7	-12	-6	-7	-7
225(0, 9)	=	1	-14	-1	-3	26	-30	-9	35	15	25	-10	-9	4	-10	1	-1	0	-14
225(0, 10)	=	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	=	1	-14	-1	3	-2	90	-8	-20	0	0	23	-7	-6	-12	-7	-16	-7	3
225(0, 12)	=	1	-14	-1	-3	-14	30	1	5	-25	-15	0	6	-11	0	11	9	0	1
225(0, 13)	=	1	-14	2	0	-6	30	7	25	25	5	3	14	23	-7	-6	3	-7	-16
225(0, 14)	=	1	-14	-1	3	8	0	-3	5	-15	-5	-7	3	4	23	-17	-16	3	-2
225(1, 2)	=	1	1	-1	-3	9	-15	5	5	-5	5	21	4	-10	-9	9	-13	-14	-1
225(1, 3)	=	1	1	2	0	-1	45	7	5	-5	-5	-7	9	0	-2	4	8	3	-16
225(1, 4)	=	1	1	-1	3	3	45	2	-10	10	-10	3	-2	14	3	3	-6	-2	-7
225(1, 5)	=	1	1	-1	-3	4	-30	-5	-5	15	-15	-4	-1	0	6	-1	5	11	9
225(1, 6)	=	1	1	2	0	-1	-15	-3	5	15	25	0	-6	-2	8	19	0	3	4
225(1, 7)	=	1	1	-1	3	3	45	2	-10	-20	20	-12	13	-1	3	3	9	-2	-7
225(1, 8)	=	1	1	-1	-3	-1	15	-5	5	-5	-5	11	-6	20	-14	4	-10	21	-1
225(1, 9)	=	1	1	2	0	-6	60	2	20	-20	-10	3	-11	-7	3	-6	3	-2	14
225(1, 10)	=	1	1	-1	3	-2	0	7	-5	15	-15	-7	-7	-6	3	0	-1	-7	3
225(1, 11)	=	1	1	-1	-3	-16	-30	0	-10	0	10	-4	9	-5	-4	-11	5	-9	4
225(1, 12)	=	1	1	2	0	-6	-30	2	-10	10	-10	-12	-11	-7	-12	-6	3	13	-1
225(1, 13)	=	1	1	-1	3	-7	-15	-8	20	10	10	-7	-12	-1	13	-2	-1	3	0
225(2, 4)	=	1	1	-1	-3	-1	15	-5	5	-5	-5	-4	-6	-10	1	4	5	-9	-1
225(2, 5)	=	1	1	2	0	4	0	-8	-10	-10	0	3	9	-2	3	-1	3	3	4
225(2, 6)	=	1	1	-1	3	3	-45	2	20	-20	-10	3	-2	-1	-12	3	9	13	8
225(2, 7)	=	1	1	-1	-3	-6	30	10	10	10	-10	-9	-1	5	11	-5	0	-4	-1
225(2, 8)	=	1	1	2	0	-1	-45	-8	-10	10	-20	8	0	13	4	-7	-12	-1	0
225(2, 9)	=	1	1	-1	3	8	30	-8	-10	10	-20	-7	3	-16	-2	-2	14	3	0
225(2, 10)	=	1	1	-1	-3	4	30	-5	-25	5	15	-5	-6	-5	-9	-1	0	6	-11
225(2, 11)	=	1	1	2	0	-6	-30	2	-10	-20	20	3	4	8	3	-4	-12	-2	-1
225(2, 12)	=	1	1	-1	3	3	-15	7	-5	-5	5	3	-7	-1	-7	3	-6	0	0
225(3, 6)	=	1	1	-1	-3	11	15	1	5	25	-5	5	6	-1	-5	-14	-1	0	11
225(3, 7)	=	1	1	2	0	-16	0	-8	20	10	10	-7	-6	-7	-2	4	-7	3	-1
225(3, 8)	=	1	1	-1	3	-2	-30	-8	-10	-10	0	3	3	19	3	8	-6	-12	-17
225(3, 9)	=	1	1	-1	-3	-9	-15	-4	-10	-20	-10	0	1	-1	0	-9	-6	-5	-4
225(3, 10)	=	1	1	2	0	9	-15	7	-5	-5	5	3	-16	-7	-7	9	3	0	-1
225(3, 11)	=	1	1	-1	3	8	-60	7	5	-5	-5	8	3	-1	-2	-2	-1	-12	-7
225(4, 8)	=	1	1	-1	-3	9	-15	5	5	-5	-5	-9	4	5	21	9	15	1	-1
225(4, 9)	=	1	1	2	0	4	30	7	-5	15	-15	8	14	3	3	-1	-7	-7	-6
225(4, 10)	=	1	1	-1	3	-7	45	-3	5	15	25	8	3	4	-7	-2	-1	3	-2
225(4, 10)	=	1	1	-1	-3	-6	0	0	30	-30	0	21	9	0	-9	-21	-15	-9	9

TABLE 53: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 2 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	36	0	-9	-15	-45	15	36	-3	-3	-54	-3	-18	6	-3
225(0, 1) =	1	-14	2	0	8	60	12	-20	0	-20	3	14	13	8	-26	3	-7	4
225(0, 2) =	1	-14	-1	3	-2	90	-3	5	-5	25	13	8	14	13	3	-26	-22	-7
225(0, 3) =	1	-14	-1	-3	-24	0	21	15	-5	-5	-14	7	-3	6	-8	7	-14	-3
225(0, 4) =	1	-14	2	0	-2	30	-3	-15	25	15	3	-6	8	13	24	3	3	-16
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-4	0	6	10	30	10	6	-13	7	-4	7	-3	26	7
225(0, 7) =	1	-14	2	0	-2	-90	-3	5	-5	25	13	14	-7	13	-6	13	-22	14
225(0, 8) =	1	-14	-1	3	-12	0	-3	15	-5	-5	-17	13	-6	3	-2	4	13	3
225(0, 9) =	1	-14	-1	-3	16	0	-9	15	-5	-15	6	-3	2	-14	-3	-3	6	2
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	8	-60	12	-20	0	-20	3	-7	4	8	13	-6	-7	13
225(0,12) =	1	-14	-1	-3	16	0	-9	-25	25	-5	-14	2	-13	-14	-3	7	-4	-13
225(0,13) =	1	-14	2	0	-12	0	-3	15	-5	-5	-17	-26	3	3	4	13	13	-6
225(0,14) =	1	-14	-1	3	-2	-30	-3	-15	25	15	3	-16	13	3	-6	3	8	8
225(1, 2) =	1	1	-1	-3	-2	0	0	10	-10	0	3	11	11	-2	16	6	-7	-19
225(1, 3) =	1	1	2	0	3	-45	-3	15	25	5	-7	-1	8	3	-6	-7	8	-1
225(1, 4) =	1	1	-1	3	-2	30	-3	-5	-25	15	3	-7	-1	-2	13	9	8	8
225(1, 5) =	1	1	-1	-3	8	0	-20	0	-20	-12	-4	1	8	1	6	8	1	1
225(1, 6) =	1	1	2	0	-2	30	-3	15	-5	15	3	-6	-7	-2	9	3	3	14
225(1, 7) =	1	1	-1	3	13	-15	12	10	-10	0	-12	8	-1	-2	-2	9	8	-7
225(1, 8) =	1	1	-1	-3	-12	0	0	10	-10	8	-19	11	-12	6	-19	8	8	-4
225(1, 9) =	1	1	2	0	-2	60	-3	-5	5	-15	3	-1	-7	-2	-11	3	-7	14
225(1,10) =	1	1	-1	3	-7	-15	-3	-5	15	-5	3	-7	-11	-7	-2	-6	-7	-2
225(1,11) =	1	1	-1	-3	-2	0	0	10	30	-12	6	-4	-2	-9	6	-12	8	-1
225(1,12) =	1	1	2	0	-2	-30	-3	-5	-25	15	3	-1	8	-2	-11	-12	8	-1
225(1,13) =	1	1	-1	3	3	-45	-3	15	-5	-25	8	-7	-16	3	3	-1	-7	8
225(2, 4) =	1	1	-1	-3	-12	0	0	10	-10	8	11	-4	-12	-9	11	8	11	11
225(2, 5) =	1	1	2	0	-2	0	-3	-25	-5	-5	-2	-1	-7	-2	-6	-2	8	14
225(2, 6) =	1	1	-1	3	-2	-60	-3	-5	5	-15	3	8	14	-2	-2	-6	-7	-7
225(2, 7) =	1	1	-1	-3	18	0	0	10	10	-2	1	6	18	1	1	-2	4	-1
225(2, 8) =	1	1	2	0	3	-45	-3	-15	-5	5	-7	-1	-7	3	9	8	-7	-1
225(2, 9) =	1	1	-1	3	3	45	-3	-15	-5	5	-7	0	-1	3	-12	-1	-7	-7
225(2,10) =	1	1	-1	-3	-2	0	0	-10	-20	10	-2	-4	-4	-2	6	1	8	-4
225(2,11) =	1	1	2	0	12	15	12	10	-10	0	-12	-16	-7	-2	4	3	8	-1
225(2,12) =	1	1	-1	3	3	45	12	0	10	10	13	-3	-6	-12	-2	-11	-2	3
225(3, 6) =	1	1	-1	-3	6	0	-9	15	-5	5	-4	2	2	6	-3	2	-4	2
225(3, 7) =	1	1	2	0	3	45	-3	15	-5	-25	8	14	8	3	9	-7	-7	-16
225(3, 8) =	1	1	-1	3	-2	0	-3	-25	-5	-5	-2	-7	14	-2	3	4	8	-7
225(3, 9) =	1	1	-1	-3	-14	0	6	-20	-10	0	6	2	2	16	7	-3	-4	2
225(3,10) =	1	1	2	0	3	-45	12	0	10	10	13	4	3	-12	4	-2	-2	-6
225(3,11) =	1	1	-1	3	3	45	-3	15	25	5	-7	-7	-1	3	14	8	8	8
225(4, 8) =	1	1	-1	-3	-2	8	0	10	-10	0	3	-4	-19	-2	-14	-9	-7	11
225(4, 9) =	1	1	2	0	-7	15	-3	-3	15	-5	3	14	-2	-7	4	3	-7	-11
225(4,10) =	1	1	-1	3	-2	-30	-3	15	-5	15	3	14	-2	-7	-2	-12	-6	3
225(5,10) =	1	1	-1	-3	18	0	0	30	0	-30	18	6	6	18	6	-9	-12	6

TABLE 54: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 2 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0) =	1	-44	-1	-3	12	0	-9	-15	-45	15	12	9	9	42	9	-6	-18	9
225(0, 1) =	1	-14	2	0	-12	0	12	-20	0	-20	3	14	-7	-12	14	3	-7	-16
225(0, 2) =	1	-14	-1	3	-2	-30	-3	5	-5	25	-7	-12	14	-7	3	14	18	-7
225(0, 3) =	1	-14	-1	-3	32	0	21	15	-5	-5	2	-1	9	22	4	-1	2	9
225(0, 4) =	1	-14	2	0	-2	30	-3	-15	25	15	3	-6	-12	-7	4	3	3	24
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	12	0	6	10	30	10	-18	-1	-1	12	-1	9	2	-1
225(0, 7) =	1	-14	2	0	-2	30	-3	5	-5	25	-7	-6	-7	-7	-6	-7	18	14
225(0, 8) =	1	-14	-1	3	0	60	-3	15	-5	-5	23	-7	-6	-17	-2	-16	-7	3
225(0, 9) =	1	-14	-1	-3	-8	0	-9	15	-5	-15	-18	9	-4	2	-11	9	-18	-6
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-12	0	12	-20	0	-20	3	-7	-16	-12	-7	-6	-7	-7
225(0,12) =	1	-14	-1	-3	-8	0	-9	-25	25	-5	2	-6	-1	2	9	-1	12	-1
225(0,13) =	1	-14	2	0	8	-60	-3	15	-5	-5	23	14	3	-17	4	-7	-7	-6
225(0,14) =	1	-14	-1	3	-2	-30	-3	-15	25	15	3	3	24	-7	-17	-6	3	-12
225(1, 2) =	1	1	-1	-3	-10	0	0	10	-10	0	5	-5	-15	10	-10	-8	18	18
225(1, 3) =	1	1	2	0	3	15	-3	15	25	5	3	9	-2	3	14	3	-12	-11
225(1, 4) =	1	1	-1	3	8	-60	-3	-5	-25	15	-7	-13	9	-2	-7	-1	-2	-12
225(1, 5) =	1	1	-1	-3	0	0	0	-20	0	-20	0	-10	0	0	0	0	20	0
225(1, 6) =	1	1	2	0	-2	30	-3	15	-5	15	3	-6	3	8	19	3	3	-6
225(1, 7) =	1	1	-1	3	-7	-15	12	10	-10	0	8	-2	9	-2	8	-1	-2	3
225(1, 8) =	1	1	-1	-3	0	0	0	0	10	-10	0	15	-5	0	-10	15	0	10
225(1, 9) =	1	1	2	0	8	-30	-3	-5	5	-15	-7	-11	3	-2	-1	-7	13	-6
225(1,10) =	1	1	-1	3	3	-45	-3	-5	15	-5	3	-7	-1	3	8	-6	-7	8
225(1,11) =	1	1	-1	-3	10	0	0	0	10	30	0	0	0	-10	-5	0	0	0
225(1,12) =	1	1	2	0	8	60	-3	-5	-25	15	-7	-11	-12	-2	-1	8	-2	9
225(1,13) =	1	1	-1	3	3	75	-3	15	-5	-25	-12	3	4	3	-7	9	3	-2
225(2, 4) =	1	1	-1	-3	0	0	0	0	10	-10	0	-15	10	0	0	-15	0	-5
225(2, 5) =	1	1	2	0	-2	-60	-3	-25	-5	-5	8	9	-7	8	-6	8	-12	14
225(2, 6) =	1	1	-1	3	8	30	-3	-5	5	-15	-7	-2	-6	-2	8	14	13	3
225(2, 7) =	1	1	-1	-3	-10	0	0	0	10	10	-10	5	0	10	-5	5	-10	0
225(2, 8) =	1	1	2	0	3	15	-3	-15	-5	5	3	9	13	3	-1	-12	3	-11
225(2, 9) =	1	1	-1	3	3	-15	-3	-15	-5	5	3	-12	-11	3	8	9	3	13
225(2,10) =	1	1	-1	-3	10	0	0	-10	-20	10	-10	0	-10	-10	0	5	0	-10
225(2,11) =	1	1	2	0	-7	15	12	10	-10	0	8	4	3	-2	-16	-7	-2	9
225(2,12) =	1	1	-1	3	-7	15	12	0	10	10	-7	8	-6	-2	-2	-1	8	3
225(3, 6) =	1	1	-1	-3	-18	0	-9	15	-5	5	12	-6	4	-18	-1	-6	12	4
225(3, 7) =	1	1	2	0	3	-75	-3	15	-5	-25	-12	-6	-2	3	-1	3	3	4
225(3, 8) =	1	1	-1	3	-2	60	-3	-25	-5	-5	8	3	14	8	3	-16	-12	-7
225(3, 9) =	1	1	-1	-3	2	0	0	-20	-10	0	2	4	-6	-8	-1	-1	-8	-6
225(3,10) =	1	1	2	0	-7	-15	12	0	10	10	-7	-16	3	-2	4	8	8	-6
225(3,11) =	1	1	-1	3	3	-15	-3	15	25	5	3	3	-11	3	-7	-6	-12	-2
225(4, 8) =	1	1	-1	-3	-18	0	0	10	-10	0	5	10	15	10	20	5	-8	-15
225(4, 9) =	1	1	2	0	3	45	-3	-5	15	-5	3	14	8	3	-16	3	-7	-1
225(4,10) =	1	1	-1	3	-2	-30	-3	15	-5	15	3	3	-6	8	-2	-6	3	2
225(5,10) =	1	1	-1	-3	30	0	0	30	0	-30	30	0	0	-30	0	-15	0	0

TABLE 55: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 2 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	30	31	32	33	34	35	36	37
225(0, 0) *	1	-44	-1	-3	0	0	-9	-15	-45	15	18	-3	15	18	-3	0	-12	-3
225(0, 1) *	1	-14	2	0	0	0	12	-20	0	-20	3	14	-17	8	4	3	-7	4
225(0, 2) *	1	-14	-1	3	4	60	-3	5	-5	25	13	0	14	-17	3	4	8	-7
225(0, 3) *	1	-14	-1	-3	-30	-30	21	15	-5	-5	-2	7	15	18	-8	-5	-2	-3
225(0, 4) *	1	-14	2	0	-2	-30	-3	-15	25	15	3	-6	6	13	24	3	3	14
225(0, 5) *	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) *	1	-14	-1	-3	-10	30	6	10	30	10	-12	-13	-5	8	7	15	8	7
225(0, 7) *	1	-14	2	0	-2	-30	-3	5	-5	25	-17	14	-7	11	-6	13	8	14
225(0, 8) *	1	-14	-1	3	-5	-30	-3	15	-5	-5	13	-17	-6	-27	-2	-26	13	3
225(0, 9) *	1	-14	-1	-2	10	30	-9	15	-5	-15	-12	-3	-10	-2	-3	18	-12	2
225(0,10) *	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-4	-12	3	-6
225(0,11) *	1	-14	-1	3	14	-30	12	-20	0	-20	3	-7	-26	-22	-17	-6	-7	13
225(0,12) *	1	-14	-1	-3	10	-30	-7	-25	25	-5	-2	2	5	-2	-3	-5	8	-13
225(0,13) *	1	-14	2	0	-12	60	-3	15	-5	-5	13	4	3	3	4	-17	-17	-6
225(0,14) *	1	-14	-1	3	4	0	-3	-15	25	15	3	3	14	-17	3	-4	3	-23
225(1, 2) *	1	1	-1	-3	7	15	0	10	-10	0	-3	-4	2	7	-14	-3	2	11
225(1, 3) *	1	1	2	0	3	-15	-3	15	25	5	8	-1	-7	3	9	-7	-7	-1
225(1, 4) *	1	1	-1	3	-11	45	-3	-5	-25	15	-12	8	-1	-2	-1	-7	-7	-1
225(1, 5) *	1	1	-1	-3	2	30	0	-20	0	-20	-3	-4	7	2	1	-3	17	1
225(1, 6) *	1	1	2	0	-2	-30	-3	15	-5	15	3	-6	-7	-2	9	3	3	-1
225(1, 7) *	1	1	-1	3	4	0	12	10	-10	0	3	-7	14	-2	13	-6	8	-7
225(1, 8) *	1	1	-1	-3	-3	-15	0	10	-10	17	11	2	-3	-9	2	-13	11	11
225(1, 9) *	1	1	2	0	-2	30	-3	-5	-5	-15	-12	-1	-7	-2	-11	3	8	-1
225(1,10) *	1	1	-1	3	-1	15	-3	-5	15	-5	3	-7	4	8	13	-6	-7	-2
225(1,11) *	1	1	-1	-3	-8	30	0	10	30	-3	4	2	-8	-9	-3	-3	8	14
225(1,12) *	1	1	2	0	-2	-60	-3	-5	-25	15	3	-16	-7	-2	4	3	8	14
225(1,13) *	1	1	-1	3	-6	-60	-3	15	-5	-25	-7	8	-1	3	3	14	-7	-7
225(2, 4) *	1	1	-1	-3	-3	-15	0	10	-10	-13	-19	2	-3	6	2	17	-4	-4
225(2, 5) *	1	1	2	0	-2	60	-3	-25	-5	-5	13	-1	-7	-2	-6	-2	-7	14
225(2, 6) *	1	1	-1	3	-11	-45	-3	-5	-5	-15	3	8	-1	-2	-2	9	8	8
225(2, 7) *	1	1	-1	-3	12	-30	0	10	10	-8	1	-3	12	1	7	-8	6	6
225(2, 8) *	1	1	2	0	3	-15	-3	-15	-5	5	-7	14	8	3	-6	-7	-7	-16
225(2, 9) *	1	1	-1	3	-6	30	-3	-15	-5	5	8	-7	-1	3	3	-1	8	8
225(2,10) *	1	1	-1	-3	-3	-30	0	-10	-20	10	-8	-4	-13	-8	6	7	2	-4
225(2,11) *	1	1	2	0	13	-15	12	10	-10	0	-3	-1	8	-2	-11	-12	-7	-1
225(2,12) *	1	1	-1	3	7	15	12	0	10	10	-2	13	-6	3	-2	4	-2	3
225(3, 6) *	1	1	-1	-3	15	-15	-9	15	-5	5	8	2	5	-12	-3	-10	8	2
225(3, 7) *	1	1	2	0	3	75	-3	15	-5	-25	-7	-1	8	3	9	8	8	-1
225(3, 8) *	1	1	-1	3	4	-30	-3	-25	-5	-5	-2	-7	14	13	3	-11	-7	-7
225(3, 9) *	1	1	-1	-3	-5	15	6	-20	-10	0	3	2	-10	-2	7	0	-7	2
225(3,10) *	1	1	2	0	3	15	12	0	10	10	-2	-7	-7	3	-12	4	13	-6
225(3,11) *	1	1	-1	3	-6	30	-3	15	25	5	-7	-16	3	-12	-1	-7	8	8
225(4, 8) *	1	1	-1	-3	7	15	0	10	-10	0	12	11	2	7	16	-3	-13	-19
225(4, 9) *	1	1	2	0	-7	-45	-3	-5	15	-5	3	14	13	-7	-11	3	-7	-11
225(4,10) *	1	1	-1	3	4	0	-3	15	-5	15	3	3	-1	13	-12	-6	3	8
225(5,10) *	1	1	-1	-3	-18	0	0	30	0	-30	27	6	-3	-18	6	-18	-3	6

TABLE 56: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 2 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	FO	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	-1	-3	-24	0	-9	-15	-45	15	30	9	-9	-30	0	-24	0	9
225(0, 1)	1	-14	2	0	-12	-60	12	-20	0	-20	3	14	23	-12	-16	3	-7	-16
225(0, 2)	1	-14	-1	2	4	-60	-3	5	-5	25	-7	-12	14	23	3	-16	-12	-7
225(0, 3)	1	-14	-1	-3	26	-30	21	15	-5	-5	-10	-1	-9	10	4	11	-10	9
225(0, 4)	1	-14	0	0	-2	-30	-3	-15	25	15	3	-6	-12	-7	4	3	3	-6
225(0, 5)	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	-3	6	30	6	10	30	10	0	-1	11	0	-1	-9	20	-1
225(0, 7)	1	-14	2	0	-2	90	-3	5	-5	25	23	-6	-7	-7	-6	-7	-12	14
225(0, 8)	1	-14	-1	3	14	30	-3	15	-5	-5	-7	23	-6	12	-2	14	-7	3
225(0, 9)	1	-14	-1	-3	-14	30	-9	15	-5	-15	0	9	6	-10	-11	-9	0	-6
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-6	30	12	-20	0	-20	3	-7	14	18	23	-6	-7	-7
225(0,12)	1	-14	-1	-3	-14	-30	-9	-25	25	-5	-10	-6	-19	-10	9	11	0	-1
225(0,13)	1	-14	2	0	8	0	-3	15	-5	-5	-7	-14	3	-17	4	23	23	-6
225(0,14)	1	-14	-1	3	4	0	-3	-15	25	15	0	3	-6	23	-17	-6	3	18
225(1, 2)	1	1	-1	-3	-1	15	0	10	-10	0	11	10	-6	1	20	-1	-14	-15
225(1, 3)	1	1	0	0	3	45	-3	15	25	5	-12	9	13	3	-1	3	3	-11
225(1, 4)	1	1	-1	3	-1	-45	-3	-5	-25	15	8	-2	9	-2	8	-1	13	3
225(1, 5)	1	1	-1	-3	-6	30	0	-20	0	-20	-9	-10	-1	6	5	9	11	5
225(1, 6)	1	1	2	0	-2	-30	-3	15	-5	15	3	-6	3	8	19	3	3	9
225(1, 7)	1	1	-1	3	-16	0	12	10	-10	0	-7	13	-6	-2	-7	14	-2	3
225(1, 8)	1	1	-1	-3	9	-15	0	0	10	-10	-9	-15	4	-9	5	-6	21	-5
225(1, 9)	1	1	2	0	8	-60	-3	-5	5	-15	8	-11	3	-2	-1	-7	-2	9
225(1,10)	1	1	-1	3	9	-15	-3	-5	15	-5	3	-7	-16	-12	-7	-6	-7	8
225(1,11)	1	1	-1	-3	4	30	0	0	10	30	-9	0	-6	-4	-5	9	-9	0
225(1,12)	1	1	2	0	8	30	-3	-5	-25	15	-7	4	3	-2	-16	-7	-2	-6
225(1,13)	1	1	-1	3	-6	60	-3	15	-5	-25	3	-12	-11	3	-7	-6	3	13
225(2, 4)	1	1	-1	-3	9	-15	0	0	10	-10	21	15	4	-9	-10	-4	-9	18
225(2, 5)	1	1	2	0	-2	0	-3	-25	-5	-5	-7	9	-7	8	-6	8	3	14
225(2, 6)	1	1	-1	3	-1	45	-3	-5	5	-15	-7	-2	9	-2	8	-1	-2	-12
225(2, 7)	1	1	-1	-3	-16	-30	0	0	10	10	-4	5	9	16	-5	-1	-4	0
225(2, 8)	1	1	2	0	3	45	-3	-15	-5	5	3	-6	-2	3	14	3	3	4
225(2, 9)	1	1	-1	3	-6	-30	-3	-15	-5	5	-12	3	-11	3	-7	9	-12	-2
225(2,10)	1	1	-1	-3	4	-30	0	-10	-20	10	-4	0	-1	-4	0	-1	6	-10
225(2,11)	1	1	2	0	-7	-15	12	10	-10	0	-7	-11	-12	-2	-1	8	13	9
225(2,12)	1	1	-1	3	-1	-15	12	0	10	10	0	-7	-6	-17	-2	-16	8	3
225(3, 6)	1	1	-1	-3	-7	-15	-9	15	-5	5	0	-6	1	0	-1	6	0	4
225(3, 7)	1	1	2	0	3	-45	-3	15	-5	-25	3	9	-2	3	-1	-12	-12	-11
225(3, 8)	1	1	-1	3	4	30	-3	-25	-5	-5	3	14	-7	3	-1	3	-7	3
225(3, 9)	1	1	-1	-3	11	15	6	-20	-10	0	5	4	6	10	-1	-4	-5	-6
225(3,10)	1	1	2	0	-7	45	12	0	10	10	3	-1	3	-2	4	-7	-7	-6
225(3,11)	1	1	-1	3	-6	-30	-3	15	25	5	3	3	4	3	8	9	3	-2
225(4, 8)	1	1	-1	-3	-1	15	0	10	-10	0	-4	-5	-6	1	-10	-1	1	15
225(4, 9)	1	1	2	0	3	-15	-3	-5	15	-5	3	14	-7	3	-1	3	-7	-1
225(4,10)	1	1	-1	3	4	0	-3	15	-5	15	3	3	9	-7	-2	-6	3	-12
225(5,10)	1	1	-1	-3	-6	0	0	30	0	-20	21	0	9	6	0	-6	-9	0

TABLE 57: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 2 \pmod{5}$, $\text{IND } 5 = 2 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	D	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0,0)	1	-44	-1	-3	0	0	-9	-15	-45	15	18	15	-3	18	15	-18	-12	15
225(0,1)	1	-14	2	0	14	30	12	-20	0	-20	3	14	13	-22	4	3	-7	-26
225(0,2)	1	-14	-1	3	-2	30	-3	5	-5	25	-17	-22	14	13	3	4	8	-7
225(0,3)	1	-14	-1	-3	-30	30	21	15	-5	-5	-2	-5	-3	18	10	7	-2	15
225(0,4)	1	-14	2	0	4	0	-3	-15	25	15	3	-6	-22	-17	-6	3	3	14
225(0,5)	1	-14	-1	3	-12	0	-3	15	-15	-12	3	-6	3	3	24	3	3	3
225(0,6)	1	-14	-1	-3	-10	-30	6	10	30	10	-12	5	7	0	-5	-3	8	-5
225(0,7)	1	-14	2	0	4	-60	-3	5	-5	25	13	-16	-7	-17	-6	-17	8	14
225(0,8)	1	-14	-1	3	-12	-60	-3	15	-5	-5	13	13	-6	3	-2	4	-17	3
225(0,9)	1	-14	-1	-3	10	-30	-9	15	-5	-15	-12	15	2	-2	-15	-3	-12	-10
225(0,10)	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	8	0	12	-20	0	-20	3	-7	4	8	13	-6	-7	-17
225(0,12)	1	-14	-1	-3	10	30	-9	-25	25	-5	-2	-10	-13	-2	15	7	8	3
225(0,13)	1	-14	2	0	-6	30	-3	15	-5	-5	13	4	3	-27	4	13	13	-6
225(0,14)	1	-14	-1	3	-2	30	-3	-15	25	15	3	3	14	13	-27	-6	3	8
225(1,2)	1	1	-1	-3	7	-15	0	10	-10	0	12	2	-19	7	7	-9	-13	2
225(1,3)	1	1	2	0	-6	-30	-3	15	25	5	-7	14	8	3	9	8	-7	-16
225(1,4)	1	1	-1	3	-2	60	-3	-5	-25	15	3	8	14	-2	-2	-6	8	-7
225(1,5)	1	1	-1	-3	2	-30	0	-20	0	-20	-3	-13	1	2	7	6	17	7
225(1,6)	1	1	2	0	4	0	-3	15	-5	15	3	-6	8	13	24	3	3	-1
225(1,7)	1	1	-1	3	13	15	12	10	-10	0	3	3	-1	-2	-2	9	-7	8
225(1,8)	1	1	-1	-3	-3	15	0	0	10	-10	-13	2	-4	-3	-3	11	17	3
225(1,9)	1	1	2	0	-11	45	-3	-5	5	-15	3	-16	0	-2	4	-12	8	-1
225(1,10)	1	1	-1	3	-7	45	-3	-5	15	-5	2	-7	-11	-7	-2	-6	-7	13
225(1,11)	1	1	-1	-3	-8	-30	0	0	10	30	-3	-3	-4	-8	-3	6	-3	2
225(1,12)	1	1	2	0	-11	-45	-3	-5	-25	15	-12	-1	-7	-2	-11	3	-7	-1
225(1,13)	1	1	-1	3	0	-75	-3	15	-5	-25	-7	-7	-1	3	-12	-1	8	8
225(2,4)	1	1	-1	-3	-3	15	0	0	10	-10	17	2	11	-3	-3	-19	-13	2
225(2,5)	1	1	2	0	4	30	-3	-25	-5	-5	-2	14	-7	13	-6	13	-7	14
225(2,6)	1	1	-1	3	-2	-30	-3	-5	5	-15	-12	-7	-1	-2	13	9	8	-7
225(2,7)	1	1	-1	-3	12	30	0	0	10	10	-8	7	6	12	-8	1	-8	-3
225(2,8)	1	1	2	0	-6	-20	-3	-15	-5	5	0	-1	3	3	9	-7	8	-1
225(2,9)	1	1	-1	3	3	15	-3	-15	-5	5	-7	-7	-16	3	3	14	-7	6
225(2,10)	1	1	-1	-3	-3	30	0	-10	-20	10	-8	2	-4	-8	-3	1	2	-13
225(2,11)	1	1	2	0	4	0	12	10	-10	0	3	-1	-7	-2	-11	3	8	14
225(2,12)	1	1	-1	3	3	-15	12	0	10	10	-2	-2	-6	-12	-2	-11	13	3
225(3,6)	1	1	-1	-3	15	15	-9	15	-5	5	3	-10	2	-12	0	2	8	5
225(3,7)	1	1	2	0	-6	60	-3	15	-5	-25	-7	-1	-7	3	-6	-7	-7	-1
225(3,8)	1	1	-1	3	-2	-60	-3	-25	-5	-5	13	6	14	-2	3	-11	-7	-7
225(3,9)	1	1	-1	-3	-5	-15	6	-20	-10	0	3	5	2	-2	-5	-3	-7	-10
225(3,10)	1	1	2	0	9	-15	12	0	10	10	-2	-11	3	3	4	-2	-2	-6
225(3,11)	1	1	-1	3	3	15	-3	15	25	5	8	8	-1	3	3	-1	-7	-7
225(4,8)	1	1	-1	-3	7	-15	0	10	-10	0	-3	2	11	7	7	6	2	2
225(4,9)	1	1	2	0	-1	-15	-3	-5	15	-5	3	14	-2	8	-11	3	-7	4
225(4,10)	1	1	-1	3	-2	30	-3	15	-5	15	3	3	-1	-2	3	-6	3	-7
225(5,10)	1	1	-1	-3	-18	0	0	30	0	-30	27	-3	6	-18	-3	-9	-3	-3

T-3LE 58: IND 1 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 2 (MOD 5), IND 5 = 2 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	-24	0	-9	-15	-45	15	30	-9	9	-30	-9	-6	0	-9
225(0, 1) =	1	-14	2	0	-6	-30	12	-20	0	-20	3	14	-7	18	-16	3	-7	14
225(0, 2) =	1	-14	-1	0	-2	-90	-3	5	-5	25	23	18	14	-7	3	-16	-12	-7
225(0, 3) =	1	-14	-1	-3	26	30	21	15	-5	-5	-10	11	9	10	-14	-1	-10	-9
225(0, 4) =	1	-14	2	0	4	0	-3	15	25	15	3	-6	18	23	34	3	3	-6
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	6	-30	6	10	30	10	0	-19	-1	0	11	9	20	11
225(0, 7) =	1	-14	2	0	4	60	-3	5	-5	25	-7	24	-7	23	-6	23	-12	14
225(0, 8) =	1	-14	-1	0	8	0	-3	15	-5	-5	-7	-7	-6	-17	-2	-16	23	3
225(0, 9) =	1	-14	-1	-3	-14	-30	-9	15	-5	-15	0	-9	-6	-10	1	9	0	6
225(0,10) =	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-12	60	12	-20	0	-20	3	-7	-16	-12	-7	-4	-7	23
225(0,12) =	1	-14	-1	-3	-14	30	-9	-25	25	-5	-10	6	-1	-10	-9	-1	0	-19
225(0,13) =	1	-14	2	0	14	-30	-3	15	-5	-5	-7	-16	3	13	4	-7	-7	-6
225(0,14) =	1	-14	-1	0	-3	30	-3	-15	25	15	0	3	-6	-7	13	-6	3	-12
225(1, 2) =	1	1	-1	-3	-1	-15	0	10	-10	0	-4	4	15	1	-1	5	1	-6
225(1, 3) =	1	1	2	0	-6	30	-3	15	25	0	3	-6	-2	3	-1	-12	3	4
225(1, 4) =	1	1	-1	0	6	-30	-3	-5	-25	15	-7	-2	-6	-2	8	14	-2	3
225(1, 5) =	1	1	-1	-3	-6	-30	0	-20	0	-20	-9	-1	5	6	-1	0	11	-1
225(1, 6) =	1	1	2	0	4	0	-3	15	-5	15	3	-6	-12	-7	4	3	3	9
225(1, 7) =	1	1	-1	3	-7	15	12	10	-10	0	-7	-2	9	-2	8	-1	13	-12
225(1, 8) =	1	1	-1	-3	9	15	0	10	-10	21	-6	10	-9	-1	-15	-9	4	
225(1, 9) =	1	1	2	0	-1	-45	-3	-5	5	-15	-7	4	-12	-2	-16	0	-2	9
225(1,10) =	1	1	-1	3	3	15	-3	-5	15	-5	0	-7	-1	3	8	-6	-7	-7
225(1,11) =	1	1	-1	-3	-4	-30	0	10	30	-9	9	0	-4	-11	0	-9	-6	
225(1,12) =	1	1	2	0	-1	45	-3	-5	-25	15	0	-11	3	-2	-1	-7	13	9
225(1,13) =	1	1	-1	3	3	45	-3	15	-5	-25	0	3	-11	3	9	-12	-2	
225(2, 4) =	1	1	-1	-3	9	15	0	10	-10	-9	-6	-5	-9	-1	15	21	4	
225(2, 5) =	1	1	2	0	4	-30	-3	-25	-5	-5	6	-6	-7	-7	-6	-7	3	14
225(2, 6) =	1	1	-1	3	8	60	-3	-5	5	-15	8	13	9	-2	-7	-1	-2	3
225(2, 7) =	1	1	-1	-3	-16	30	0	10	10	-4	-1	0	16	4	5	-4	9	
225(2, 8) =	1	1	2	0	-6	30	-3	-15	-5	5	-12	9	-2	3	-1	3	-12	-11
225(2, 9) =	1	1	-1	3	3	-45	-3	-15	-5	5	3	3	4	3	-7	-6	3	-2
225(2,10) =	1	1	-1	-3	4	30	0	-10	-20	10	-4	-6	-10	-4	9	5	6	-1
225(2,11) =	1	1	2	0	-16	0	12	10	-10	0	-7	-11	3	-2	-1	-7	-2	-6
225(2,12) =	1	1	-1	3	-7	-45	12	0	10	10	0	8	-6	-2	-2	-1	-7	3
225(3, 6) =	1	1	-1	-3	-9	15	-9	15	-5	5	0	6	4	0	-4	-6	0	1
225(3, 7) =	1	1	2	0	-6	-60	-3	15	-5	-25	3	9	13	3	14	3	3	-11
225(3, 8) =	1	1	-1	3	-2	0	-3	-25	-5	-5	-7	-12	14	8	3	-1	3	-7
225(3, 9) =	1	1	-1	-3	11	-15	6	-20	-10	0	5	1	-6	10	11	-1	-5	6
225(3,10) =	1	1	2	0	-1	15	12	0	10	10	8	-1	3	-17	4	8	0	-6
225(3,11) =	1	1	-1	3	-45	-3	15	25	5	-12	-12	-11	3	-7	9	3	13	
225(4, 8) =	1	1	-1	-3	-1	-15	0	10	-10	0	11	4	-15	1	-1	-10	-14	-6
225(4, 9) =	1	1	2	0	7	15	-3	-5	15	-5	3	14	0	-12	-1	3	-7	-16
225(4,10) =	1	1	-1	3	-2	30	-3	15	-5	15	3	3	9	8	-17	-6	3	3
225(5,10) =	1	1	-1	-3	-6	0	0	30	0	-30	21	9	0	6	9	-15	-9	9

TABLE 59: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	F	I	A	D	C	B	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0)	1	-44	-1	-3	36	0	21	15	-15	-15	36	-3	27	6	-3	-18	6	27
225(0, 1)	1	-14	2	0	-2	30	2	-10	30	10	3	24	-17	0	-6	3	-27	4
225(0, 2)	1	-14	-1	3	-12	0	-3	5	-5	-15	-17	-2	24	3	13	4	-2	-27
225(0, 3)	1	-14	-1	-3	16	0	1	15	35	15	-14	-3	7	26	2	7	6	7
225(0, 4)	1	-14	2	0	8	60	-3	5	-15	35	3	-26	-22	-17	14	3	13	14
225(0, 5)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6)	1	-14	-1	-3	16	0	4	20	0	-20	6	-3	7	-4	-3	-3	6	7
225(0, 7)	1	-14	2	0	-12	0	-3	5	-5	-15	-17	4	-27	3	-26	13	-2	24
225(0, 8)	1	-14	-1	3	-2	90	7	-15	5	-15	13	3	4	-7	0	-26	3	-17
225(0, 9)	1	-14	-1	-3	-4	0	-9	-25	15	5	6	7	2	-14	-13	-3	-14	2
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-2	-30	2	-10	30	10	3	3	4	8	3	6	-27	-17
225(0,12)	1	-14	-1	-3	-24	0	-9	-25	-35	15	-14	-8	-3	6	7	7	16	-3
225(0,13)	1	-14	2	0	-2	-90	7	-15	5	-15	12	-6	-17	-7	14	13	3	4
225(0,14)	1	-14	-1	3	8	-60	-3	5	-15	35	3	13	14	-17	-7	-6	13	-23
225(1, 2)	1	1	-1	-3	0	0	0	-10	-10	3	-14	1	8	-4	-9	-2	1	1
225(1, 3)	1	1	2	0	3	45	-8	20	-10	-10	8	9	3	8	14	7	-12	-6
225(1, 4)	1	1	-1	3	-2	30	12	0	-10	-10	3	13	4	-7	-7	9	-3	-2
225(1, 5)	1	1	-1	-3	-2	0	5	-25	15	-5	-12	-9	1	8	6	6	18	1
225(1, 6)	1	1	2	0	-7	15	-3	5	15	5	3	4	8	13	14	3	-2	-1
225(1, 7)	1	1	-1	3	-2	-60	-3	15	5	5	3	-2	4	-7	8	-6	13	-2
225(1, 8)	1	1	-1	-3	-12	0	-5	5	5	5	8	-9	6	-7	11	11	3	6
225(1, 9)	1	1	2	0	13	15	-3	-15	-25	5	-12	4	-2	8	-16	3	-2	4
225(1,10)	1	1	-1	3	-2	-30	2	-10	0	-20	3	-12	-11	-7	3	-6	3	13
225(1,11)	1	1	-1	-3	8	0	0	20	0	20	-12	1	-4	-2	-4	6	-2	-4
225(1,12)	1	1	2	0	-2	-30	12	0	-10	-10	3	-11	-2	-7	-1	-12	-2	4
225(1,13)	1	1	-1	3	3	45	-8	-10	20	-10	-7	3	6	-7	-7	14	3	6
225(2, 4)	1	1	-1	-2	-12	0	-5	5	5	5	8	6	6	-7	-15	-19	3	6
225(2, 5)	1	1	2	0	3	-45	-3	-25	-5	15	13	4	3	3	4	-2	-2	9
225(2, 6)	1	1	-1	3	13	-15	-3	-15	-25	5	-12	-2	4	8	8	9	-2	-2
225(2, 7)	1	1	-1	-3	-2	0	10	0	-10	0	-2	6	1	8	-4	1	-12	1
225(2, 8)	1	1	2	0	3	-45	7	5	5	5	-7	9	3	8	-1	8	3	-6
225(2, 9)	1	1	-1	3	3	45	7	5	5	5	-7	-12	-6	8	8	-1	3	3
225(2,10)	1	1	-1	-3	18	0	0	-10	10	0	-2	1	-9	-12	1	1	-2	-9
225(2,11)	1	1	2	0	-2	60	-3	15	5	5	3	-11	-2	-7	-1	3	13	4
225(2,12)	1	1	-1	3	-2	0	7	15	5	15	-2	3	-11	-7	-7	4	3	13
225(3, 6)	1	1	-1	-3	0	0	1	5	-25	-4	-3	-3	-4	2	2	6	-3	3
225(3, 7)	1	1	2	0	3	-45	-9	-10	20	-10	-7	-6	3	-7	-1	-7	-3	-6
225(3, 8)	1	1	-1	3	3	45	-3	-25	-5	15	13	-2	9	3	-2	-11	-2	3
225(3, 9)	1	1	-1	-3	-14	0	6	0	-10	20	6	7	-8	4	2	-3	-14	-8
225(3,10)	1	1	2	0	-2	0	7	15	5	15	-2	-6	13	-7	-1	-2	3	-11
225(3,11)	1	1	-1	3	-45	-8	20	-10	-10	8	2	-6	9	-7	-1	-12	3	3
225(4, 8)	1	1	-1	-3	-2	0	0	0	-10	-10	3	16	1	8	11	6	-2	1
225(4, 9)	1	1	2	0	-2	30	2	-10	0	-20	3	9	13	-7	-6	3	3	-11
225(4,10)	1	1	-1	3	-7	-15	-3	5	15	5	3	-2	-1	13	-7	-6	-3	8
225(5,10)	1	1	-1	-3	18	0	-15	15	-15	-15	18	6	-9	-12	6	-9	-12	-9

TABLE 60: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0,0)	1	-44	-1	-3	12	0	21	15	-15	-15	12	9	-21	-18	9	-6	-18	-21
225(0,1)	1	-14	2	0	-2	30	2	-10	30	10	3	4	23	-12	-6	3	13	-16
225(0,2)	1	-14	-1	3	8	60	-3	5	-5	-15	23	-2	4	3	-7	-16	-2	13
225(0,3)	1	-14	-1	-3	-8	0	1	15	35	15	2	9	-1	2	-6	-1	-18	-1
225(0,4)	1	-14	2	0	-12	0	-3	5	-15	35	3	14	18	23	14	3	-7	-6
225(0,5)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0,6)	1	-14	-1	-3	-8	0	-4	20	0	-20	-18	-11	-1	12	9	9	22	-1
225(0,7)	1	-14	2	0	8	-60	-3	5	-5	-15	23	4	13	3	14	-7	-2	4
225(0,8)	1	-4	-1	3	-2	-30	7	-15	5	-15	-7	3	-6	-7	-12	14	3	23
225(0,9)	1	-14	-1	-3	12	0	-9	-25	15	5	-18	-1	-6	2	-1	9	2	-6
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-2	-30	2	-10	30	10	3	-17	-16	-12	3	-6	13	23
225(0,12)	1	-14	-1	-3	32	0	-9	-25	-35	15	2	4	-11	-18	-1	-1	-8	-11
225(0,13)	1	-14	2	0	-2	30	7	-15	5	-15	-7	-6	23	-7	-6	-7	3	-16
225(0,14)	1	-14	-1	3	-12	0	-3	5	-15	35	3	-7	-6	23	-7	-6	-7	18
225(1,2)	1	1	-1	-3	-10	0	0	-10	-10	-10	5	20	-5	0	10	5	-10	-5
225(1,3)	1	1	2	0	3	-75	-9	20	-10	-10	-12	-1	3	-2	-6	3	8	-6
225(1,4)	1	1	-1	3	8	-60	12	0	-10	-10	-7	-7	4	2	13	-1	8	-2
225(1,5)	1	1	-1	-3	10	0	5	-25	15	-5	0	-5	5	0	0	10	5	5
225(1,6)	1	1	2	0	3	45	-3	5	15	5	3	-16	-12	-7	14	3	8	9
225(1,7)	1	1	-1	3	0	30	-3	15	5	5	-7	8	4	3	-2	14	-7	-2
225(1,8)	1	1	-1	-3	0	0	-5	5	5	5	0	5	0	-5	-15	-15	5	0
225(1,9)	1	1	2	0	-7	15	-3	-15	-25	5	8	-16	-2	-12	4	-7	8	4
225(1,10)	1	1	-1	3	-2	-30	2	-10	0	-20	2	-2	-1	2	2	-6	-17	-7
225(1,11)	1	1	-1	-3	0	0	0	20	0	20	0	5	0	-10	-10	0	-10	0
225(1,12)	1	1	2	0	8	60	12	0	-10	-10	-7	-1	-2	3	-11	8	8	4
225(1,13)	1	1	-1	3	3	-15	-8	-10	20	-10	3	-7	-6	13	3	-6	-7	3
225(2,4)	1	1	-1	-3	0	0	-5	5	5	5	0	-10	0	-5	15	15	5	0
225(2,5)	1	1	2	0	-7	-15	-3	-25	-5	15	-7	4	-17	3	-16	8	-2	19
225(2,6)	1	1	-1	3	-7	-15	-3	-15	-25	5	8	8	4	-12	-2	-1	8	-2
225(2,7)	1	1	-1	-3	10	0	10	0	-10	0	-10	0	5	20	0	5	0	5
225(2,8)	1	1	2	0	3	15	7	5	5	5	3	-1	3	-2	9	-12	-7	-6
225(2,9)	1	1	-1	3	3	-15	7	5	5	5	3	8	-6	-2	-12	9	-7	3
225(2,10)	1	1	-1	-3	-10	0	0	-10	10	0	-10	-5	-5	0	5	10	-5	-5
225(2,11)	1	1	2	0	8	-30	-2	15	5	5	-7	-1	-2	3	-11	-7	-7	4
225(2,12)	1	1	-1	3	-2	60	7	15	5	15	8	3	-1	-7	3	-16	3	-7
225(3,6)	1	1	-1	-3	-18	0	1	5	5	-25	12	-1	9	-8	-6	-6	3	9
225(3,7)	1	1	2	0	3	15	-8	-10	20	-10	3	14	3	13	9	3	-7	-6
225(3,8)	1	1	-1	3	-7	15	-3	-25	-5	15	-7	-2	19	3	8	-1	-2	-17
225(3,9)	1	1	-1	-3	-	0	6	0	-10	20	2	-1	4	12	4	-1	2	4
225(3,10)	1	1	2	C	-	-60	7	15	5	15	8	-6	-7	-7	9	8	3	-1
225(3,11)	1	1	-1	3	3	75	-8	20	-10	-10	-12	-7	-6	-2	3	9	8	3
225(4,8)	1	1	-1	-3	-10	0	0	0	-10	-10	5	-10	-5	0	-5	-10	-10	-5
225(4,9)	1	1	2	0	-2	30	2	-10	0	-30	3	19	-7	3	-6	3	-17	-1
225(4,10)	1	1	-1	3	3	-45	-3	5	15	5	3	8	9	-7	-7	-6	8	-12
225(5,10)	1	1	-1	-3	30	0	-15	15	-15	-15	30	0	15	0	0	-15	0	15

TABLE 61: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 1 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	0	0	21	15	-15	-15	18	-3	-45	-12	-3	0	-12	27
225(0, 1) =	1	-14	2	0	-2	-30	2	-10	30	10	3	24	13	-22	-6	3	3	-26
225(0, 2) =	1	-14	-1	3	-6	-30	-3	5	-5	-15	13	-2	24	3	-17	-26	-2	3
225(0, 3) =	1	-14	-1	-3	10	-30	1	15	35	15	-2	-3	-5	8	2	-5	-12	7
225(0, 4) =	1	-14	2	0	0	0	-3	5	-15	35	3	4	9	13	14	3	-17	-16
225(0, 5) =	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	10	30	-4	20	0	-20	-12	-3	-5	0	-3	15	10	7
225(0, 7) =	1	-14	2	0	-12	60	-3	5	-5	-15	13	4	3	3	4	-17	-2	-6
225(0, 8) =	1	-14	-1	3	4	60	7	-15	5	-15	13	3	4	-7	8	4	3	13
225(0, 9) =	1	-14	-1	-3	10	30	-9	-25	15	5	-12	7	-10	-2	-13	15	-2	2
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	4	0	2	-10	30	10	3	3	4	8	3	-6	3	13
225(0,12) =	1	-14	-1	-3	-30	-30	-7	-25	-35	15	-2	-8	-15	-12	7	-5	-2	-3
225(0,13) =	1	-14	2	0	-2	-30	7	-15	5	-15	-17	-6	13	-7	14	13	3	-26
225(0,14) =	1	-14	-1	3	14	-30	-3	5	-15	35	3	-17	14	13	-7	-6	13	8
225(1, 2) =	1	1	-1	-3	7	15	0	0	-10	12	16	-8	17	11	-3	-23	1	1
225(1, 3) =	1	1	2	0	3	75	-8	20	-10	-10	-7	9	3	-7	-1	8	3	-6
225(1, 4) =	1	1	-1	3	-11	45	12	0	-10	-10	-12	-2	4	8	8	9	13	-2
225(1, 5) =	1	1	-1	-3	-8	30	5	-25	15	-3	-3	-9	7	2	6	-3	12	1
225(1, 6) =	1	1	2	0	-7	-45	-3	5	15	5	3	-11	-7	-2	14	3	13	14
225(1, 7) =	1	1	-1	3	-11	-45	-3	15	5	5	3	-2	4	-7	8	9	-2	-2
225(1, 8) =	1	1	-1	-3	-3	-15	-5	5	5	-13	6	-3	2	-19	2	-3	6	6
225(1, 9) =	1	1	2	0	13	-15	-3	-15	-25	5	3	-11	-2	-7	-1	-12	13	4
225(1,10) =	1	1	-1	3	4	0	2	-10	0	-20	3	-12	-11	-7	3	-6	-12	-2
225(1,11) =	1	1	-1	-3	2	30	0	20	0	20	-3	1	2	-8	-4	-3	-8	-4
225(1,12) =	1	1	2	0	-2	-60	12	0	-10	-10	3	4	-2	-7	-16	3	-2	4
225(1,13) =	1	1	-1	3	-6	30	-8	-10	20	-10	-7	-12	-6	8	-7	-1	3	3
225(2, 4) =	1	1	-1	-3	-3	-15	-5	5	5	17	-9	3	-13	11	2	12	6	6
225(2, 5) =	1	1	2	0	3	15	-3	-25	-5	15	-2	4	-12	3	-11	13	-2	24
225(2, 6) =	1	1	-1	3	4	0	-3	-15	-25	5	3	13	4	-7	-7	-6	-2	-2
225(2, 7) =	1	1	-1	-3	-8	-30	10	0	-10	0	-8	6	7	17	-4	7	-3	1
225(2, 8) =	1	1	2	0	3	-15	7	5	5	5	-7	-6	3	8	16	-7	3	-6
225(2, 9) =	1	1	-1	3	-6	30	7	5	5	5	3	3	-6	-7	-7	-1	-12	3
225(2,10) =	1	1	-1	-3	12	-30	0	-10	10	0	-8	1	-3	-3	1	7	7	-9
225(2,11) =	1	1	2	0	-2	30	-3	15	5	5	-12	-11	-2	8	-1	3	-2	4
225(2,12) =	1	1	-1	3	4	-30	7	15	5	15	-2	3	-11	-7	-7	-11	3	-2
225(3, 6) =	1	1	-1	-3	15	-15	1	5	5	-25	8	-2	15	-7	2	-10	3	-3
225(3, 7) =	1	1	2	0	3	-15	-8	-10	20	-10	8	9	3	8	-1	-7	-12	-6
225(3, 8) =	1	1	-1	3	9	15	-3	-25	-5	15	-2	-2	9	3	13	4	-2	-12
225(3, 9) =	1	1	-1	-3	-5	15	6	0	-10	20	3	7	10	8	2	0	-2	-8
225(3,10) =	1	1	2	0	-2	60	7	15	5	15	13	-6	-2	-7	-1	-2	3	4
225(3,11) =	1	1	-1	3	-6	-60	-8	20	-10	-10	-7	3	-6	8	8	14	3	3
225(3,12) =	1	1	-1	3	4	-30	-8	20	-10	-10	-3	-14	-8	-13	-4	-3	7	1
225(4, 8) =	1	1	-1	-3	7	15	0	0	-10	-10	3	9	-2	8	-6	3	-12	4
225(4, 9) =	1	1	2	0	-2	-30	2	-10	0	-20	3	9	-2	8	-7	-6	-2	-7
225(4,10) =	1	1	-1	3	-1	15	-3	5	15	5	3	13	-1	-2	-7	-6	-2	-7
225(5,10) =	1	1	-1	-3	-18	0	-15	15	-15	-15	27	6	27	-3	6	-18	-3	-9

TABLE 62 : IND 1 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 3)

	P	1	A	B	C	D	X	U	V	W	20	21	22	23	24	25	26	27
225(0, 0) *	1	-44	-1	-3	-24	0	21	15	-15	-15	30	9	51	0	9	-24	0	-21
225(0, 1) *	1	-14	2	0	-2	-30	3	-10	30	10	3	4	-7	18	-6	3	-17	14
225(0, 2) *	1	-14	-1	3	14	30	-3	5	-5	-15	-7	-2	4	3	23	14	-2	-17
225(0, 3) *	1	-14	-1	-3	-14	-30	1	15	35	15	-10	9	11	20	-4	11	0	-1
225(0, 4) *	1	-14	2	0	-12	-60	-3	5	-15	35	3	-16	-12	-7	14	3	23	24
225(0, 5) *	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) *	1	-14	-1	-3	-14	30	-4	20	0	-20	0	-11	11	0	9	-9	10	-1
225(0, 7) *	1	-14	2	0	0	0	-3	5	-5	-15	-7	4	-17	3	-16	23	-2	24
225(0, 8) *	1	-14	-1	3	4	-60	7	-15	5	-15	-7	3	-16	-7	-12	-16	3	-7
225(0, 9) *	1	-14	-1	-3	6	30	-9	-25	15	5	0	-1	6	-10	-1	-9	-10	-6
225(0,10) *	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) *	1	-14	-1	3	4	0	2	-10	30	10	3	-17	-16	-12	3	-6	-17	-7
225(0,12) *	1	-14	-1	-3	26	-30	-9	-25	-35	15	-10	4	1	0	-1	11	10	-11
225(0,13) *	1	-14	2	0	-2	90	7	-15	5	-15	23	-6	-7	-7	-6	-7	3	14
225(0,14) *	1	-14	-1	3	-6	30	-3	5	-15	35	3	23	-6	-7	-7	-6	-7	-12
225(1, 2) *	1	1	-1	-3	-1	15	0	0	-10	-10	-4	-10	4	-9	-5	-1	11	-5
225(1, 3) *	1	1	2	0	3	-45	-8	20	-10	-10	3	-1	3	13	9	-12	-7	-6
225(1, 4) *	1	1	-1	3	-1	-45	12	0	-10	-10	8	8	4	-12	-2	-1	-7	-2
225(1, 5) *	1	1	-1	-3	4	30	5	-25	15	-5	-9	-5	-1	6	0	9	16	5
225(1, 6) *	1	1	2	0	3	-15	-3	5	15	5	3	-1	3	0	14	3	-7	-6
225(1, 7) *	1	1	-1	3	-1	45	-3	15	5	5	-7	8	4	3	-2	-1	8	-2
225(1, 8) *	1	1	-1	-3	9	-15	-5	5	5	5	21	-10	9	-14	15	-6	11	0
225(1, 9) *	1	1	2	0	-7	-15	-3	-15	-25	5	-7	-1	-2	3	-11	8	-7	4
225(1,10) *	1	1	-1	3	4	0	2	-10	0	-20	3	-2	-1	3	3	-4	-2	8
225(1,11) *	1	1	-1	-3	-6	30	0	20	0	20	-9	5	-6	-4	-10	9	-4	0
225(1,12) *	1	1	2	0	8	30	12	0	-10	-10	-7	-16	-2	3	4	-7	8	4
225(1,13) *	1	1	-1	3	-6	-30	-8	-10	20	-10	3	8	-6	-2	3	9	-7	2
225(2, 4) *	1	1	-1	-3	9	-15	-5	5	5	5	-9	5	9	1	-15	-6	-4	0
225(2, 5) *	1	1	2	0	-7	45	-3	-25	-5	15	8	4	-2	3	-1	-7	-2	4
225(2, 6) *	1	1	-1	3	-16	0	-3	-15	-25	5	-7	-7	4	3	13	14	8	-2
225(2, 7) *	1	1	-1	-3	4	-30	10	0	-10	0	-4	0	-1	11	0	-1	-9	5
225(2, 8) *	1	1	2	0	3	45	7	5	5	5	3	14	3	-2	-6	3	-7	-6
225(2, 9) *	1	1	-1	3	-6	-30	7	5	5	5	-12	-7	-6	13	3	9	8	3
225(2,10) *	1	1	-1	-3	-16	-30	0	-10	10	0	-4	-5	-11	-9	5	-1	1	-5
225(2,11) *	1	1	2	0	8	-60	-3	15	5	5	8	-1	-2	-12	-11	-7	8	4
225(2,12) *	1	1	-1	3	4	30	7	15	5	15	8	3	-1	-7	3	-1	3	8
225(3, 6) *	1	1	-1	-3	-9	-15	1	5	5	-25	0	-1	-9	-5	-6	6	5	9
225(3, 7) *	1	1	2	0	3	45	-8	-10	20	-10	-12	-1	3	-2	9	3	8	-6
225(3, 8) *	1	1	-1	3	-1	-15	-3	-25	-5	15	8	-2	19	3	-7	-16	-2	-2
225(3, 9) *	1	1	-1	-3	11	15	6	0	-10	20	5	-1	-14	0	4	-4	-10	4
225(3,10) *	1	1	2	0	-2	0	7	15	5	15	-7	-6	8	-7	9	8	3	-16
225(3,11) *	1	1	-1	3	-6	60	-8	20	-10	-10	3	-7	-6	-2	-12	-6	-7	3
225(4, 8) *	1	1	-1	-3	-1	15	0	0	-10	-10	11	20	4	21	10	-1	-19	-5
225(4, 9) *	1	1	2	0	-2	-30	2	-10	0	-20	3	19	8	-12	-6	3	-2	-16
225(4,10) *	1	1	-1	3	9	-15	-3	5	15	5	3	-7	9	8	-7	-6	8	3
225(5,10) *	1	1	-1	-3	-6	0	-15	15	-15	-15	21	0	-21	-9	0	-6	-9	15

TABLE 63: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 3 (MOD 5), IND 5 = 2 (MOD 3), C = 1 (MOD 5)

	P	1	A	2	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	0	0	21	15	-15	-15	10	15	27	-12	15	-10	-12	-45
225(0, 1) =	1	-14	2	0	4	0	2	-10	30	10	3	-6	13	8	-6	3	3	4
225(0, 2) =	1	-14	-1	3	-12	-60	-3	5	-5	-15	13	-2	-6	3	13	4	-2	3
225(0, 3) =	1	-14	-1	-3	10	30	1	15	35	15	-2	15	7	8	-10	7	-12	-5
225(0, 4) =	1	-14	2	0	14	30	-3	5	-15	35	3	4	8	13	14	3	13	14
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	10	-30	-4	20	0	-20	-12	-15	7	8	15	-3	10	-5
225(0, 7) =	1	-14	2	0	-6	30	-3	5	-5	-15	13	4	3	3	4	13	-2	24
225(0, 8) =	1	-14	-1	3	-2	30	7	-15	5	-15	-17	3	-26	7	-22	4	3	13
225(0, 9) =	1	-14	-1	-3	-10	-30	-9	-25	15	5	-12	-5	2	-2	5	-3	-2	-10
225(0,10) =	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	-2	30	2	-10	30	10	3	-27	-24	-22	3	-6	3	13
225(0,12) =	1	-14	-1	-3	-30	30	-9	-25	-35	5	-2	10	-3	-12	-5	7	-2	-15
225(0,13) =	1	-14	2	0	4	-60	7	-15	5	-15	13	-6	13	-7	-16	-17	3	4
225(0,14) =	1	-14	-1	3	8	0	-3	5	-15	35	3	13	-14	13	-7	-4	-17	8
225(1, 2) =	1	1	-1	-3	7	-15	0	0	-10	-10	-3	7	1	-13	2	6	7	-8
225(1, 3) =	1	1	2	0	-6	60	-8	30	-10	-10	-7	-6	3	8	-1	-7	3	-6
225(1, 4) =	1	1	-1	3	-2	60	12	0	-10	-10	3	-2	4	-7	8	-6	-2	-2
225(1, 5) =	1	1	-1	-3	-8	-30	5	-25	15	-5	-3	-3	1	2	-3	6	12	7
225(1, 6) =	1	1	2	0	-1	-15	-3	5	15	5	3	-11	-7	-2	14	3	-2	-1
225(1, 7) =	1	1	-1	3	-2	-30	-3	15	5	5	-12	13	4	8	-7	9	-2	-2
225(1, 8) =	1	1	-1	-3	-3	15	-5	5	5	17	-3	6	-13	2	-19	12	-3	3
225(1, 9) =	1	1	2	0	4	0	-3	-15	-25	5	3	-11	-2	-7	-1	3	-2	4
225(1,10) =	1	1	-1	3	-2	30	2	-10	0	-20	3	3	4	8	3	-6	-12	-2
225(1,11) =	1	1	-1	-3	2	-30	0	20	0	20	-3	7	-4	-8	-13	6	-8	2
225(1,12) =	1	1	2	0	-11	-45	12	0	-10	-10	-12	-11	-2	8	-1	3	13	4
225(1,13) =	1	1	-1	3	3	15	-8	-10	20	-10	8	3	-6	8	8	-1	-12	3
225(2, 4) =	1	1	-1	-3	-3	15	-5	5	5	-13	-3	0	2	2	11	-3	-3	3
225(2, 5) =	1	1	2	0	9	-15	-3	-25	-5	15	-2	4	-12	3	-11	-2	-2	9
225(2, 6) =	1	1	-1	3	12	15	-3	-15	-25	5	3	-2	4	-7	8	9	13	-2
225(2, 7) =	1	1	-1	-3	-8	30	10	0	-10	0	-8	-3	1	17	2	1	-3	7
225(2, 8) =	1	1	2	0	-6	-30	7	5	5	5	8	9	3	-7	-1	-7	-12	-6
225(2, 9) =	1	1	-1	3	3	15	7	5	5	-7	3	-6	8	-7	14	3	3	3
225(2,10) =	1	1	-1	-3	12	30	0	-10	10	0	-8	-8	-9	-3	7	1	7	-3
225(2,11) =	1	1	2	0	-11	45	-3	15	5	5	3	4	-2	-7	-16	-12	-2	4
225(2,12) =	1	1	-1	3	-2	-60	7	15	5	15	13	3	4	-7	8	-11	3	-2
225(3, 6) =	1	1	-1	-3	15	15	1	5	5	-25	8	0	-3	-7	-10	2	3	15
225(3, 7) =	1	1	2	0	-6	-30	-8	-10	20	-10	-7	9	3	8	14	8	3	-6
225(3, 8) =	1	1	-1	3	3	-15	-3	-25	-5	15	-2	-2	24	3	-2	-11	-2	-12
225(3, 9) =	1	1	-1	-3	-5	-15	6	0	-10	20	3	-5	-8	8	5	-3	-2	10
225(3,10) =	1	1	2	0	4	30	7	15	5	15	-2	-6	-2	-7	14	13	3	-11
225(3,11) =	1	1	-1	3	3	-75	-8	20	-10	-10	-7	-12	-6	-7	-7	-1	3	3
225(4, 8) =	1	1	-1	-3	7	-15	0	0	-10	-10	12	7	1	17	2	-9	-23	-8
225(4, 9) =	1	1	2	0	4	0	3	-10	0	-20	3	24	-2	-7	-6	3	-12	-11
225(4,10) =	1	1	-1	3	-7	45	-3	5	15	5	3	-2	14	-2	-7	-6	13	-7
225(5,10) =	1	1	-1	-3	-18	0	-15	15	-15	-15	27	-3	-9	-3	-3	-9	-3	27

TABLE 64: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 2 = 2 (MOD 5), IND 5 = 2 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	DO	D1	D2	D3	D4	D5	D6	D7
225(0, 0)	1	-44	-1	-3	-24	0	21	15	-15	30	-9	-21	0	-9	-6	0	31	
225(0, 1)	1	-14	2	0	4	0	2	-10	30	10	3	34	-7	-12	-6	3	-17	-16
225(0, 2)	1	-14	-1	3	8	0	-3	5	-5	-15	-7	-2	24	3	-7	-16	-2	-17
225(0, 3)	1	-14	-1	-3	-14	30	1	15	35	15	-10	-9	-1	20	6	-1	0	11
225(0, 4)	1	-14	2	0	-6	-30	-3	5	-15	35	3	-16	-12	-7	14	3	-7	-6
225(0, 5)	1	-14	-1	3	-12	0	-3	15	-15	-12	3	-6	3	3	24	3	3	3
225(0, 6)	1	-14	-1	-3	-14	-30	-4	20	0	-10	0	-1	0	-9	9	10	11	11
225(0, 7)	1	-14	2	0	14	-30	-3	5	-5	-15	-7	4	17	3	-16	-7	-2	4
225(0, 8)	1	-14	-1	3	-2	-90	7	-15	5	-15	23	3	-14	-7	18	-16	3	-7
225(0, 9)	1	-14	-1	-3	6	-30	-7	-25	15	5	0	11	-6	-10	-19	9	-10	6
225(0, 10)	1	-14	2	0	24	0	-3	15	-15	-12	-6	3	3	-6	-12	3	-6	-6
225(0, 11)	1	-14	-1	3	-2	30	2	-10	30	10	3	13	14	10	3	-6	-17	-7
225(0, 12)	1	-14	-1	-3	26	30	-9	-25	-35	15	-10	-14	-11	0	11	-1	10	1
225(0, 13)	1	-14	2	0	4	60	7	-15	5	-15	-7	-6	-7	-7	24	23	3	-16
225(0, 14)	1	-14	-1	3	-12	60	-3	5	-15	35	3	-7	24	-7	-7	-6	23	-12
225(1, 2)	1	1	-1	-3	-1	-15	0	0	-10	11	-1	-5	21	4	-10	-19	4	4
225(1, 3)	1	1	2	0	-6	-60	-9	20	-10	-10	3	14	3	-2	9	3	-7	-6
225(1, 4)	1	1	-1	3	8	-30	12	0	-10	-10	-7	8	4	3	-2	14	8	-3
225(1, 5)	1	1	-1	-3	4	-30	5	-25	15	-5	-9	-11	5	6	9	0	16	-1
225(1, 6)	1	1	2	0	9	15	-3	5	15	5	3	-1	3	8	14	3	8	9
225(1, 7)	1	1	-1	3	8	60	-3	15	5	5	8	-7	4	-12	13	-1	8	-2
225(1, 8)	1	1	-1	-3	9	15	-5	5	5	5	-9	-1	0	1	-6	15	-4	9
225(1, 9)	1	1	2	0	-16	0	-3	-15	-25	5	-7	-1	-2	3	-11	-7	8	4
225(1, 10)	1	1	-1	3	-2	30	2	-10	0	-20	3	-17	-16	-12	3	-6	-3	8
225(1, 11)	1	1	-1	-3	-6	-30	0	20	0	20	-9	-1	0	-4	-1	0	-4	-6
225(1, 12)	1	1	2	0	-1	45	12	0	-10	-10	8	-1	-2	-12	-11	-7	-7	4
225(1, 13)	1	1	-1	3	3	-45	-8	-10	20	-10	-12	-7	-6	-2	-12	9	8	3
225(2, 4)	1	1	-1	-3	9	15	-5	5	5	5	21	-1	0	-14	-6	-15	11	9
225(2, 5)	1	1	2	0	-1	15	-3	-25	-5	15	8	4	-2	3	-1	8	-2	19
225(2, 6)	1	1	-1	3	-7	15	-3	-15	-25	5	-7	8	4	3	-2	-1	-7	-3
225(2, 7)	1	1	-1	-3	4	30	10	0	-10	0	-4	9	5	11	-6	5	-9	-1
225(2, 8)	1	1	2	0	-6	30	7	5	5	5	-12	-1	3	13	9	3	8	-6
225(2, 9)	1	1	-1	3	3	-45	7	5	5	5	3	-7	-6	-2	3	-6	-7	3
225(2, 10)	1	1	-1	-3	-14	30	0	-10	10	0	-4	4	-5	-9	-1	5	1	-11
225(2, 11)	1	1	2	0	-1	-45	-3	15	5	5	-7	-16	-2	3	4	8	8	4
225(2, 12)	1	1	-1	3	-2	0	7	15	5	15	-7	3	-14	-7	-12	-1	3	8
225(3, 6)	1	1	-1	-3	-9	15	1	5	5	-25	0	-4	9	-5	6	-6	5	-9
225(3, 7)	1	1	2	0	-6	30	-8	-10	20	-10	3	-1	3	-2	-6	-12	-7	-6
225(3, 8)	1	1	-1	3	-7	-45	-3	-25	-5	15	8	-2	4	3	8	-1	-2	-2
225(3, 9)	1	1	-1	-3	11	-15	6	0	-10	20	5	11	4	0	1	-1	-10	-14
225(3, 10)	1	1	2	0	4	-30	7	15	5	15	8	-6	8	-7	-6	-7	3	-1
225(3, 11)	1	1	-1	3	3	45	-8	20	-10	2	8	-6	13	3	9	-7	3	3
225(4, 8)	1	1	-1	-3	-1	-15	0	0	-10	-10	-4	-1	-5	-9	4	5	11	4
225(4, 9)	1	1	2	0	4	0	2	-10	0	-20	3	4	8	3	-6	3	-2	-1
225(4, 10)	1	1	-1	3	3	15	-3	5	15	5	3	8	-6	8	-7	-6	-7	3
225(5, 10)	1	1	-1	-3	-6	0	-15	15	-15	-15	21	9	15	-9	9	-15	-9	-21

TABLE 65 : IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 0 (MOD 3), C = 1 (MOD 5)

	P	1	A	3	C	D	X	U	V	W	80	81	82	83	84	85	86	87
225(0, 0)	1	-44	-1	-3	36	0	-9	45	15	15	36	27	-3	6	-3	-10	-54	-3
225(0, 1)	1	-14	0	0	-12	0	2	10	-10	-10	-17	24	13	-2	-6	13	3	-26
225(0, 2)	1	-14	-1	3	8	60	-13	-25	5	-5	3	-22	14	13	13	-4	8	-7
225(0, 3)	1	-14	-1	-3	16	0	1	15	-25	-5	6	7	-3	6	2	-3	-14	-3
225(0, 4)	1	-14	2	0	-2	90	7	15	15	5	13	4	8	3	14	13	13	14
225(0, 5)	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	24	3	3	3
225(0, 6)	1	-14	-1	-3	-24	0	-4	-20	30	-40	-14	-3	7	16	-3	7	6	7
225(0, 7)	1	-14	2	0	3	-60	-13	-25	5	-5	3	14	-7	13	4	3	8	14
225(0, 8)	1	-14	-1	3	-2	30	7	-15	5	25	3	-17	-6	-27	8	-6	13	3
225(0, 9)	1	-14	-1	-3	16	0	1	-15	-15	35	-14	7	2	6	-13	7	-14	2
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-12	0	2	10	-10	-10	-17	-27	-24	-2	3	4	3	13
225(0,12)	1	-14	-1	-3	-4	0	11	-25	5	-5	6	2	-13	-14	7	-3	4	-13
225(0,13)	1	-14	2	0	-2	-30	7	-15	5	25	3	4	3	-27	-16	3	13	-6
225(0,14)	1	-14	-1	3	-2	-90	7	15	15	5	13	-17	14	3	-7	-26	13	8
225(1, 2)	1	1	-1	-3	-12	0	0	-10	-10	0	8	6	-19	3	11	11	-12	11
225(1, 3)	1	1	2	0	13	-15	-3	-5	15	-25	-12	4	6	-2	-1	3	-2	-16
225(1, 4)	1	1	-1	3	3	-45	-3	5	5	15	-7	3	-1	3	-7	-1	3	8
225(1, 5)	1	1	-1	-3	18	0	5	-5	5	5	-2	-9	1	-2	6	1	18	1
225(1, 6)	1	1	2	0	-2	0	-8	0	0	20	-2	-11	-7	3	14	-2	-2	-1
225(1, 7)	1	1	-1	3	3	45	-3	5	-25	-15	8	3	14	-12	8	-1	3	-7
225(1, 8)	1	1	-1	-3	-2	0	0	10	0	-10	3	1	-4	-2	-19	6	-2	11
225(1, 9)	1	1	2	0	3	45	12	-10	-10	0	-7	-6	-7	3	-1	-7	3	-1
225(1,10)	1	1	-1	3	3	-45	2	-20	20	-10	13	3	4	-2	3	-11	-12	-2
225(1,11)	1	1	-1	-3	-2	0	-5	15	15	5	-2	1	-4	-12	-4	1	-2	-4
225(1,12)	1	1	2	0	3	45	-3	5	5	15	-7	-6	8	3	-1	8	3	-1
225(1,13)	1	1	-1	3	-2	60	-3	-5	-15	5	3	-2	-1	13	-7	-6	-2	8
225(2, 4)	1	1	-1	-3	-2	0	0	10	0	-10	3	1	11	-2	11	-9	-2	-4
225(2, 5)	1	1	2	0	-7	-15	2	-10	-10	10	3	-1	-7	-2	-11	3	-7	14
225(2, 6)	1	1	-1	3	3	-45	12	-10	-10	0	-7	3	-1	3	8	14	3	-7
225(2, 7)	1	1	-1	-3	-2	0	10	0	20	10	-12	1	6	18	-4	6	-2	6
225(2, 8)	1	1	2	0	-2	30	-3	25	15	5	3	4	-7	-2	-1	-12	-2	-1
225(2, 9)	1	1	-1	3	-2	-30	-3	25	15	5	3	-2	-1	-2	8	9	-2	-7
225(2,10)	1	1	-1	-3	8	0	-10	-10	-10	-10	-12	-4	-4	-2	1	6	8	-4
225(2,11)	1	1	2	0	3	-45	-3	5	-25	-15	8	-6	-7	-12	-16	-7	3	14
225(2,12)	1	1	-1	3	-2	30	7	15	5	-5	3	13	-6	3	-7	-6	-2	3
225(3, 6)	1	1	-1	-3	-14	0	-9	-5	15	5	6	-8	2	-14	2	-3	16	2
225(3, 7)	1	1	2	0	-2	-60	-3	-5	-15	5	3	4	8	13	14	3	-2	-1
225(3, 8)	1	1	-1	3	-7	15	2	-10	-10	10	3	8	14	-2	-2	-6	-7	-7
225(3, 9)	1	1	-1	-3	5	0	6	20	-10	0	-4	-3	2	6	2	2	6	2
225(3,10)	1	1	2	0	-2	-30	7	15	5	-5	3	-11	3	3	14	3	-2	-6
225(3,11)	1	1	-1	3	13	15	-3	-5	15	-25	-12	-2	-16	-3	-7	9	-2	8
225(4, 8)	1	1	-1	-3	-12	0	0	-10	-10	0	8	6	11	3	-4	-19	-12	-19
225(4, 9)	1	1	2	0	3	45	2	-20	20	-10	13	3	-2	-6	-2	-12	4	4
225(4,10)	1	1	-1	3	-2	0	-8	0	0	20	-2	13	-1	3	-7	4	-2	-7
225(5,10)	1	1	-1	-3	18	0	0	-30	-30	18	-9	6	-12	6	-9	18	6	6

TABLE 66: IND 2 = 1 (MOD 3), IND 3 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 0 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	BO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	12	0	-9	45	15	15	12	-21	9	-18	9	-6	42	9
225(0, 1) =	1	-14	2	0	8	60	2	10	-10	-10	23	4	-7	-2	-6	-7	-17	14
225(0, 2) =	1	-14	-1	3	-12	0	-13	-25	5	-5	3	18	14	-7	-7	-6	-12	-7
225(0, 3) =	1	-14	-1	-3	-8	0	1	15	-25	-5	-18	-1	9	22	-6	9	2	9
225(0, 4) =	1	-14	2	0	-2	-30	7	15	15	5	-7	-16	-12	3	14	-7	-7	-6
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	32	0	-4	-20	20	-40	2	-11	-1	-8	9	-1	22	-1
225(0, 7) =	1	-14	2	0	-12	0	-13	-25	5	-5	3	-6	-7	-7	-16	3	-12	14
225(0, 8) =	1	-14	-1	3	-2	30	7	-15	5	25	3	23	-6	12	-12	-6	-7	2
225(0, 9) =	1	-14	-1	-3	-8	0	1	-15	-15	35	2	-1	-6	-18	-1	-1	2	-6
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	6	-60	2	10	-10	-10	23	12	14	-2	3	-16	-17	-7
225(0,12) =	1	-14	-1	-3	12	0	11	-25	5	-5	-18	-6	-1	2	-1	9	12	-1
225(0,13) =	1	-14	2	0	-2	-30	7	-15	5	25	3	-16	3	13	24	3	-7	-6
225(0,14) =	1	-14	-1	3	-2	30	7	15	15	5	-7	23	-6	3	-7	14	-7	-12
225(1, 2) =	1	1	-1	-3	0	0	-10	-10	0	0	0	15	5	-5	-15	0	-15	0
225(1, 3) =	1	1	2	0	-7	-15	-3	-5	15	-25	8	4	-2	8	9	-7	-2	4
225(1, 4) =	1	1	-1	3	3	15	-3	5	5	15	3	3	9	-7	13	9	3	-12
225(1, 5) =	1	1	-1	-3	-10	0	-5	5	5	-10	-5	5	10	0	5	10	5	5
225(1, 6) =	1	1	2	0	-2	60	-8	0	0	20	8	-1	3	14	8	8	9	9
225(1, 7) =	1	1	-1	3	3	-75	-3	5	-25	-15	-12	3	-6	8	-2	9	3	3
225(1, 8) =	1	1	-1	-3	-10	0	0	10	0	-10	5	-5	10	-10	15	-10	10	-5
225(1, 9) =	1	1	2	0	3	-15	12	-10	-10	0	3	-6	3	-7	-11	3	3	9
225(1,10) =	1	1	-1	3	-7	-15	-2	-20	20	-10	-7	-17	-16	-2	3	-1	-2	8
225(1,11) =	1	1	-1	-3	10	0	-5	15	15	5	-10	5	0	0	-10	5	-10	0
225(1,12) =	1	1	2	0	3	-15	-3	5	5	15	3	-6	-12	-7	-11	-12	3	9
225(1,13) =	1	1	-1	3	9	-30	-3	-5	-15	3	-7	-2	-11	-7	3	14	-2	-2
225(2, 4) =	1	1	-1	-3	-10	0	0	10	0	-10	5	-5	-5	-10	-15	5	10	10
225(2, 5) =	1	1	2	0	3	-45	2	-10	-10	10	3	9	-7	8	-1	3	3	14
225(2, 6) =	1	1	-1	3	3	15	12	-10	-10	0	3	3	9	-7	-2	-6	3	3
225(2, 7) =	1	1	-1	-3	10	0	10	0	20	10	0	5	0	10	0	0	-10	0
225(2, 8) =	1	1	2	0	8	-60	-3	25	15	5	-7	4	13	8	9	8	-2	-11
225(2, 9) =	1	1	-1	3	6	60	-3	25	15	5	-7	-2	-11	8	-12	-1	-2	12
225(2,10) =	1	1	-1	-3	0	0	-10	-10	-10	10	0	-10	-10	5	0	0	0	-10
225(2,11) =	1	1	2	0	3	75	-3	5	-25	-15	-12	-6	3	8	4	3	3	-6
225(2,12) =	1	1	-1	3	-2	30	7	15	5	-5	3	-7	-6	-17	3	-6	8	3
225(3, 6) =	1	1	-1	-3	2	0	-9	-3	15	5	2	4	4	2	-6	-1	-8	4
225(3, 7) =	1	1	2	0	8	30	-3	-5	-15	5	-7	4	-2	-7	-6	-7	-3	-11
225(3, 8) =	1	1	-1	3	3	45	2	-10	-10	10	3	-12	14	8	8	-6	3	-7
225(3, 9) =	1	1	-1	-3	-18	0	6	20	-10	0	12	9	-6	2	4	-6	-18	-6
225(3,10) =	1	1	2	0	-2	-30	7	15	5	-5	3	-1	3	-17	-4	3	8	-6
225(3,11) =	1	1	-1	3	-7	15	-3	-5	15	-25	8	-2	4	3	3	-1	-2	-2
225(4, 8) =	1	1	-1	-3	0	0	0	-10	-10	0	0	0	-15	5	10	15	0	15
225(4, 9) =	1	1	2	0	-7	15	2	-20	20	-10	-7	19	8	-2	-6	8	-2	-16
225(4,10) =	1	1	-1	3	-2	-60	-8	0	0	20	8	-7	9	3	-7	-16	8	2
225(5,10) =	1	1	-1	-3	30	0	0	0	-30	-30	30	15	0	0	0	-15	-30	0

TABLE 67: $\text{IND } 2 = 1 \pmod{3}$, $\text{IND } 2 = 1 \pmod{5}$, $\text{IND } 3 = 4 \pmod{5}$, $\text{IND } 5 = 1 \pmod{3}$, $C = 1 \pmod{5}$

	P	1	A	B	C	D	T	U	V	M	B0	B1	B2	B3	B4	B5	B6	B7
225(0,0)	1	-44	-1	-3	0	0	-7	45	15	15	18	27	15	-12	-3	0	18	-3
225(0,1)	1	-14	2	0	-12	-60	2	10	-10	13	-6	13	-2	-6	-17	3	4	
225(0,2)	1	-14	-1	3	14	30	-13	-25	5	-5	3	8	14	13	13	-6	-22	-7
225(0,3)	1	-14	-1	-3	10	-30	1	15	-25	-5	-12	7	13	18	2	15	-2	-3
225(0,4)	1	-14	2	0	-2	30	7	15	15	5	-17	-26	-22	3	14	13	13	14
225(0,5)	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0,6)	1	-14	-1	-3	-30	30	-4	-20	20	-40	-2	-3	-5	-2	3	-5	18	7
225(0,7)	1	-14	2	0	0	0	-13	-25	5	-5	3	-16	-7	-17	4	3	8	14
225(0,8)	1	-14	-1	3	4	0	7	-15	5	25	3	13	-6	3	-22	-6	-17	3
225(0,9)	1	-14	-1	-3	10	30	1	-15	-15	35	-2	7	-10	-12	-13	-5	-2	2
225(0,10)	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11)	1	-14	-1	3	-6	30	2	10	-10	-10	13	3	4	-2	3	-26	-27	-17
225(0,12)	1	-14	-1	-3	-10	-30	11	-25	5	-5	-12	2	5	-3	7	15	8	-13
225(0,13)	1	-14	2	0	-2	30	7	-15	5	25	3	-26	3	3	14	3	13	-6
225(0,14)	1	-14	-1	3	4	-60	7	15	15	5	13	13	-16	3	-7	4	-17	8
225(1,2)	1	1	-1	-3	-3	15	0	-10	-10	0	-13	6	2	-3	-4	2	-3	-19
225(1,3)	1	1	2	0	13	15	-3	-5	15	-25	3	4	8	13	-1	-12	-2	-1
225(1,4)	1	1	-1	3	-6	-30	-3	5	5	15	8	3	-1	-12	8	-1	3	-7
225(1,5)	1	1	-1	-3	12	30	5	-5	5	5	-8	-9	7	7	6	7	12	1
225(1,6)	1	1	2	0	-2	-60	-8	0	20	13	4	8	3	14	-2	-2	-1	
225(1,7)	1	1	-1	3	-6	60	-3	5	-25	-15	-7	3	-1	3	-7	14	3	8
225(1,8)	1	1	-1	-3	7	-15	0	10	0	-10	-3	1	2	7	11	-3	7	-4
225(1,9)	1	1	2	0	3	15	12	-10	-10	0	8	-6	8	-12	-1	-7	3	-1
225(1,10)	1	1	-1	3	7	-15	2	-20	20	-10	-2	-12	-11	-2	3	4	3	19
225(1,11)	1	1	-1	-3	-8	30	-5	15	15	5	-8	1	2	-3	-4	7	-8	-4
225(1,12)	1	1	2	0	3	15	-3	5	5	15	-7	-6	-7	3	-16	-7	3	14
225(1,13)	1	1	-1	3	-11	45	-3	-5	-15	5	-2	-16	-2	8	9	-2	8	
225(2,4)	1	1	-1	-3	7	-15	0	10	0	-10	12	1	2	-23	-19	-3	7	11
225(2,5)	1	1	2	0	-7	45	2	-10	-10	10	3	14	-7	13	-11	3	-7	14
225(2,6)	1	1	-1	3	-6	-30	12	-10	-10	0	-7	3	14	3	8	-1	3	-7
225(2,7)	1	1	-1	-3	-8	-30	10	0	20	10	-3	1	-3	12	-4	-3	-8	6
225(2,8)	1	1	2	0	-2	60	-3	25	15	5	3	4	8	-2	14	3	-2	-16
225(2,9)	1	1	-1	3	-11	-45	-3	25	15	5	-12	-2	-1	13	-7	9	-2	8
225(2,10)	1	1	-1	-3	2	-30	-10	-10	-10	-3	-4	-13	-8	1	-3	2	-4	
225(2,11)	1	1	2	0	3	-75	-3	5	-25	-15	-7	-6	-7	3	-1	8	3	-1
225(2,12)	1	1	-1	3	4	0	7	15	5	-5	3	-2	-6	-12	8	-6	13	3
225(3,6)	1	1	-1	-3	-5	-15	-9	-5	15	5	3	-8	5	-2	2	0	-2	2
225(3,7)	1	1	2	0	-2	-30	-3	-5	-15	5	-12	4	-7	-2	-1	3	-2	-1
225(3,8)	1	1	-1	3	-1	-15	2	-10	-10	10	3	-7	14	-2	-2	-6	8	-7
225(3,9)	1	1	-1	-3	15	15	6	20	-10	0	0	-3	-10	3	2	-10	-12	2
225(3,10)	1	1	2	0	-2	30	7	15	5	-5	3	4	3	-12	-1	3	-2	-6
225(3,11)	1	1	-1	3	4	0	-3	-5	15	-25	3	-2	-1	-2	-7	-6	-2	-7
225(4,8)	1	1	-1	-3	-3	15	0	-10	-10	0	17	6	2	12	11	2	-3	11
225(4,9)	1	1	2	0	3	-15	2	-20	20	-10	-2	24	-2	-2	-6	13	-12	-11
225(4,10)	1	1	-1	3	0	30	-8	0	0	20	-2	-2	14	3	-7	-11	19	-7
225(5,10)	1	1	-1	-3	-18	0	0	0	-30	-30	27	-9	-3	-3	6	-18	-18	6

TABLE 68: IND 1 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 1 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	D0	D1	D2	D3	D4	D5	D6	D7
225(0, 0) =	1	-44	-1	-3	-24	0	-9	45	15	15	30	-21	-9	0	0	-24	-30	9
225(0, 1) =	1	-14	2	0	0	0	2	10	-10	-10	-7	34	-7	-2	-6	23	-17	-14
225(0, 2) =	1	-14	-1	3	-6	-30	-13	-25	5	-5	3	-12	14	-7	-7	-6	18	-7
225(0, 3) =	1	-14	-1	-3	-14	-30	1	15	-25	-5	0	-1	-9	10	-6	-9	-10	9
225(0, 4) =	1	-14	0	0	-2	-90	7	15	15	5	23	14	18	3	14	-7	-7	-6
225(0, 5) =	1	-14	-1	3	24	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	26	30	-4	-20	20	-40	-10	-11	11	10	9	11	10	-1
225(0, 7) =	1	-14	2	0	-12	60	-13	-25	5	-5	3	24	-7	23	-16	3	-12	14
225(0, 8) =	1	-14	-1	3	4	0	7	-15	5	25	3	-7	-6	-17	18	-6	23	3
225(0, 9) =	1	-14	-1	-3	-14	30	1	-15	-15	35	-10	-1	6	0	-1	11	-10	-4
225(0,10) =	1	-14	2	0	-12	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0,11) =	1	-14	-1	3	14	-30	2	10	-10	-10	-7	-17	-16	-2	3	14	13	23
225(0,12) =	1	-14	-1	-3	6	-30	11	-25	5	-5	0	-6	-19	-10	-1	-9	0	-1
225(0,13) =	1	-14	3	0	-2	30	7	-15	5	25	3	14	3	-17	-6	3	-7	-6
225(0,14) =	1	-14	-1	3	4	60	7	15	15	5	-7	-7	24	3	-7	-16	23	-12
225(1, 2) =	1	1	-1	-3	9	15	0	-10	-10	0	21	0	-6	11	10	-6	-9	15
225(1, 3) =	1	1	2	0	-7	15	-3	-5	15	-25	-7	4	-2	-7	9	8	-2	-11
225(1, 4) =	1	1	-1	3	-6	30	-3	5	5	15	-12	3	9	8	-2	9	3	3
225(1, 5) =	1	1	-1	-3	-16	30	5	-5	5	5	-4	-5	-1	1	0	-1	16	5
225(1, 6) =	1	1	2	0	-2	0	-8	0	0	20	-7	-16	-12	3	14	0	0	9
225(1, 7) =	1	1	-1	3	-6	-60	-3	5	-25	-15	0	3	9	-7	13	-6	3	-12
225(1, 8) =	1	1	-1	-3	-1	-15	0	10	0	-10	11	-5	4	-19	-15	-1	1	10
225(1, 9) =	1	1	2	0	3	-45	13	-10	-10	0	-12	-6	-12	8	-11	3	3	9
225(1,10) =	1	1	-1	3	-1	15	2	-20	20	-10	8	-2	-1	-2	3	-16	-17	-7
225(1,11) =	1	1	-1	-3	4	30	-5	15	15	5	-4	5	-6	-9	-10	-1	-4	0
225(1,12) =	1	1	2	0	3	-45	-3	5	5	15	3	-6	3	-7	4	3	3	-6
225(1,13) =	1	1	-1	3	-1	-45	-3	-5	-15	5	-7	-2	4	0	-12	-1	-2	-2
225(2, 4) =	1	1	-1	-3	-1	-15	0	10	0	-10	-1	-5	4	11	15	-1	1	-5
225(2, 5) =	1	1	2	0	3	15	2	-10	-10	10	3	-6	-7	-7	-1	3	3	14
225(2, 6) =	1	1	-1	3	-6	30	12	-10	-10	0	3	3	-6	-7	-2	9	3	3
225(2, 7) =	1	1	-1	-3	4	-30	10	0	20	10	-9	5	9	16	0	9	-4	0
225(2, 8) =	1	1	2	0	3	-30	-3	25	15	5	-7	4	-2	8	-6	-7	-2	4
225(2, 9) =	1	1	-1	3	-1	45	-3	25	15	5	9	-2	-11	-7	3	-1	-2	-2
225(2,10) =	1	1	-1	-3	-6	-30	-10	-10	-10	10	-9	0	-1	-4	5	9	6	-10
225(2,11) =	1	1	2	0	3	45	-3	5	-25	-15	3	-6	3	-7	-11	-12	3	9
225(2,12) =	1	1	-1	3	4	0	7	15	5	-5	3	8	-6	-2	-12	-6	-7	3
225(3, 6) =	1	1	-1	-3	11	-15	-9	-5	15	5	5	4	1	-10	-6	-4	10	4
225(3, 7) =	1	1	2	0	3	60	-3	-5	-15	5	8	4	13	8	9	-7	-2	-11
225(3, 8) =	1	1	-1	3	9	15	2	-10	-10	10	3	3	14	8	8	-6	-12	-7
225(3, 9) =	1	1	-1	-3	-9	15	6	20	-10	0	0	9	6	5	4	6	0	-6
225(3,10) =	1	1	2	0	-2	30	7	15	5	-5	3	-16	3	-2	9	3	8	-6
225(3,11) =	1	1	-1	3	-16	0	-3	-5	15	-25	-7	-2	-11	8	3	14	-2	13
225(4, 8) =	1	1	-1	-3	9	15	0	-10	-10	0	-9	0	-6	-4	-5	-6	-9	-15
225(4, 9) =	1	1	2	0	-7	-45	0	-20	20	-10	8	4	8	-2	-6	-7	-2	-1
225(4,10) =	1	1	-1	3	4	-30	-8	0	20	8	2	6	3	-7	-1	-7	3	3
225(5,10) =	1	1	-1	-3	-6	0	0	0	-30	-30	21	15	9	-9	0	-6	6	0

TABLE 69: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 2 (MOD 3), C = 1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	DO	B1	B2	B3	B4	B5	B6	B7
225(0, 0) =	1	-44	-1	-3	0	0	-3	45	15	15	18	-45	-3	-12	15	-10	10	10
225(0, 1) =	1	-14	2	0	-6	-30	2	10	-10	13	24	-17	-2	-6	13	-27	4	-7
225(0, 2) =	1	-14	-1	3	8	0	-13	-25	5	-5	3	8	14	-17	-17	-6	8	-7
225(0, 3) =	1	-14	-1	-2	10	30	1	15	-25	-5	-12	-5	-3	18	-10	-3	-2	15
225(0, 4) =	1	-14	2	0	4	60	7	15	15	5	13	4	8	3	14	-17	-17	-16
225(0, 5) =	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	3	24	3	3
225(0, 6) =	1	-14	-1	-3	-30	-30	-4	-20	20	-40	-2	-15	7	-2	15	7	10	-5
225(0, 7) =	1	-14	2	0	14	-30	-13	-25	5	-5	3	14	-7	13	-24	3	-22	14
225(0, 8) =	1	-14	-1	3	-2	-30	7	-15	5	25	3	13	-6	3	8	-6	13	3
225(0, 9) =	1	-14	-1	-3	10	-30	1	-15	-15	35	-2	-5	2	-12	5	7	-2	-10
225(0, 10) =	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11) =	1	-14	-1	3	-12	60	2	10	-10	-10	13	3	4	-2	3	4	3	13
225(0, 12) =	1	-14	-1	-3	-10	30	11	-25	5	-5	-12	-10	-13	-2	-5	-3	8	8
225(0, 13) =	1	-14	2	0	4	0	7	-15	5	25	3	4	3	3	14	3	-17	-6
225(0, 14) =	1	-14	-1	3	-2	-30	7	15	15	5	-17	13	14	3	-7	4	13	-22
225(1, 2) =	1	1	-1	-3	-3	-15	0	-10	-10	0	17	-3	11	12	2	-19	-3	2
225(1, 3) =	1	1	0	0	4	0	-3	-5	15	-25	3	4	-7	-2	14	3	-2	-1
225(1, 4) =	1	1	-1	3	3	-15	-3	5	5	15	-7	3	14	3	8	14	3	-7
225(1, 5) =	1	1	-1	-3	12	-30	5	-5	5	5	-8	-3	1	7	-3	1	12	7
225(1, 6) =	1	1	2	0	4	-30	-8	0	0	20	-2	-11	-7	3	14	13	13	14
225(1, 7) =	1	1	-1	3	75	-3	5	-25	-15	-7	3	-1	3	0	-1	3	-7	-7
225(1, 8) =	1	1	-1	-3	7	15	0	10	0	-10	12	-8	11	-23	2	-9	7	2
225(1, 9) =	1	1	2	0	-6	30	12	-10	-10	0	-7	-6	-7	3	-16	8	3	14
225(1, 10) =	1	1	-1	3	3	15	2	-20	20	-10	-2	-12	-11	-2	3	-11	-12	-2
225(1, 11) =	1	1	-1	-3	-8	-30	-5	15	15	5	-6	7	-4	-3	-13	1	-8	2
225(1, 12) =	1	1	2	0	-6	30	-3	5	5	15	8	-6	-7	-12	-1	-7	3	-1
225(1, 13) =	1	1	-1	3	-2	30	-3	-5	-15	5	-12	-2	-1	-2	-7	9	-2	-7
225(2, 4) =	1	1	-1	-3	7	15	0	10	0	-10	-3	-8	-4	7	2	6	7	2
225(2, 5) =	1	1	2	0	-1	15	2	-10	-10	10	0	-1	-7	-2	4	3	8	14
225(2, 6) =	1	1	-1	3	0	-15	12	-10	-10	0	8	3	-1	-12	-7	-1	3	8
225(2, 7) =	1	1	-1	-3	-8	30	10	0	20	10	-3	7	6	12	2	6	-8	-3
225(2, 8) =	1	1	2	0	-11	45	-3	25	15	5	-12	4	8	13	-1	3	-2	-1
225(2, 9) =	1	1	-1	3	-2	-60	-3	25	15	5	3	-2	-16	-2	-7	-6	-2	8
225(2, 10) =	1	1	-1	-3	3	30	-10	-10	10	-3	2	-4	-8	7	6	2	-13	-1
225(2, 11) =	1	1	2	0	-6	-60	-3	5	-25	-15	-7	-6	8	3	-1	-7	3	-1
225(2, 12) =	1	1	-1	3	-2	-30	7	15	5	-5	3	-2	-6	-12	-7	-6	-2	3
225(3, 6) =	1	1	-1	-3	-5	15	-9	-5	15	5	3	10	2	-2	-10	-3	-2	8
225(3, 7) =	1	1	2	0	-11	-45	-3	-5	-15	5	3	4	8	-2	-1	-12	-2	-16
225(3, 8) =	1	1	-1	3	-7	-45	2	-10	-10	10	3	-7	14	13	13	-6	-7	-7
225(3, 9) =	1	1	-1	-3	15	-15	6	20	-10	0	8	15	2	3	5	2	-12	-10
225(3, 10) =	1	1	2	0	4	0	7	15	5	-5	3	-11	3	-12	-1	3	13	-6
225(3, 11) =	1	1	-1	3	13	-15	-3	-5	15	-25	3	-2	-1	13	8	9	-2	8
225(4, 8) =	1	1	-1	-3	-3	-15	0	-10	-10	0	-13	-3	-19	-3	2	11	-3	2
225(4, 9) =	1	1	2	0	7	15	2	-20	20	-10	-2	9	13	-2	-6	-2	3	-11
225(4, 10) =	1	1	-1	3	-2	60	-6	0	0	20	13	-2	-1	3	-7	-11	-2	8
225(5, 10) =	1	1	-1	-3	-18	0	C	0	-30	-30	27	27	6	-3	-3	-9	-10	-3

TABLE 70: IND 2 = 1 (MOD 3), IND 2 = 1 (MOD 5), IND 3 = 4 (MOD 5), IND 5 = 2 (MOD 3), C = -1 (MOD 5)

	P	1	A	B	C	D	X	U	V	W	B0	B1	B2	B3	B4	B5	B6	B7	
225(0, 0)	=	1	-44	-1	-3	-24	0	-9	45	15	15	30	51	9	0	-9	-6	-30	-9
225(0, 1)	=	1	-14	2	0	14	30	2	10	-10	-10	-7	4	23	-2	-6	-7	13	-16
225(0, 2)	=	1	-14	-1	3	-12	-63	-13	-25	5	-5	3	-12	14	23	23	6	-12	-7
225(0, 3)	=	1	-14	-1	-3	-14	30	1	15	-25	-5	0	11	9	10	6	9	-10	-9
225(0, 4)	=	1	-14	2	0	4	-60	7	15	15	5	-7	-16	-12	3	14	23	23	24
225(0, 5)	=	1	-14	-1	3	-12	0	-3	15	-15	-15	-12	3	-6	3	24	3	3	3
225(0, 6)	=	1	-14	-1	-3	26	-30	-4	-20	20	-40	-10	1	-1	10	-9	-1	10	11
225(0, 7)	=	1	-14	2	0	-6	30	-13	-25	5	-5	3	-6	-7	-7	14	3	10	14
225(0, 8)	=	1	-14	-1	3	-2	-30	7	-15	5	25	3	-7	-6	-17	-12	-6	-7	3
225(0, 9)	=	1	-14	-1	-3	-14	-30	1	-15	-15	35	-10	11	-6	0	-19	-1	-10	6
225(0, 10)	=	1	-14	2	0	24	0	-3	15	-15	-15	-12	-6	3	3	-6	-12	3	-6
225(0, 11)	=	1	-14	-1	3	0	0	2	10	-10	-10	-7	-17	-16	-2	3	-16	-17	-7
225(0, 12)	=	1	-14	-1	-3	6	30	11	-25	5	-5	0	6	-1	-10	11	9	0	-19
225(0, 13)	=	1	-14	2	0	4	0	7	-15	5	25	3	-16	3	-17	-6	3	23	-6
225(0, 14)	=	1	-14	-1	3	-2	90	7	15	15	5	23	-7	-6	3	-7	-16	-7	10
225(1, 2)	=	1	1	-1	-3	9	-15	0	-10	-10	0	-9	9	-15	-4	4	13	-9	-6
225(1, 3)	=	1	1	2	0	-16	0	-3	-5	15	-25	-7	4	13	8	-6	-7	-2	-11
225(1, 4)	=	1	1	-1	3	3	45	-3	5	5	15	3	3	-6	-7	-2	3	3	3
225(1, 5)	=	1	1	-1	-3	-16	-30	5	-5	5	5	-4	-11	5	1	9	5	16	-1
225(1, 6)	=	1	1	2	0	4	30	-8	0	0	20	8	-1	2	3	14	-7	-7	-6
225(1, 7)	=	1	1	-1	3	3	-45	-3	5	-25	-15	3	3	9	-7	-2	9	3	3
225(1, 8)	=	1	1	-1	-3	-1	15	0	10	0	-10	-4	4	-5	11	-6	5	1	4
225(1, 9)	=	1	1	2	0	-6	-30	12	-10	-10	0	3	-6	3	-7	4	-12	3	-6
225(1, 10)	=	1	1	-1	3	-7	45	3	-20	20	-10	8	-2	1	-2	3	-1	-2	0
225(1, 11)	=	1	1	-1	-3	4	-30	-5	15	15	5	-4	-1	0	-9	-1	5	-4	-6
225(1, 12)	=	1	1	2	0	-6	-30	-3	5	5	15	-12	-6	3	8	-11	3	3	9
225(1, 13)	=	1	1	-1	3	8	-60	-3	-5	-15	5	0	-2	-11	8	3	-1	-2	13
225(2, 4)	=	1	1	-1	-3	-1	15	0	10	0	-10	11	4	10	-19	-6	-10	1	4
225(2, 5)	=	1	1	2	0	9	-15	2	-10	-10	10	3	9	-7	6	-16	3	-12	14
225(2, 6)	=	1	1	-1	3	3	45	12	-10	-10	0	-12	3	9	8	13	9	3	-13
225(2, 7)	=	1	1	-1	-3	4	30	10	0	20	10	-9	-1	0	16	-6	0	-4	9
225(2, 8)	=	1	1	2	0	-1	-45	-3	25	15	5	8	4	-2	-7	9	-7	-2	-11
225(2, 9)	=	1	1	-1	3	9	30	-3	25	15	5	-7	-2	4	8	3	14	-2	-2
225(2, 10)	=	1	1	-1	-3	-6	30	-10	-10	-10	-10	-9	-6	-10	-4	-1	0	6	-1
225(2, 11)	=	1	1	2	0	-6	60	-3	5	-25	-15	3	-6	-12	-7	-11	3	3	9
225(2, 12)	=	1	1	-1	3	-2	-30	7	15	5	-5	3	8	-6	-2	3	-6	8	3
225(3, 6)	=	1	1	-1	-3	11	15	-9	-5	15	5	-14	4	-10	6	-1	10	1	1
225(3, 7)	=	1	1	2	0	-1	45	-3	-5	-15	5	-7	4	-2	8	9	8	-2	4
225(3, 8)	=	1	1	-1	3	3	-15	2	-10	-10	10	3	14	-7	-7	-6	3	-7	3
225(3, 9)	=	1	1	-1	-3	-9	-15	6	20	-10	0	0	-9	-6	5	1	-6	0	6
225(3, 10)	=	1	1	2	0	4	0	7	15	5	-5	3	-1	3	-2	9	3	-7	-6
225(3, 11)	=	1	1	-1	3	-7	-15	-3	-5	15	-25	-7	-2	-11	-7	-12	-1	-2	-2
225(4, 8)	=	1	1	-1	-3	9	-15	0	-10	-10	0	21	9	15	11	4	-15	-9	-6
225(4, 9)	=	1	1	2	0	-1	-15	2	-20	20	-10	8	19	-7	-2	-6	8	-17	-1
225(4, 10)	=	1	1	-1	3	-2	0	-8	0	0	20	-7	0	9	3	-7	-1	8	-13
225(5, 10)	=	1	1	-1	-3	-6	0	0	0	-30	21	-21	0	-9	9	-13	6	9	9